

LISTA DE APLICACIONES - BUYERS GUIDE

150759




8 424073 011602

Qty: 660

Weight: 4.505

O.E.M.	MAKE
190 3486	IVECO
BBU 8178	LEYLAND



150759



90R-01178/693



Perrot 456 F-I

190.8x86.85x23

WVA	FMSI
29017	D494-7817
29024	
29026	
MAKE	
DAF	
IVECO	
LEYLAND	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

DAF

45 01.91-12.00

Platform/Chassis

FA 45.120-035 (CD 85)	Diesel	5880	85	116	05.91-12.00	■
FA 45.120-06 (CD 85)	Diesel	5880	85	116	05.91-12.00	■
FA 45.130 B08,FA 45.130 C08 (CN 96)	Diesel	5880	96	131	05.91-12.00	■
FA 45.130 B08,FA 45.130 C08 (CS 97 M)	Diesel	5880	96	131	05.91-12.00	■
FA 45.130 B08,FA 45.130 C08 (CT 97)	Diesel	5880	96	131	05.91-12.00	■
FA 45.130 B06,FA 45.130 C06 (CS 97 M)	Diesel	5880	97	132	05.91-12.00	■
FA 45.130 B06,FA 45.130 C06 (CT 97)	Diesel	5880	97	132	05.91-12.00	■
FA 45.150-10,FA 45.150 B10 (CB 108)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150-10,FA 45.150 B10 (CS 107 M)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150 B08,FA 45.150 C08 (CB 108)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150 B08,FA 45.150 C08 (CS 107 M)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150 B08,FA 45.150 C08 (CT 108)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150 B11,FA 45.150 C11 (CB 108)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150 B11,FA 45.150 C11 (CS 107 M)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150 B11,FA 45.150 C11 (CT 108)	Diesel	5880	107	146	05.91-12.00	■
FA 45.150 C09 (CT 108)	Diesel	5880	108	147	05.91-12.00	■
FA 45.160 -10 (CT 119)	Diesel	5880	119	162	05.91-12.00	■
FA 45.160 C08 (CS 119)	Diesel	5880	119	162	05.91-12.00	■
FA 45.160 C08 (CT 119)	Diesel	5880	119	162	05.91-12.00	■
FA 45.160 C09 (CS 119)	Diesel	5880	119	162	05.91-12.00	■
FA 45.160 C11 (CS 119)	Diesel	5880	119	162	05.91-12.00	■
FA 45.160 C11 (CT 119)	Diesel	5880	119	162	05.91-12.00	■
FA 45.180 B08 (CS 133 M)	Diesel	5880	133	181	05.95-12.00	■

LISTA DE APLICACIONES - BUYERS GUIDE

FA 45.180 B10 (CS 133 M)		Diesel		5880	133	181	05.95-12.00	■
FA 45.180 B11 (CS 133 M)		Diesel		5880	133	181	05.95-12.00	■
FA 45.210 B11 (CS 158 M)		Diesel		5880	158	215	05.95-12.00	■
IVECO								
Zeta 01.79-12.92					Bus			
A 60-10 (8340.04.040)		Diesel		4570	73	99	11.79-06.88	■
Zeta 01.79-12.92					Dump Truck			
50-8 H (8040.04.200)		Diesel		3666	63	86	01.83-12.86	■
50-9 H (8040.05.230)		Diesel		3908	65	88	01.87-03.91	■
65-12 H (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 H (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 H (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■
79-12 H (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 H (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■
50-10H (8340.04.200)		Diesel		4570	74	101	01.79-12.86	■
50-10H (8340.04.250)		Diesel		4570	74	101	01.79-12.86	■
50-10H (8340.04.300)		Diesel		4570	74	101	01.79-12.86	■
50-10H (8340.04.362)		Diesel		4570	74	101	01.79-12.86	■
60-10H (8340.04.200)		Diesel		4570	74	101	11.79-12.86	■
60-10H (8340.04.250)		Diesel		4570	74	101	11.79-12.86	■
65-10H (8340.04.200)		Diesel		4570	74	101	11.79-01.87	■
65-10H (8340.04.250)		Diesel		4570	74	101	11.79-01.87	■
65-10H (8340.04.300)		Diesel		4570	74	101	11.79-01.87	■
65-10H (8340.04.350)		Diesel		4570	74	101	11.79-01.87	■
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	■
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	■
79-14 H (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■
79-14 H (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■
Zeta 01.79-12.92					Estate Van			
50-8 V (8040.04.200)		Diesel		3666	63	86	01.83-12.86	■
50-9 V (8040.05.230)		Diesel		3908	65	88	01.87-03.91	■
60-11 V (8040.25.230 R)		Diesel		3908	74	101	01.87-03.91	■
65-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 V (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■
79-12 V (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 V (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■
50-10V (8340.04.200)		Diesel		4570	74	101	01.79-12.86	■
50-10V (8340.04.250)		Diesel		4570	74	101	01.79-12.86	■
50-10V (8340.04.300)		Diesel		4570	74	101	01.79-12.86	■
50-10V (8340.04.362)		Diesel		4570	74	101	01.79-12.86	■
60-10V (8340.04.200)		Diesel		4570	74	101	11.79-12.86	■
60-10V (8340.04.250)		Diesel		4570	74	101	11.79-12.86	■
65-10V (8340.04.200)		Diesel		4570	74	101	11.79-01.87	■
65-10V (8340.04.250)		Diesel		4570	74	101	11.79-01.87	■
65-10V (8340.04.300)		Diesel		4570	74	101	11.79-01.87	■
65-10V (8340.04.350)		Diesel		4570	74	101	11.79-01.87	■
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	■
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	■
79-14 V (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■

LISTA DE APLICACIONES - BUYERS GUIDE

79-14 V (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■
Zeta 01.79-12.92					Platform/Chassis			
50-8 (8040.04.200)		Diesel		3666	63	86	01.83-12.86	■
50-9 (8040.05.230)		Diesel		3908	65	88	01.87-03.91	■
65-9 (8040.05.230)		Diesel		3908	65	88	01.87-03.91	■
60-11 (8040.25.230 R)		Diesel		3908	74	101	01.87-03.91	■
65-12 (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■
79-12 (8040.25.200)		Diesel		3908	85	116	01.87-03.91	■
79-12 (8040.25.220)		Diesel		3908	85	116	01.87-03.91	■
50-10 (8340.04.200)		Diesel		4570	74	101	01.79-12.86	■
50-10 (8340.04.250)		Diesel		4570	74	101	01.79-12.86	■
50-10 (8340.04.300)		Diesel		4570	74	101	01.79-12.86	■
50-10 (8340.04.362)		Diesel		4570	74	101	01.79-12.86	■
60-10 (8340.04.200)		Diesel		4570	74	101	11.79-12.86	■
60-10 (8340.04.250)		Diesel		4570	74	101	11.79-12.86	■
65-10 (8340.04.200)		Diesel		4570	74	101	11.79-01.87	■
65-10 (8340.04.250)		Diesel		4570	74	101	11.79-01.87	■
65-10 (8340.04.300)		Diesel		4570	74	101	11.79-01.87	■
65-10 (8340.04.350)		Diesel		4570	74	101	11.79-01.87	■
79-13 (8060.04.060)		Diesel		5500	96	131	11.79-12.83	■
79-13 (8060.04.660)		Diesel		5500	96	131	11.79-12.83	■
79-14 (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■
79-14 (8060.05.280)	01/87-	Diesel		5861	101	137	12.85-03.91	■
LEYLAND								
ROADRUNNER 01.86-								
10.12, 10.13, 10.15	01/86-	Diesel					01.86-	■