

LISTA DE APLICACIONES - BUYERS GUIDE

181956




8 424073 102133

Qty: 300

Weight: 4.005

O.E.M.	MAKE
LR-016684	LAND ROVER
LR-020362	LAND ROVER
LR-039526	LAND ROVER
LR-064181	LAND ROVER
LR-083935	LAND ROVER
LR-093886	LAND ROVER
LR-110075	LAND ROVER
LR-110087	LAND ROVER
LR-114004	LAND ROVER
LR-156926	LAND ROVER
LR-160069	LAND ROVER
LR-163215	LAND ROVER
LR-164745	LAND ROVER



181956

E 9 90R-01111/2869



Brembo

189.8x95.6x16.6

WVA	FMSI
24659	D1426-8543
MAKE	
LAND ROVER	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

LAND ROVER

DEFENDER III Sport Wagon (L663) 09.19-

Closed Off-Road Vehicle (Off-Road SUV-J Segment)

P300 Si4 4x4 (PT204)	Rim 20, discØ 380, Performance brakes Rim 20, discØ 380, not Performance brak	Gasolina	4WD	1997	221	300	09.19-	■
P425 4x4		Gasolina	4WD	5000	313	426	05.24-	■
P500 4x4		Gasolina	4WD	5000	368	500	04.23-	■
P525 4x4	discØ 380, ch- M2065457, not Performance brak, Rim 20	Gasolina	4WD	5000	386	525	05.21-	■
P300e Hybrid 4x4		Gasol./el éc.	4WD	1997	221	300	06.24-	■
P300 MHEV 4x4		Gasol./el éc.	4WD	1997	221	300	07.23-	■
P400e Hybrid 4x4 (PT204)	Rim 20, discØ 380	Gasol./el éc.	4WD	1997	221	300	09.20-	■
P400e Hybrid 4x4 (PT204)	Rim 20, discØ 380	Gasol./el éc.	4WD	1997	297	404	09.20-	■
P300 MHEV 4x4 (AJ20P6)	discØ 380, Rim 20	Gasol./el éc.	4WD	2996	221	300	05.22-	■
P400 I6 MHEV 4x4 (PT306)	Rim 20, discØ 380, Performance brakes	Gasol./el éc.	4WD	2996	294	400	09.19-	■
P635 OCTA MHEV 4x4		Gasol./el éc.	4WD	4395	467	635	05.24-	■
2.0 D200 MHEV 4x4 (AJ20D4)		Diesel/el éc.	4WD	1997	147	200	09.20-	■
D200 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380, Syst. Standard Performance	Diesel/el éc.	4WD	2997	147	200	09.20-	■
D250 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380, Syst. Standard Performance	Diesel/el éc.	4WD	2997	183	249	09.20-	■
D300 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380, Syst. Standard Performance	Diesel/el éc.	4WD	2997	221	300	09.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

D350 MHEV 4x4		Diesel/el éc.	4WD	2997	258	350	05.24-	■
D200 SD4 4x4 (204DT)	Rim 20, discØ 380, Performance brakes	Diesel	4WD	1999	147	200	09.19-	■
D240 SD4 4x4 (204DT)	Rim 20, discØ 380, Performance brakes	Diesel	4WD	1999	177	241	09.19-	■
DEFENDER III Van (L663) 02.20-					Closed Off-Road Van (Off-Road SUV-J Segment)			
2.0 P300 Si4 4x4 (PT204)	Rim 20, discØ 380, Performance brakes, not Performance brak	Gasolina	4WD	1997	221	300	02.20-	■
2.0 P400e Hybrid 4x4 (PT204)	Rim 20, discØ 380, Syst. Standard Performance	Gasol./el éc.	4WD	1997	221	300	09.20-	■
2.0 P400e Hybrid 4x4 (PT204)	Rim 20, discØ 380	Gasol./el éc.	4WD	1997	297	404	09.20-	■
3.0 P400 I6 MHEV 4x4 (PT306)	Rim 20, discØ 380, not Performance brak	Gasol./el éc.	4WD	2996	294	400	02.20-	■
2.0 D200 MHEV 4x4 (AJ20D4)		Diesel/el éc.	4WD	1997	147	200	09.20-	■
3.0 D200 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380, Syst. Standard Performance	Diesel/el éc.	4WD	2997	147	200	09.20-	■
3.0 D250 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380	Diesel/el éc.	4WD	2997	183	249	09.20-	■
3.0 D300 MHEV 4x4 (AJ20D6)	Syst. Standard Performance, discØ 380, Rim 20	Diesel/el éc.	4WD	2997	221	300	09.20-	■
3.0 D350 MHEV 4x4		Diesel/el éc.	4WD	2997	258	351	05.24-	■
2.0 D200 SD4 4x4 (204DT)	Rim 20, discØ 380, Performance brakes, not Performance brak	Diesel	4WD	1999	147	200	02.20-	■
2.0 D240 SD4 4x4 (204DT)	Rim 20, discØ 380, Performance brakes, not Performance brak	Diesel	4WD	1999	177	241	02.20-	■
DISCOVERY V / LR5 (L462) 09.16-					SUV Van (Executive SUV-J Segment)			
2.0 Si4 4x4	ch- JA000001, Rim 20	Gasolina	4WD	1997	221	300	09.17-	■
3.0 SCV6 4x4	ch- JA000001, Rim 20	Gasolina	4WD	2995	250	340	09.16-	■
3.0 D300 MHEV 4x4	ch- JA000001, Rim 20, discØ 380	Diesel/el éc.	4WD	2997	221	300	12.20-	■
2.0 Td4 4x4	ch- JA000001, Rim 20	Diesel	4WD	1999	132	179	09.16-12.18	■
2.0 SD4 4x4	ch- JA000001, Rim 20	Diesel	4WD	1999	177	241	09.16-	■
3.0 Td6 4x4	ch- JA000001, Rim 20	Diesel	4WD	2993	190	258	09.16-	■
3.0 SDV6 4x4	ch- JA000001, Rim 20	Diesel	4WD	2993	225	306	09.18-	■
DISCOVERY V / LR5 (L462) 09.16-					SUV (Executive SUV-J Segment)			
2.0 Si4 4x4 (PT204)	ch- JA000001, Rim 20	Gasolina	4WD	1997	221	300	09.17-	■
3.0 SCV6 4x4 (306PS)	ch- JA000001, Rim 20	Gasolina	4WD	2995	250	340	09.16-	■
P360 MHEV 4x4	ch- JA000001, Rim 20, discØ 380	Gasol./el éc.	4WD	2996	265	360	12.20-	■
D250 MHEV 4x4	ch- JA000001, Rim 20, discØ 380	Diesel/el éc.	4WD	2997	183	249	12.20-	■
D300 MHEV 4x4	ch- JA000001, Rim 20, discØ 380	Diesel/el éc.	4WD	2997	221	300	12.20-	■
D350 MHEV 4x4		Diesel/el éc.	4WD	2997	257	349	05.24-	■
2.0 Td4 4x4 (204DTD)	ch- JA000001, Rim 20	Diesel	4WD	1999	132	180	09.16-	■
2.0 SD4 4x4 (204DTA)	ch- JA000001, Rim 20	Diesel	4WD	1999	177	241	09.16-	■
3.0 D 4x4 (306DT)	ch- JA000001, Rim 20	Diesel	4WD	2993	155	211	09.16-	■
3.0 D 4x4 (306DT)	ch- JA000001, Rim 20	Diesel	4WD	2993	183	249	09.16-	■
3.0 Td6 4x4 (306DT)	ch- JA000001, Rim 20	Diesel	4WD	2993	190	258	09.16-	■
3.0 SDV6 4x4 (306DT)		Diesel	4WD	2993	225	306	09.18-	■
RANGE ROVER III (L322) 03.02-12.12					Closed Off-Road Vehicle (Luxury Crossover SUV-J Segment)			
5.0 4x4 (508PS)		Gasolina	4WD	4999	375	510	09.09-08.12	■
4.4 D 4x4 (448DT)		Diesel	4WD	4367	230	313	07.10-08.12	■

LISTA DE APLICACIONES - BUYERS GUIDE

RANGE ROVER IV (L405) 08.12-					SUV (Luxury Crossover SUV-J Segment)			
3.0 SCV6 4x4 (306PS)	ch- JA000001	Gasolina	4WD	2995	250	340	10.13-09.21	■
3.0 SCV6 4x4 (306PS)	ch- JA000001	Gasolina	4WD	2995	280	380	06.15-09.21	■
3.0P400 4x4 (PT306)	Rim 20, discØ 380, Syst. Standard Performance	Gasolina	4WD	2996	294	400	07.20-09.21	■
5.0 V8 4x4 (508PN)	ch- JA000001	Gasolina	4WD	5000	276	375	12.13-01.16	■
5.0 SCV8 4x4 (508PS)	ch- JA000001	Gasolina	4WD	5000	375	510	08.12-09.21	■
5.0 SCV8 4x4 (508PS)	ch- JA000001	Gasolina	4WD	5000	386	525	11.17-09.21	■
5.0 SCV8 4x4 (508PS)	ch- JA000001	Gasolina	4WD	5000	405	550	06.15-09.21	■
SCV8 4x4 (508PS)		Gasolina	4WD	5000	415	565	01.19-09.21	■
5.0 SCV8 4x4 (508PS)	ch- JA000001	Gasolina	4WD	5000	416	566	11.17-09.21	■
2.0 P400e Hybrid 4x4 (PT204)	ch- JA000001, Rim 20, Syst. RED/BLACK	Gasol./el éc.	4WD	1997	221	300	10.17-	■
2.0 P400e Hybrid 4x4 (PT204)	Rim 20, Syst. RED/BLACK	Gasol./el éc.	4WD	1997	297	404	10.17-09.21	■
P360 MHEV 4x4 (PT306)	Rim 20, discØ 380, Syst. Standard Performance	Gasol./el éc.	4WD	2996	265	360	12.19-09.21	■
3.0 P400 MHEV 4x4 (PT306)	Syst. RED/BLACK	Gasol./el éc.	4WD	2996	294	400	05.19-09.21	■
3.0 SDV6 Hybrid 4x4 (306DT)	ch- JA000001	Diesel/el éc.	4WD	2993	215	292	06.15-	■
3.0 SDV6 Hybrid 4x4 (306DT)	ch- JA000001	Diesel/el éc.	4WD	2993	250	340	10.13-09.21	■
3.0 SDV6 Hybrid 4x4 (306DT)	ch- JA000001	Diesel/el éc.	4WD	2993	260	354	06.15-09.21	■
D250 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380, Syst. Standard Performance	Diesel/el éc.	4WD	2997	183	249	07.20-09.21	■
D300 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380	Diesel/el éc.	4WD	2997	221	300	07.20-09.21	■
D350 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380	Diesel/el éc.	4WD	2997	258	351	07.20-09.21	■
D350 MHEV 4x4		Diesel/el éc.	4WD	2997	258	351	11.20-	■
3.0 TDV6 4x4 (306DT)	Rim 20, Syst. RED/BLACK, ch- HA334239, -ch HA999999 ch- JA000001	Diesel	4WD	2993	155	211	10.13-01.16	■
3.0 SDV6 4x4 (306DT)	Rim 20, Syst. RED/BLACK, ch- HA334939, -ch HA999999 ch- JA000001	Diesel	4WD	2993	183	249	08.12-01.16	■
3.0 TDV6 4x4 (306DT)	Rim 20, Syst. RED/BLACK, ch- HA334239, -ch HA999999 ch- JA000001	Diesel	4WD	2993	190	258	08.12-09.21	■
3.0 SDV6 4x4 (306DT)	ch- JA000001, Rim 20, Syst. RED/BLACK	Diesel	4WD	2993	202	275	10.18-09.21	■
3.0 SDV6 4x4 (306DT)	Rim 20, Syst. RED/BLACK	Diesel	4WD	2993	215	292	10.12-09.21	■
D300 4x4 (AJ20D6)	Rim 20, discØ 380, Syst. Standard Performance	Diesel	4WD	2997	221	300	07.20-	■
D350 4x4 (AJ20D6)	Rim 20, discØ 380, Syst. Standard Performance	Diesel	4WD	2997	258	351	07.20-	■
4.4 SDV8 4x4 (448DT)	ch- JA000001	Diesel	4WD	4367	230	313	08.13-09.21	■
4.4 SDV8 4x4 (448DT)	ch- JA000001	Diesel	4WD	4367	250	340	08.12-09.21	■
RANGE ROVER SPORT (L320) 02.05-03.13					SUV (Luxury Crossover SUV-J Segment)			
4.2		Gasolina	FWD	4197	291	396	02.05-	■
5.0 4x4 (508PN)		Gasolina	4WD	4999	276	375	07.09-03.13	■
5.0 4x4 (508PS)		Gasolina	4WD	4999	372	506	04.09-03.13	■
5.0 4x4 (508PS)		Gasolina	4WD	4999	375	510	09.09-03.13	■
RANGE ROVER SPORT II (L494) 04.13-					SUV (Luxury Crossover SUV-J Segment)			
2.0 Si4 4x4 (PT204)	ch- JA000001, Rim 20	Gasolina	4WD	1997	221	300	10.17-03.22	■
3.0 SCV6 4x4 (306PS)		Gasolina	4WD	2995	250	340	04.13-12.19	■
3.0		Gasolina	FWD	2995	254	345	01.14-	■
3.0 SCV6 4x4 (306PS)		Gasolina	4WD	2995	280	380	06.15-12.18	■

LISTA DE APLICACIONES - BUYERS GUIDE

5.0 SCV8 4x4 (508PS)		Gasolina	4WD	4999	375	510	04.13-12.18	■
5.0 SCV8 4x4 (508PS)	Rim 20	Gasolina	4WD	4999	386	525	11.17-03.22	■
5.0 SCV8 4x4 (508PS)		Gasolina	4WD	4999	405	550	01.14-12.18	■
5.0 SCV8 4x4 (508PS)	ch- JA000001	Gasolina	4WD	4999	423	575	11.17-03.22	■
2.0 P400e PHEV 4x4 (PT204)	ch- JA000001, Rim 20	Gasol./el éc.	4WD	1997	221	300	10.17-	■
2.0 P400e PHEV 4x4 (PT204)	Rim 20	Gasol./el éc.	4WD	1997	297	404	10.17-03.22	■
3.0 P360 MHEV 4x4 (PT306)	discØ 380, Syst. High Performance, Rim 20, Syst. Standard Performance, Performance brakes	Gasol./el éc.	4WD	2996	265	360	06.19-03.22	■
3.0 P400 MHEV 4x4 (AJ20P6)	Rim 20, Performance brakes	Gasol./el éc.	4WD	2996	294	400	02.19-03.22	■
3.0 SDV6 Hybrid 4x4 (306DT)		Diesel/el éc.	4WD	2993	215	292	12.14-12.17	■
3.0 SDV6 Hybrid 4x4 (306DT)		Diesel/el éc.	4WD	2993	250	340	10.13-03.22	■
3.0 SDV6 Hybrid 4x4 (306DT)		Diesel/el éc.	4WD	2993	260	354	06.15-12.17	■
3.0 D250 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380, Performance brakes	Diesel/el éc.	4WD	2997	183	249	07.20-03.22	■
3.0 D300 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380	Diesel/el éc.	4WD	2997	221	300	07.20-03.22	■
3.0 D350 MHEV 4x4 (AJ20D6)	Rim 20, discØ 380, Performance brakes	Diesel/el éc.	4WD	2997	258	351	07.20-03.22	■
2.0 SD4 4x4 (204DTA)	ch- JA000001, Rim 20	Diesel	4WD	1999	177	241	08.16-03.22	■
3.0 TDV6 4x4 (306DT)	Rim 20	Diesel	4WD	2993	155	211	04.13-12.18	■
3.0 SDV6 4x4 (306DT)	Rim 20	Diesel	4WD	2993	183	249	04.13-03.22	■
3.0 TDV6 4x4 (306DT)	Rim 20	Diesel	4WD	2993	190	258	04.13-03.22	■
3.0 SDV6 4x4 (306DT)		Diesel	4WD	2993	215	292	04.13-12.16	■
3.0 SDV6 4x4 (306DT)		Diesel	4WD	2993	225	306	09.14-03.22	■
3.0 D250 4x4 (AJ20D6)	discØ 380, Syst. High Performance, Rim 20, Syst. Standard Performance, Performance brakes	Diesel	4WD	2997	183	249	07.20-03.22	■
3.0 D300 4x4 (AJ20D6)	discØ 380, Syst. High Performance, Rim 20, Syst. Standard Performance, Performance brakes	Diesel	4WD	2997	221	300	07.20-03.22	■
3.0 D350 4x4 (AJ20D6)	discØ 380, Syst. High Performance, Rim 20, Syst. Standard Performance, Performance brakes	Diesel	4WD	2997	258	351	07.20-03.22	■
4.4 SDV8 4x4 (448DT)		Diesel	4WD	4367	250	340	10.13-03.22	■