

LISTA DE APLICACIONES - BUYERS GUIDE

182238




8 424073 140388

Qty: 300

Weight: 2.705

O.E.M.	MAKE
J9C20036	JAGUAR
J9D1118	JAGUAR
J9D1199	JAGUAR
LR-064687	LAND ROVER
LR-111385	LAND ROVER
LR-137301	LAND ROVER
LR-141734	LAND ROVER
LR-150620	LAND ROVER
LR160437	LAND ROVER
LR160444	LAND ROVER
T2H 53848	JAGUAR
T2H 53854	JAGUAR
T2H16147	JAGUAR
T2H21043	JAGUAR
T2H43859	JAGUAR
T2H7448	JAGUAR
T4A44837	JAGUAR
T4K17303	JAGUAR
T4N14764	JAGUAR



182238



90R-02A0111/4390



Ate - Teves

180.1x77.5x18.4

WVA	FMSI
22302	D1861-9090
22303	
MAKE	
JAGUAR	
JAGUAR (CHERY)	
LAND ROVER	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

JAGUAR

E-PACE (X540) 09.17-

						SUV (Compact SUV-J Segment)			
2.0 P200 AWD (PT204)	Rim 18	Gasolina	4WD	1997	183	249	09.17-		■
2.0 AWD (PT204)	Rim 18	Gasolina	4WD	1997	221	300	09.17-		■
2.0 D150 (204DTD)	Rim 18	Diesel	FWD	1999	110	150	09.17-		■
2.0 D150 AWD (204DTD)	Rim 18	Diesel	4WD	1999	110	150	09.17-		■
2.0 D180 AWD (204DTD)	Rim 18	Diesel	4WD	1999	132	179	09.17-		■
2.0 D240 AWD (204DTA)	Rim 18	Diesel	4WD	1999	177	241	09.17-		■

F-PACE (X761) 09.15-

						SUV (Luxury Crossover SUV-J Segment)			
2.0 Ti4 (PT204)	Rim 18, discØ 350, -ch LA999999, Red Caliper Rim 19, ch- MA000001	Gasolina	RWD	1997	184	250	09.17-		■
2.0 Ti4 AWD (AJ20P)	discØ 350, Performance brakes, Red Caliper, Rim 18 Rim 19	Gasolina	4WD	1997	184	250	02.17-		■
2.0 Ti4 AWD (PT204)	discØ 350, Performance brakes, Red Caliper, Rim 18 Rim 19	Gasolina	4WD	1997	184	250	02.17-		■
2.0 Ti4 AWD (AJ20P)	discØ 350, Performance brakes, Syst. 18"	Gasolina	4WD	1997	221	300	06.17-		■
2.0 Ti4 AWD (PT204)	discØ 350, Performance brakes, Syst. 18"	Gasolina	4WD	1997	221	300	06.17-		■
2.0 Ti4	Syst. 18"	Gasolina	RWD	1999	177	240	05.16-		■
3.0 SCV6 AWD (306PS)	Rim 18, discØ 350, Performance brakes	Gasolina	4WD	2995	250	340	09.15-		■
3.0 SCV6 AWD	Syst. 18"	Gasolina	4WD	2995	254	245	01.17-		■
3.0 SCV6 AWD (306PS)	Rim 18, discØ 350, Performance brakes	Gasolina	4WD	2995	280	380	09.15-		■
3.0 P400		Gasolina	4WD	2996	294	400	10.20-		■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 P400e Plug-in Hybrid		Gasol./el éc.	4WD	1997	221	300	10.20-	■
2.0 P400e Plug-in Hybrid	Rim 19	Gasol./el éc.	4WD	1997	297	404	10.20-	■
3.0 P400 MHEV	Rim 19	Gasol./el éc.	4WD	2996	294	400	10.20-	■
2.0 D165 MHEV	Rim 19	Diesel/el éc.	4WD	1997	120	163	10.20-	■
2.0 D200 MHEV	Rim 19	Diesel/el éc.	4WD	1997	150	204	10.20-	■
3.0 D300 MHEV	Rim 19	Diesel/el éc.	4WD	2997	221	300	10.20-	■
2.0 TD4 (204DTD)	discØ 350, Performance brakes, Syst. 18"	Diesel	RWD	1999	120	163	02.17-	■
2.0 TD4 (204DTD)	Rim 18, discØ 350, Performance brakes	Diesel	RWD	1999	132	180	09.15-	■
2.0 TD4 AWD (204DTD)	Rim 18, discØ 350, Performance brakes	Diesel	4WD	1999	132	180	09.15-	■
2.0 SD4 AWD (204DTA)	discØ 350, Performance brakes, Syst. 18"	Diesel	4WD	1999	177	241	02.17-	■
3.0 SDV6 AWD (306DT)	Rim 18, discØ 350, Performance brakes	Diesel	4WD	2993	221	300	09.15-	■
3.0 D300 AWD		Diesel	4WD	2997	221	300	10.20-	■
I-PACE (X590) 02.18-					SUV (Large SUV-J Segment)			
EV320 AWD		Eléctrico	4WD		236	321	10.20-	■
EV400 AWD		Eléctrico	4WD		294	400	02.18-	■
XE (X760) 03.15-					Saloon (Compact car-C Segment)			
2.0 (PT204)	Syst. 18"	Gasolina	RWD	1997	147	200	02.17-	■
2.0 (PT204)	Syst. 18"	Gasolina	RWD	1997	184	250	02.17-	■
2.0 AWD (PT204)	Syst. 18"	Gasolina	4WD	1997	184	250	02.17-	■
2.0 (PT204)	Syst. RED CALIPER, Syst. 18"	Gasolina	RWD	1997	221	300	06.17-	■
2.0 AWD (PT204)	Syst. RED CALIPER, Syst. 18"	Gasolina	4WD	1997	221	300	06.17-	■
2.0 (204PT)	Rim 18, discØ 350	Gasolina	RWD	1999	147	200	03.15-	■
2.0 (204PT)	Rim 18	Gasolina	RWD	1999	177	241	03.15-	■
P250		Gasolina	RWD	1999	184	250	09.22-	■
3.0S (306PS)	Rim 17, Rim 18	Gasolina	RWD	2995	250	340	03.15-	■
3.0 S AWD (306PS)		Gasolina	4WD	2995	250	240	08.17-	■
3.0S (306PS)		Gasolina	RWD	2995	279	379	08.17-	■
3.0S (306PS)	-ch 942527	Gasolina	RWD	2995	280	381	02.17-	■
2.0 D200 MHEV	discØ 350, Rim 18	Diesel/el éc.	RWD	1997	150	204	11.20-	■
2.0 D200 MHEV AWD	discØ 350, Rim 18	Diesel/el éc.	4WD	1997	150	204	11.20-	■
2.0 D (204DTD)	Rim 18, discØ 350	Diesel	RWD	1999	120	163	03.15-	■
2.0 D (204DTD)	Rim 18, discØ 350	Diesel	RWD	1999	132	180	03.15-	■
2.0 D AWD (204DTD)	Rim 16.5, Rim 18, ch- 942528, discØ 350	Diesel	4WD	1999	132	180	10.15-	■
2.0 D AWD (204DTA)	Syst. 18"	Diesel	4WD	1999	177	241	02.17-	■
XF II (X260) 05.15-					Saloon (Luxury car-F Segment)			
2.0 (PT204)	Rim 18, discØ 350, ch-HCY42650, -ch LCY87623, Red Caliper	Gasolina	RWD	1997	147	200	03.17-	■
2.0 (PT204)	Rim 18, discØ 350, ch-HCY42650, -ch LCY87623, Red Caliper	Gasolina	RWD	1997	184	250	03.17-	■
2.0 AWD (PT204)	Rim 18, discØ 350, Red Caliper	Gasolina	4WD	1997	184	250	03.17-	■
2.0 (PT204)	Rim 18, discØ 350, ch-HCY42650, -ch LCY87623, Red Caliper	Gasolina	RWD	1997	221	300	06.17-	■
2.0 AWD (PT204)	Rim 18, discØ 350, Red Caliper	Gasolina	4WD	1997	221	300	09.17-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 (204PT)	Rim 18, discØ 350, Red Caliper	Gasolina	RWD	1999	177	241	05.15-	■
3.0 (306PS)	Rim 18, Syst. RED CALIPER, discØ 350	Gasolina	RWD	2995	250	340	05.15-	■
3.0 AWD (306PS)	Rim 18, Syst. RED CALIPER, discØ 350	Gasolina	4WD	2995	250	340	07.15-	■
3.0 (306PS)	Rim 18, Syst. RED CALIPER, discØ 350	Gasolina	RWD	2995	280	380	05.15-	■
3.0 AWD (306PS)	Rim 18, Eq.V_ RED CALIPER, discØ 350	Gasolina	4WD	2995	280	380	07.15-	■
2.0 D200 MHEV	Rim 18, discØ 350, Red Caliper	Diesel/el éc.	RWD	1997	150	204	11.20-	■
2.0 D200 MHEV AWD	Rim 18, discØ 350	Diesel/el éc.	4WD	1997	150	204	11.20-	■
2.0 D (204DTD)	Rim 18	Diesel	RWD	1999	120	163	05.15-	■
2.0 D (204DTD)	Rim 18	Diesel	RWD	1999	132	180	05.15-	■
2.0 D AWD (204DTD)	Rim 18	Diesel	4WD	1999	132	180	03.16-	■
2.0 D (204DTA)	Rim 18	Diesel	RWD	1999	177	241	03.17-	■
2.0 D AWD (204DTA)	Rim 18	Diesel	4WD	1999	177	241	03.17-	■
3.0 D (306DT)	Rim 18, discØ 350, Red Caliper	Diesel	RWD	2993	221	300	05.15-	■
XF II SPORTBRAKE (X260) 07.17-					Estate (Luxury car-F Segment)			
2.0 (PT204)	Rim 18, discØ 350, ch-HCY42650, -ch LCY87623, Red Caliper	Gasolina	RWD	1997	147	200	07.17-	■
2.0 (PT204)	Rim 18, discØ 350, ch-HCY42650, -ch LCY87623, Red Caliper	Gasolina	RWD	1997	184	250	07.17-	■
2.0 AWD	Rim 18, discØ 350, Red Caliper	Gasolina	4WD	1997	184	250	11.20-	■
2.0 AWD (PT204)	Rim 18, discØ 350, Red Caliper	Gasolina	4WD	1997	221	300	08.18-	■
3.0 (306PS)	Rim 18, Syst. RED CALIPER, discØ 350	Gasolina	RWD	2995	280	380	07.17-	■
3.0 AWD (306PS)	Rim 18, Syst. RED CALIPER, discØ 350	Gasolina	4WD	2995	280	380	07.17-	■
2.0 D200 MHEV	Rim 18, discØ 350, Red Caliper	Diesel/el éc.	RWD	1997	150	204	11.20-	■
2.0 D200 MHEV AWD	Rim 18, discØ 350	Diesel/el éc.	4WD	1997	150	204	11.20-	■
2.0 D (204DTD)	Rim 18	Diesel	RWD	1999	120	163	07.17-	■
2.0 D (204DTD)	Rim 18	Diesel	RWD	1999	132	180	07.17-	■
2.0 D AWD (204DTD)	Rim 18	Diesel	4WD	1999	132	180	07.17-	■
2.0 D AWD (204DTA)	Rim 18	Diesel	4WD	1999	177	241	07.17-	■
3.0 D (306DT)	Rim 18, discØ 350, Red Caliper	Diesel	RWD	2993	221	300	07.17-	■
JAGUAR (CHERY)								
XFL 08.16-					Saloon (Luxury car-F Segment)			
35t (306PS)		Gasolina	RWD	2995	250	340	08.16-	■
LAND ROVER								
RANGE ROVER VELAR (L560) 03.17-					SUV (Luxury Crossover SUV-J Segment)			
2.0 P250 Si4 4x4 (PT204)	Rim 18, Syst. Standard, Performance brakes	Gasolina	4WD	1997	184	250	03.17-	■
2.0 P300 Si4 4x4 (PT204)	Rim 18, Syst. Standard, Performance brakes	Gasolina	4WD	1997	221	300	03.17-	■
3.0 P340 SCV6 4x4 (306PS)	Rim 18, Syst. Standard, Performance brakes	Gasolina	4WD	2995	250	340	04.18-	■
3.0 P380 SCV6 4x4 (306PS)	Rim 18, Syst. Standard, Performance brakes	Gasolina	4WD	2995	280	380	03.17-	■
2.0 P400 Hybrid 4x4 (PT204)	Rim 18, Rim 19, Syst. High Performance, Syst. Standar Performance	Gasol./el éc.	4WD	1997	221	300	07.20-	■
2.0 P400 Hybrid 4x4 (PT204)		Gasol./el éc.	4WD	1997	297	404	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

3.0 P400 MHEV 4x4 (AJ20P6)	Rim 18, Rim 19, Syst. High Performance, Syst. Standar Performance	Gasol./el éc.	4WD	2995	294	400	07.20-	■
2.0 D200 MHEV 4x4 (AJ20D4)	Rim 18, Rim 19, Syst. High Performance, Syst. Standar Performance	Diesel/el éc.	4WD	1997	150	204	07.20-	■
3.0 D300 MHEV 4x4 (AJ20D6)	Rim 18, Rim 19, Syst. High Performance, Syst. Standar Performance	Diesel/el éc.	4WD	2997	221	300	07.20-	■
2.0 D180 TD4 4x4 (204DTD)	Rim 18, Syst. Standard, Performance brakes	Diesel	4WD	1999	132	180	03.17-	■
2.0 D240 SD4 4x4 (204DTA)	Rim 18, Syst. Standard, Performance brakes	Diesel	4WD	1999	177	241	03.17-	■
3.0 D275 SDV6 4x4 (306DT)	Rim 18, Syst. Standard, Performance brakes	Diesel	4WD	2993	202	275	04.18-	■
3.0 D300 SDV6 4x4 (306DT)	Rim 18, Syst. Standard, Performance brakes	Diesel	4WD	2993	221	300	03.17-	■