

LISTA DE APLICACIONES - BUYERS GUIDE





182256-203




Qty: 300

Weight: 1.510

O.E.M.	MAKE
4M0 698 451 BC	VW
4M0 698 451 BD	AUDI
4N0 698 451 D	AUDI
4N0 698 451 F	AUDI
80A 498 451 J	AUDI
80A 698 451 G	AUDI
80A 698 451 H	AUDI
80A 698 451 J	AUDI
80A 698 451 K	AUDI
80A 698 451 P	AUDI
80A 698 451 R	AUDI
8B3 698 451	AUDI
8B3 698 451 A	AUDI
8W0 698 451 AE	AUDI
8W0 698 451 AF	AUDI
8W0 698 451 AG	VW
8W0 698 451 AH	AUDI
8W0 698 451 AK	VW
8W0 698 451 AN	AUDI
8W0 698 451 AP	AUDI
8W0 698 451 AQ	AUDI
8W0 698 451 AR	AUDI



1-Ref. 690173 E



1-Ref. 690653 E

182256-203



90R-02A0111/5521

Trw

129.1x59x17.5
129.1x59.1x17.5

WVA	FMSI
26265	D2364-9126
26266	
MAKE	
AUDI	
VW	



Trac.	CC	Kw	CV	
				Front / Rear

AUDI

A4 V Allroad B9 (8WH, 8WJ) 01.16-

Estate (Compact executive car-D Segment)

45 TFSI Mild hybrid quattro (DKNA)	Gasol./el éc.	4WD	1984	180	245	07.18-	■
45 TFSI Mild hybrid quattro (DMTA)	Gasol./el éc.	4WD	1984	195	265	08.20-	■
40 TDI Mild Hybrid quattro (DTPA)	Diesel/el éc.	4WD	1968	150	204	09.20-	■
50 TDI Mild Hybrid quattro	Diesel/el éc.	4WD	2967	210	286	08.20-	■
2.0 TDI quattro (DESA)	Diesel	4WD	1968	140	190	01.16-12.19	■
2.0 TDI quattro (DETA)	Diesel	4WD	1968	140	190	01.16-12.19	■
2.0 TDI quattro (DFVA)	Diesel	4WD	1968	140	190	01.16-12.19	■
40 TDI quattro (DETA)	Diesel	4WD	1968	140	190	01.20-	■
45 TDI quattro (DCPE)	Diesel	4WD	2967	170	231	07.18-	■
3.0 TDI quattro (DCPC)	Diesel	4WD	2967	210	286	07.18-10.19	■
50 TDI quattro (DCPC)	Diesel	4WD	2967	210	286	11.19-	■

A4 V B9 (8W2, 8WC) 05.15-

Saloon (Compact executive car-D Segment)

2.0 TFSI (CVKB)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasolina	FWD	1984	140	190	05.15-11.19	■
2.0 TFSI (DBPA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasolina	FWD	1984	140	190	05.15-11.19	■
2.0 TFSI quattro (CYMC)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasolina	4WD	1984	185	252	05.15-11.19	■
2.0 TFSI quattro (CYRB)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasolina	4WD	1984	185	252	05.15-11.19	■

LISTA DE APLICACIONES - BUYERS GUIDE

35 TFSI Mild Hybrid (DLVB)		Gasol./el éc.	FWD	1984	110	150	12.18-	■
40 TFSI Mild Hybrid (DEMA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DKYA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DLVA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	FWD	1984	150	204	06.20-	■
40 TFSI Mild Hybrid quattro (DMSA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	4WD	1984	150	204	06.20-	■
45 TFSI Mild hybrid quattro (DKNA)		Gasol./el éc.	4WD	1984	180	245	07.18-08.20	■
45 TFSI Mild hybrid quattro (DMTA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	4WD	1984	195	265	08.20-	■
30 TDI Mild Hybrid (DEZB)		Diesel/el éc.	FWD	1968	100	136	07.19-	■
35 TDI Mild Hybrid (DEZE)		Diesel/el éc.	FWD	1968	120	163	03.19-	■
40 TDI Mild Hybrid		Diesel/el éc.	FWD	1968	150	204	09.20-	■
40 TDI Mild Hybrid quattro (DTPA)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	1968	150	204	05.20-	■
50 TDI Mild Hybrid quattro	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	210	286	08.20-	■
S4 TDI Mild Hybrid quattro		Diesel/el éc.	4WD	2967	251	341	01.21-03.23	■
S4 TDI Mild Hybrid quattro (DEWB)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	255	347	05.19-	■
2.0 TDI (CZHA)		Diesel	FWD	1968	110	150	05.15-11.19	■
2.0 TDI (DEUA)		Diesel	FWD	1968	110	150	05.15-11.19	■
35 TDI (DEUA)		Diesel	FWD	1968	110	150	08.15-	■
2.0 TDI (DESA)		Diesel	FWD	1968	140	190	05.15-11.19	■
2.0 TDI (DETA)		Diesel	FWD	1968	140	190	05.15-11.19	■
2.0 TDI (DFVA)		Diesel	FWD	1968	140	190	05.15-11.19	■
2.0 TDI quattro (DESA)		Diesel	4WD	1968	140	190	09.15-11.19	■
2.0 TDI quattro (DETA)		Diesel	4WD	1968	140	190	09.15-11.19	■
2.0 TDI quattro (DFVA)		Diesel	4WD	1968	140	190	09.15-11.19	■
40 TDI (DESA)		Diesel	FWD	1968	140	190	05.15-	■
40 TDI (DETA)		Diesel	FWD	1968	140	190	05.15-	■
40 TDI quattro (DETA)		Diesel	4WD	1968	140	190	09.15-09.20	■
45 TDI quattro (DCPE)		Diesel	4WD	2967	170	231	07.18-	■
50 TDI quattro (DCPC)	PR 1KJ, PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1KK, PR 1KU, PR 2EJ	Diesel	4WD	2967	210	286	07.18-08.20	■
A4 V B9 Avant (8W5, 8WD) 08.15-					Estate (Compact executive car-D Segment)			
2.0 TFSI (CVKB)		Gasolina	FWD	1984	140	190	08.15-	■
2.0 TFSI (DKYA)		Gasolina	FWD	1984	140	190	08.15-	■
40 TFSI (DMSA)		Gasolina	FWD	1984	150	204	12.20-	■
RS4 TFSi quattro (DECA)		Gasolina	4WD	2894	331	450	10.17-	■
RS4 TFSi quattro		Gasolina	4WD	2894	346	471	07.24-12.24	■
2.0 TFSI g-tron (CVLA)		Gasol./Gas (CNG)	FWD	1984	125	170	11.16-10.19	■

LISTA DE APLICACIONES - BUYERS GUIDE

40 TFSI g-tron (CVLA)		Gasol./Gas (CNG)	FWD	1984	125	170	11.16-	■
35 TFSI Mild Hybrid (DLVB)		Gasol./eléc.	FWD	1984	110	150	12.18-	■
35 TFSI Mild Hybrid (DMSB)		Gasol./eléc.	FWD	1984	110	150	12.18-	■
40 TFSI Mild Hybrid (DEMA)		Gasol./eléc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DKYA)		Gasol./eléc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DLVA)		Gasol./eléc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DMSA)		Gasol./eléc.	FWD	1984	150	204	06.20-	■
40 TFSI Mild Hybrid quattro (DMSA)		Gasol./eléc.	4WD	1984	150	204	06.20-	■
45 TFSI Mild hybrid quattro (DKNA)		Gasol./eléc.	4WD	1984	180	245	07.18-08.20	■
45 TFSI Mild hybrid quattro (DMTA)		Gasol./eléc.	4WD	1984	195	265	08.20-	■
30 TDI Mild Hybrid (DEZB)		Diesel/eléc.	FWD	1968	100	136	07.19-	■
35 TDI Mild Hybrid (DEZE)		Diesel/eléc.	FWD	1968	120	163	07.19-	■
40 TDI Mild Hybrid		Diesel/eléc.	FWD	1968	150	204	09.20-	■
40 TDI Mild Hybrid quattro (DTPA)		Diesel/eléc.	4WD	1968	150	204	05.20-	■
50 TDI Mild Hybrid quattro		Diesel/eléc.	4WD	2967	210	286	08.20-	■
S4 TDI Mild Hybrid quattro		Diesel/eléc.	4WD	2967	251	341	01.21-	■
S4 TDI Mild Hybrid quattro (DEWB)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Diesel/eléc.	4WD	2967	255	347	05.19-	■
2.0 TDI (DESA)		Diesel	FWD	1968	140	190	08.15-09.18	■
2.0 TDI (DETA)		Diesel	FWD	1968	140	190	08.15-09.18	■
2.0 TDI (DFVA)		Diesel	FWD	1968	140	190	08.15-09.18	■
40 TDI (DESA)		Diesel	FWD	1968	140	190	10.18-08.20	■
40 TDI (DETA)		Diesel	FWD	1968	140	190	10.18-08.20	■
45 TDI quattro (DCPE)		Diesel	4WD	2967	170	231	07.18-	■
A5 II (F57, F5E) 11.16-					Convertible (Compact executive car-D Segment)			
40 TFSI (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	FWD	1984	150	204	11.20-	■
2.0 45 TFSI quattro (CYRB,DLHB)		Gasolina	4WD	1984	185	252	06.17-	■
2.0 TFSI quattro (CYMC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	11.16-	■
2.0 TFSI quattro (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	11.16-	■
S5 TFSI quattro (CWGD)	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Gasolina	4WD	2995	260	354	03.17-	■
35 TFSI Mild Hybrid (DMSB)		Gasol./eléc.	FWD	1984	110	150	06.20-	■
40 TFSI Mild Hybrid (DEMA)	discØ 300	Gasol./eléc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DKYA)	discØ 300	Gasol./eléc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DLVA)	discØ 300	Gasol./eléc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DMSA)	discØ 300	Gasol./eléc.	FWD	1984	150	204	07.20-	■
40 TFSI Mild Hybrid quattro (DMSA)	discØ 300	Gasol./eléc.	4WD	1984	150	204	06.20-	■
45 TFSI Mild hybrid quattro (DKNA)	discØ 300	Gasol./eléc.	4WD	1984	180	245	07.18-	■
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./eléc.	4WD	1984	195	265	06.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

30 TDI Mild Hybrid		Diesel/el éc.	FWD	1968	100	136	07.18-	■
40 TDI Mild Hybrid	discØ 300	Diesel/el éc.	FWD	1968	150	204	09.20-	■
40 TDI Mild Hybrid quattro	discØ 300	Diesel/el éc.	4WD	1968	150	204	09.20-	■
35 TDI (DEZE)	discØ 300	Diesel	FWD	1968	120	163	10.19-	■
2.0 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	11.16-12.19	■
2.0 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	03.17-04.20	■
40 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	11.16-	■
40 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	03.17-	■
3.0 TDI quattro (DCPC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Diesel	4WD	2967	210	286	11.16-12.19	■
50 TDI quattro (DCPC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Diesel	4WD	2967	210	286	11.16-	■
A5 II (F53, F5P) 06.16-					Coupe (Compact executive car-D Segment)			
35 TFSI	PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1LJ, PR 1KK, PR 1KU, PR 2EJ	Gasolina	FWD	1984	110	150	03.20-	■
40 TFSI (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	FWD	1984	150	204	11.20-	■
2.0 TFSI quattro (CYRC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	183	249	06.16-02.20	■
2.0 45 TFSI quattro (CYRB,DLHB)		Gasolina	4WD	1984	185	252	06.17-	■
2.0 TFSI (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	FWD	1984	185	252	11.16-02.20	■
2.0 TFSI quattro (CYMC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	06.16-	■
2.0 TFSI quattro (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	06.16-	■
RS5 TFSI quattro (DECA)	PR 1KP, PR 1KQ, PR 1KR, PR 1KY, discØ 330	Gasolina	4WD	2894	331	450	04.17-	■
RS5 TFSI quattro		Gasolina	4WD	2894	346	471	07.24-	■
S5 TFSI quattro (CWGD)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Gasolina	4WD	2995	260	354	07.16-	■
35 TFSI Mild Hybrid (DLVB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	02.19-	■
35 TFSI Mild Hybrid (DMSB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	02.19-	■
40 TFSI Mild Hybrid (DEMA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DHDA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DKYA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DLVA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid	discØ 300	Gasol./el éc.	FWD	1984	150	204	07.20-	■
40 TFSI Mild Hybrid quattro	discØ 300	Gasol./el éc.	4WD	1984	150	204	07.20-	■
45 TFSI Mild Hybrid (DKNA)		Gasol./el éc.	FWD	1984	180	245	07.18-08.20	■
45 TFSI Mild hybrid quattro (DKNA)	discØ 300	Gasol./el éc.	4WD	1984	180	245	07.18-08.20	■
2.0 TFSI Mild Hybrid (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	FWD	1984	185	252	05.17-02.20	■
2.0 TFSI Mild Hybrid quattro (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■
2.0 TFSI Mild Hybrid quattro (DLHB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KK, PR 1KU, PR 2EJ, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	10.19-	■
30 TDI Mild Hybrid (DEZB)	discØ 300	Diesel/el éc.	FWD	1968	100	136	10.19-	■
40 TDI Mild Hybrid	PR 1KD, PR 1KE, PR 1KF, PR 1KI, PR 1LJ, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	FWD	1968	150	204	09.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

40 TDI Mild Hybrid quattro	discØ 300	Diesel/el éc.	4WD	1968	150	204	09.20-	■
50 TDI Mild Hybrid quattro	discØ 330, PR 1KF, PR 1KJ, PR 1KU	Diesel/el éc.	4WD	2967	210	286	08.20-	■
S5 TDI Mild Hybrid quattro	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	251	341	01.21-	■
S5 TDI Mild Hybrid quattro (DEWB)	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	255	347	12.18-11.20	■
35 TDI (DEZE)	discØ 300	Diesel	FWD	1968	120	163	08.19-	■
2.0 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	07.16-02.20	■
2.0 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	07.16-02.20	■
2.0 TDI quattro (DESA)	discØ 300	Diesel	4WD	1968	140	190	10.16-12.19	■
2.0 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	10.16-12.19	■
40 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	06.16-	■
40 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	06.16-	■
40 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	10.16-	■
45 TDI quattro (DCPE)	discØ 300	Diesel	4WD	2967	170	231	07.18-11.20	■
3.0 TDI quattro (DCPC)	discØ 330, PR 1KF, PR 1KJ, PR 1KU	Diesel	4WD	2967	210	286	01.17-02.20	■
50 TDI quattro (DCPC)	discØ 330, PR 1KF, PR 1KJ, PR 1KU	Diesel	4WD	2967	210	286	01.17-11.20	■
A5 II Sportback (F5A, F5F) 06.16-					Hatchback (Compact executive car-D Segment)			
40 TFSI (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	FWD	1984	150	204	11.20-	■
40 TFSI quattro (DMSA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ	Gasolina	4WD	1984	150	204	11.20-	■
2.0 TFSI quattro (CYRC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	183	249	09.16-02.20	■
2.0 TFSI (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	FWD	1984	185	252	11.16-02.20	■
2.0 TFSI quattro (CYMC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	09.16-	■
2.0 TFSI quattro (CYRB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasolina	4WD	1984	185	252	09.16-	■
45 TFSI (CYRB)		Gasolina	FWD	1984	185	250	06.17-02.20	■
45 TFSI quattro (CYRB,DLHB)		Gasolina	4WD	1984	185	252	06.17-	■
RS5 TFSI quattro (DECA)	PR 1KP, PR 1KQ, PR 1KR, PR 1KY, discØ 330	Gasolina	4WD	2894	331	450	06.18-	■
RS5 TFSI quattro		Gasolina	4WD	2894	346	471	07.24-	■
S5 TFSI quattro (CWGD)	PR 1KK, PR 1KU, PR 2EJ, discØ 330	Gasolina	4WD	2995	260	354	09.16-	■
2.0 TFSI g-tron (CVLA)		Gasol./G as (CNG)	FWD	1984	125	170	02.17-02.20	■
40 TFSI g-tron (CVLA)		Gasol./G as (CNG)	FWD	1984	125	170	02.17-	■
35 TFSI Mild Hybrid (DLVB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	08.18-	■
35 TFSI Mild Hybrid (DMSB)	discØ 300	Gasol./el éc.	FWD	1984	110	150	08.18-	■
40 TFSI Mild Hybrid (DEMA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DHDA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DKYA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DLVA)	discØ 300	Gasol./el éc.	FWD	1984	140	190	05.17-	■
40 TFSI Mild Hybrid (DMSA)	discØ 300	Gasol./el éc.	FWD	1984	150	204	06.20-	■
40 TFSI Mild Hybrid quattro (DMSA)	discØ 300	Gasol./el éc.	4WD	1984	150	204	06.20-	■
45 TFSI Mild hybrid quattro (DKNA)	discØ 300	Gasol./el éc.	4WD	1984	180	245	02.19-08.20	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TFSI Mild Hybrid (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	FWD	1984	185	252	05.17-02.20	■
2.0 TFSI Mild Hybrid quattro (DDWA)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■
2.0 TFSI Mild Hybrid quattro (DLHB)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Gasol./el éc.	4WD	1984	185	252	05.17-02.20	■
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KK, PR 1KU, PR 2EJ, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	10.19-	■
30 TDI Mild Hybrid (DEZB)	discØ 300	Diesel/el éc.	FWD	1968	100	136	10.19-	■
40 TDI Mild Hybrid	discØ 300, PR 1KF, PR 1KJ, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	FWD	1968	150	204	09.20-	■
40 TDI Mild Hybrid quattro	discØ 300	Diesel/el éc.	4WD	1968	150	204	09.20-	■
50 TDI Mild Hybrid quattro (DMGA)	PR 1KF, PR 1KJ, PR 1KK, PR 2EJ, discØ 330, PR 1KU	Diesel/el éc.	4WD	2967	210	286	08.20-	■
S5 TDI Mild Hybrid quattro	discØ 330, PR 1KK, PR 1KU, PR 2EJ, PR 1KF, PR 1KJ	Diesel/el éc.	4WD	2967	251	341	01.21-	■
S5 TDI Mild Hybrid quattro (DEWB)	discØ 330, PR 1KK, PR 1KU, PR 2EJ	Diesel/el éc.	4WD	2967	255	347	12.18-	■
35 TDI (DEZE)	discØ 300	Diesel	FWD	1968	120	163	08.19-	■
2.0 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	09.16-04.20	■
2.0 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	09.16-04.20	■
2.0 TDI quattro (DESA)	discØ 300	Diesel	4WD	1968	140	190	10.16-02.20	■
2.0 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	10.16-02.20	■
40 TDI (DESA)	discØ 300	Diesel	FWD	1968	140	190	09.16-	■
40 TDI (DETA)	discØ 300	Diesel	FWD	1968	140	190	09.16-	■
40 TDI quattro (DETA)	discØ 300	Diesel	4WD	1968	140	190	08.16-	■
45 TDI quattro (DCPE)	discØ 300	Diesel	4WD	2967	170	231	07.18-	■
3.0 TDI quattro (DCPC)	PR 1KF, PR 1KJ, PR 1KU, discØ 330	Diesel	4WD	2967	210	286	01.17-02.20	■
50 TDI quattro (DCPC)	PR 1KJ, PR 1KK, PR 1KU, PR 2EJ, PR 1KF, discØ 330	Diesel	4WD	2967	210	286	01.17-	■
A5 Avant (FU5) 07.24-					Estate (Compact executive car-D Segment)			
S5 TFSI Mild Hybrid quattro		Gasol./el éc.	4WD	2995	270	367	07.24-	■
A6 V C8 Avant (4A5) 05.18-					Estate (Executive car-E Segment)			
40 TFSI 12V	PR 1KJ	Gasolina	FWD	1984	140	190	04.20-	■
40 TFSI (DMTC)	PR 1KF, PR 1KJ, discØ 330	Gasolina	FWD	1984	150	204	09.20-	■
45 TFSI	PR 1KJ	Gasolina	FWD	1984	180	245	04.20-	■
40 TFSI Mild Hybrid	PR 1KJ, 11/19-	Gasol./el éc.	FWD	1984	140	190	02.19-	■
40 TFSI Mild Hybrid	PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	150	204	01.21-	■
45 TFSI Mild Hybrid (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■
45 TFSI Mild Hybrid (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■
45 TFSI Mild hybrid quattro (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■
45 TFSI Mild hybrid quattro (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■
45 TFSI Mild Hybrid (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	195	265	05.20-	■
45 TFSI Mild hybrid quattro (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	195	265	05.20-	■
55 TFSI e quattro		Gasol./el éc.	4WD	1984	195	265	02.21-	■

LISTA DE APLICACIONES - BUYERS GUIDE

50 TFSI e quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	02.21-	■
50 TFSI e quattro		Gasol./el éc.	4WD	1984	220	299	02.21-	■
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	270	367	04.20-	■
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	270	367	02.21-	■
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	2995	250	340	05.18-	■
30 TDI Mild Hybrid (DEZF)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	100	136	01.19-	■
35 TDI Mild Hybrid (DEZD)	PR 1KF, PR 1KJ, 11/19-, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	120	163	03.19-	■
35 TDI Mild Hybrid	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	FWD	1968	120	163	10.20-	■
35 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	1968	120	163	10.20-	■
40 TDI Mild Hybrid	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Diesel/el éc.	FWD	1968	140	190	02.19-	■
40 TDI Mild Hybrid (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	150	204	05.18-	■
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968	150	204	07.18-	■
45 TDI Mild Hybrid quattro (DDVF)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	155	211	07.18-	■
45 TDI Mild Hybrid quattro (DDVE)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	05.18-	■
45 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	180	245	01.21-	■
50 TDI Mild Hybrid quattro (DDVB)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	05.18-	■
S6 TDI Mild Hybrid quattro	PR 1KJ	Diesel/el éc.	4WD	2967	253	344	11.20-	■
S6 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-	Diesel/el éc.	4WD	2967	257	349	03.19-	■
45 TDI quattro	PR 1KD, not ceramic brakes	Diesel	4WD	2967	183	249	07.19-	■
A6 V Allroad C8 (4AH) 11.18-					Estate (Executive car-E Segment)			
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	2995	250	340	11.19-	■
40 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968	150	204	09.20-	■
45 TDI Mild Hybrid quattro (DDVE)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	11.18-	■
45 TDI Mild Hybrid quattro	PR 1KF, PR 2EF, discØ 330, PR 1KJ, PR 2EW, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	180	245	01.21-	■
50 TDI Mild Hybrid quattro (DDVB)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	11.18-	■
55 TDI Mild Hybrid quattro	PR 1KJ, PR 2EW, PR 1KF, PR 2EF, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	253	344	11.20-	■
55 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	257	349	03.19-	■
45 TDI quattro	PR 1KJ	Diesel	4WD	2967	183	249	08.19-	■
A6 V C8 (4A2) 02.18-					Saloon (Executive car-E Segment)			
40 TFSI (DMTC)	PR 1KF, PR 1KJ, discØ 330	Gasolina	FWD	1984	150	204	09.20-	■
45 TFSI quattro (DLHB)	PR 1KJ	Gasolina	4WD	1984	185	252	11.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

40 TFSI Mild Hybrid	PR 1KJ, 11/19-	Gasol./el éc.	FWD	1984	140	190	02.19-	■
45 TFSI Mild Hybrid (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■
45 TFSI Mild Hybrid (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	180	245	08.18-	■
45 TFSI Mild hybrid quattro (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■
45 TFSI Mild hybrid quattro (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	180	245	08.18-	■
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330	Gasol./el éc.	4WD	1984	185	252	11.19-	■
45 TFSI Mild Hybrid (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	FWD	1984	195	265	05.20-	■
45 TFSI Mild hybrid quattro (DMTA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	195	265	05.20-	■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330	Gasol./el éc.	4WD	1984	220	299	11.19-	■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	11.19-	■
50 TFSI e quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Gasol./el éc.	4WD	1984	220	299	02.21-	■
55 TFSI e quattro (DLGA)	discØ 330, PR 1KJ, PR 2EW, PR 1KF, PR 2EF	Gasol./el éc.	4WD	1984	270	367	11.19-	■
55 TFSI e quattro		Gasol./el éc.	4WD	1984	270	367	02.21-	■
S6 TFSI Mild Hybrid quattro	PR 1KJ	Gasol./el éc.	4WD	2894	331	450	01.20-	■
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Gasol./el éc.	4WD	2995	250	340	02.18-	■
30 TDI Mild Hybrid (DEZF)	PR 1KJ, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	100	136	01.19-	■
35 TDI Mild Hybrid (DEZD)	PR 1KF, PR 1KJ, 11/19-, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	120	163	03.19-	■
35 TDI Mild Hybrid	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	FWD	1968	120	163	11.20-	■
35 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	1968	120	163	11.20-	■
40 TDI Mild Hybrid (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	FWD	1968	150	204	07.18-	■
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Diesel/el éc.	4WD	1968	150	204	07.18-	■
40 TDI Mild Hybrid quattro	PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968	150	204	07.18-	■
45 TDI Mild Hybrid quattro (DDVF)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	155	211	07.18-	■
45 TDI Mild Hybrid quattro (DDVE)	PR 1KF, PR 1KJ, PR 2EF, 11/19-	Diesel/el éc.	4WD	2967	170	231	07.18-	■
45 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	180	245	01.21-	■
50 TDI Mild Hybrid quattro (DDVB)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	02.18-	■
S6 TDI Mild Hybrid quattro	PR 1KJ	Diesel/el éc.	4WD	2967	253	344	01.21-	■
S6 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-	Diesel/el éc.	4WD	2967	257	349	03.19-	■
40 TDI	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel	FWD	1968	140	190	02.19-	■
45 TDI quattro	PR 1KD, not ceramic brakes	Diesel	4WD	2967	183	249	07.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

A6 e-tron (GHA) 07.24-						Hatchback (Executive car-E Segment)			
Performance		Eléctrico	RWD			280	381	07.24-	■
S6 quattro		Eléctrico	4WD			405	551	07.24-	
A7 II Sportback (4KA) 10.17-						Hatchback (Executive car-E Segment)			
40 TFSI 12V (DKYA)	not ceramic disc, PR 1KJ, PR 2EW	Gasolina	FWD	1984		140	190	11.19-	■
45 TFSI (DLHA)	not ceramic disc, PR 1KJ, PR 2EW	Gasolina	FWD	1984		180	245	11.19-	■
40 TFSI Mild Hybrid	PR 1KD, PR 1KF, PR 1KJ, PR 2EF, PR 2EW, not ceramic brakes	Gasol./el éc.	FWD	1984		140	190	08.20-	■
40 TFSI Mild Hybrid	not ceramic brakes	Gasol./el éc.	FWD	1984		150	204	08.20-	■
45 TFSI Mild Hybrid (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	FWD	1984		180	245	07.18-	■
45 TFSI Mild Hybrid (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	FWD	1984		180	245	07.18-	■
45 TFSI Mild hybrid quattro (DKNA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	4WD	1984		180	245	07.18-	■
45 TFSI Mild hybrid quattro (DLHA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, discØ 330, not ceramic brakes	Gasol./el éc.	4WD	1984		180	245	07.18-	■
45 TFSI Mild Hybrid	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, not ceramic disc, not ceramic brakes	Gasol./el éc.	FWD	1984		195	265	05.20-	■
45 TFSI Mild hybrid quattro	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	1984		195	265	05.20-	■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, PR 2EF, PR 2EW, discØ 330, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	1984		220	299	11.19-	■
50 TFSI e quattro	not ceramic brakes	Gasol./el éc.	4WD	1984		220	299	02.21-	■
55 TFSI e quattro	not ceramic disc, PR 1KF, PR 1KJ, PR 2EW, discØ 330	Gasol./el éc.	4WD	1984		270	367	07.19-	■
55 TFSI e quattro	PR 1KF, PR 1KJ, discØ 330, not ceramic brakes	Gasol./el éc.	4WD	1984		270	367	07.19-	■
55 TFSI e quattro	not ceramic brakes	Gasol./el éc.	4WD	1984		270	367	02.21-	■
S7 TFSI Mild Hybrid quattro	not ceramic disc, PR 2EW, PR 2KJ	Gasol./el éc.	4WD	2894		331	450	01.20-	■
55 TFSI Mild Hybrid quattro (DLZA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Gasol./el éc.	4WD	2995		250	340	10.17-	■
40 TDI Mild Hybrid (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	FWD	1968		150	204	09.18-	■
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, PR 1KD, not ceramic brakes	Diesel/el éc.	4WD	1968		150	204	09.18-	■
45 TDI Mild Hybrid quattro (DDVF)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967		155	211	04.18-	■
45 TDI Mild Hybrid quattro (DDVE)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967		170	231	06.18-	■
45 TDI Mild Hybrid quattro	PR 1KF, PR 1KJ, discØ 330, not ceramic brakes	Diesel/el éc.	4WD	2967		180	245	01.21-	■
50 TDI Mild Hybrid quattro (DDVB)	PR 1KF, PR 1KJ, PR 2EF, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967		210	286	10.17-	■
S7 TDI Mild Hybrid quattro	not ceramic brakes	Diesel/el éc.	4WD	2967		253	344	11.20-	■
S7 TDI Mild Hybrid quattro (DEWA)	PR 1KJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967		257	349	03.19-	■
45 TDI quattro		Diesel	4WD	2967		183	249	09.19-	■
A8 IV D5 (4N2, 4N8, 4NC, 4NL, 4NX) 06.17-						Saloon (Luxury car-F Segment)			
50 TFSI Mild Hybrid quattro (4N8) (CZSA)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Gasol./el éc.	4WD	2995		210	286	07.18-	■

LISTA DE APLICACIONES - BUYERS GUIDE

55 TFSI Mild Hybrid quattro (CZSE)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Gasol./el éc.	4WD	2995	250	340	06.17-	■
60 TFSI e quattro (CZSE)	discØ 330, PR 1KF, PR 2ED, PR 2EF, PR 1KJ, PR 2EE, PR 2EJ	Gasol./el éc.	4WD	2995	250	340	10.19-	■
60 TFSI e quattro (CZSE)	PR 1KJ, PR 2EE, 11/19-	Gasol./el éc.	4WD	2995	330	449	10.19-	■
60 TFSI e quattro	PR 1KF, PR 1KJ, PR 2ED, PR 2EE, PR 2EF, PR 2EJ, not ceramic brakes	Gasol./el éc.	4WD	2995	340	462	11.21-	■
60 TFSI Mild Hybrid quattro (CXYA)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Gasol./el éc.	4WD	3996	338	460	05.18-	■
S8 TFSI Mild Hybrid quattro (CWWB)	PR 1KJ, PR 2EE, 11/19-	Gasol./el éc.	4WD	3996	420	571	02.19-	■
50 TDI Mild Hybrid quattro (DDVC)	PR 1KF, PR 1KJ, PR 2EE, PR 2EF, 11/19-	Diesel/el éc.	4WD	2967	210	286	06.17-	■
60 TDI Mild Hybrid quattro (CVXB)	PR 1KJ, PR 2EE	Diesel/el éc.	4WD	3956	320	435	11.19-	■
45 TDI quattro (CVMD)	PR 1KJ, PR 2EE, 11/19-	Diesel	4WD	2967	183	249	01.19-	■
Q5 II (FYB, FYG) 05.16-					SUV Van (Luxury Crossover SUV-J Segment)			
3.0 SQ5 TDI Mild Hybrid quattro	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	255	347	02.19-11.20	■
3.0 TDI quattro	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	210	286	07.17-11.20	■
Q5 II (FYB, FYG) 05.16-					SUV (Luxury Crossover SUV-J Segment)			
2.0 TFSI quattro	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	180	245	08.18-	■
2.0 TFSI quattro (DAXC)	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	183	249	01.17-11.20	■
2.0 TFSI quattro (DAXB)	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	185	252	06.16-11.20	■
2.0 TFSI quattro (DAYB)	PR 1KF, PR 1KJ, discØ 330	Gasolina	4WD	1984	185	252	06.16-11.20	■
SQ5 TFSI quattro (CWGD)	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Gasolina	4WD	2995	260	354	11.16-	■
40 TFSI Mild Hybrid quattro		Gasol./el éc.	4WD	1984	150	204	10.21-	■
45 TFSI Mild hybrid quattro (DGKB)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	180	245	12.18-	■
45 TFSI Mild hybrid quattro (DN TA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	180	245	12.18-	■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	185	252	04.19-11.20	■
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	185	252	08.19-11.20	■
45 TFSI Mild hybrid quattro (DPUA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	08.20-	■
45 TFSI Mild hybrid quattro (DPVA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	195	265	08.20-	■
55 TFSI e quattro		Gasol./el éc.	4WD	1984	195	265	02.21-	■
50 TFSI e quattro (DLGA)	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	220	299	04.19-	■
50 TFSI e quattro	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	220	299	02.21-	■
55 TFSI e quattro (DLGA)	PR 1KF, PR 1KK, PR 1KW, PR 2EJ, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	270	367	08.19-	■
55 TFSI e quattro		Gasol./el éc.	4WD	1984	270	367	02.21-	■
30 TDI Mild Hybrid (DEZB)		Diesel/el éc.	FWD	1968	100	136	09.19-	■
35 TDI Mild Hybrid (DEZE)	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	FWD	1968	120	163	09.19-	■
40 TDI Mild Hybrid quattro (DFBA)	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	1968	150	204	09.19-	■
50 TDI Mild Hybrid quattro (DMGA)	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	4WD	2967	210	286	06.20-	■
SQ5 TDI Mild Hybrid quattro	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	251	341	01.21-	■
SQ5 TDI Mild Hybrid quattro (DEWB)	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	255	347	02.19-09.20	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TDI (DEUB)		Diesel	FWD	1968	100	136	01.17-11.20	■
2.0 TDI (DEUA)		Diesel	FWD	1968	110	150	01.17-11.20	■
2.0 TDI quattro (DETB)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	120	163	06.16-08.18	■
35 TDI	PR 1KF, PR 1KK, PR 2EJ	Diesel	FWD	1968	120	163	10.21-	■
35 TDI quattro (DETB)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	120	163	08.18-11.20	■
2.0 TDI quattro (DESA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	06.16-08.18	■
2.0 TDI quattro (DETA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	06.16-08.18	■
40 TDI quattro (DESA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	10.18-	■
40 TDI quattro (DETA)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	1968	140	190	10.18-	■
45 TDI quattro (DCPE)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	170	231	08.18-11.20	■
3.0 TDI quattro (DCPC)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	210	286	07.17-11.20	■
50 TDI quattro (DCPC)	PR 1KF, PR 1KJ, discØ 330	Diesel	4WD	2967	210	286	03.19-11.20	■
Q5 II Sportback (FYT) 11.20-					SUV (Luxury Crossover SUV-J Segment)			
40 TFSI Mild Hybrid quattro		Gasol./el éc.	4WD	1984	150	204	10.21-	■
45 TFSI Mild hybrid quattro	discØ 330, PR 1KF, PR 1KJ	Gasol./el éc.	4WD	1984	195	265	11.20-	■
50 TFSI e quattro	PR 1KF, PR 1KJ, discØ 330	Gasol./el éc.	4WD	1984	220	299	02.21-	■
2.0 55 TFSI e quattro		Gasol./el éc.	4WD	1984	270	367	07.21-	■
55 TFSI e quattro	PR 1KF, discØ 330, PR 1KD, PR 1KE, PR 1KJ, PR 1KK, PR 1KU, PR 2EJ	Gasol./el éc.	4WD	1984	270	367	06.21-	■
35 TDI Mild Hybrid	PR 1KF, PR 1KJ, discØ 330	Diesel/el éc.	FWD	1968	120	163	04.21-	■
40 TDI Mild Hybrid quattro	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	4WD	1968	150	204	11.20-	■
50 TDI Mild Hybrid quattro	discØ 330, PR 1KF, PR 1KJ	Diesel/el éc.	4WD	2967	210	286	02.21-	■
SQ5 TDI Mild Hybrid quattro	PR 1KK, PR 1KW, PR 2EJ, discØ 330	Diesel/el éc.	4WD	2967	251	341	02.21-	■
Q5 III (GUB) 01.25-					SUV (Luxury Crossover SUV-J Segment)			
2.0 TFSI		Gasol./el éc.	FWD	1984	150	204	01.25-	■
2.0 TFSI quattro		Gasol./el éc.	4WD	1984	150	204	01.25-	■
SQ5 TFSI quattro		Gasol./el éc.	4WD	2995	270	367	01.25-	■
2.0 TDI quattro		Diesel/el éc.	4WD	1968	150	204	01.25-	■
Q7 II (4MB, 4MG) 01.15-					SUV Van (Luxury Crossover SUV-J Segment)			
3.0 45 TDI Mild Hybrid quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	07.18-12.19	■
3.0 50 TDI Mild Hybrid quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	07.18-12.19	■
3.0 TDI quattro	not ceramic disc, 11/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic brakes	Diesel	4WD	2967	160	218	08.15-12.19	■
3.0 TDI quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	200	272	01.15-12.19	■
4.0 SQ7 TDI quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	3956	320	435	04.16-	■
Q7 II (4MB, 4MG, 4MQ) 01.15-					SUV (Luxury Crossover SUV-J Segment)			
45 TFSI quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	1984	180	245	03.20-	■
2.0 TFSI quattro (CYMC)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Gasolina	4WD	1984	185	252	08.15-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 TFSI quattro (CYRB)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Gasolina	4WD	1984	185	252	08.15-	■
45 TFSI quattro	PR 2ED, PR 2EH, not ceramic brakes	Gasolina	4WD	1984	195	265	11.22-	■
3.0 TFSI quattro (CREC)	not ceramic disc, 11/19-, not ceramic brakes	Gasolina	4WD	2995	245	333	01.15-12.19	■
55 TFSI quattro (DCBD)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	2995	250	340	03.20-	■
SQ7 quattro (DCUE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	3996	373	507	02.20-	■
SQ7 quattro (DCUE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ	Gasolina	4WD	3996	373	507	02.20-	■
2.0 TFSI e-tron quattro (CVJA)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc	Gasol./el éc.	4WD	1984	270	367	02.16-12.19	■
55 TFSI Mild Hybrid quattro (DCBD)	PR 2ED, PR 2EE, PR 2EJ, 11/19-, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	2995	250	340	07.19-	■
60 TFSI e quattro (DCBE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc	Gasol./el éc.	4WD	2995	250	340	11.19-	■
55 TFSI e quattro	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic brakes	Gasol./el éc.	4WD	2995	280	381	11.19-	■
55 TFSI e quattro		Gasol./el éc.	4WD	2995	290	394	04.24-	■
60 TFSI e quattro (DCBE)	PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Gasol./el éc.	4WD	2995	335	455	11.19-	■
60 TFSI e quattro	PR 2ED, PR 2EH, not ceramic brakes	Gasol./el éc.	4WD	2995	340	462	10.20-	■
60 TFSI e quattro		Gasol./el éc.	4WD	2995	360	489	04.24-	■
45 TDI Mild Hybrid quattro (DHXC)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Diesel/el éc.	4WD	2967	170	231	07.18-	■
50 TDI Mild Hybrid quattro (DHXA)	12/19-, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, not ceramic disc, not ceramic brakes	Diesel/el éc.	4WD	2967	210	286	07.18-	■
3.0 TDI e-tron quattro (CVZA)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel/el éc.	4WD	2967	275	374	08.15-12.19	■
3.0 TDI quattro (CZZB)	not ceramic disc, 11/19-, not ceramic brakes	Diesel	4WD	2967	155	211	08.15-12.19	■
3.0 TDI quattro (CRTE)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	160	218	06.15-12.19	■
3.0 TDI quattro (CZZA)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	160	218	06.15-12.19	■
3.0 TDI quattro (CVMD)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	183	249	06.15-12.19	■
45 TDI quattro	not ceramic brakes	Diesel	4WD	2967	183	249	07.19-	■
3.0 TDI quattro (CUEA)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	190	258	08.15-12.19	■
3.0 TDI quattro (CRTC)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	2967	200	272	01.15-12.19	■
SQ7 TDI quattro (CZAC)	not ceramic disc, PR 2ED, PR 2EE, PR 2EH, PR 2EJ, 11/19-, not ceramic brakes	Diesel	4WD	3956	320	435	04.16-	■
VW								
TOUAREG III (CR7, RC8) 11.17-					SUV (Luxury Crossover SUV-J Segment)			
2.0 TSI 4motion	12/19-, PR 2EE	Gasolina	4WD	1984	180	245	08.18-11.22	■
2.0 TFSI 4motion (CYRC)	12/19-, PR 2EE	Gasolina	4WD	1984	183	249	05.18-11.23	■
2.0 TSI 4motion	12/19-, PR 2EE	Gasolina	4WD	1984	185	252	09.18-11.23	■
3.0 TSI 4motion (DCBE)	12/19-, PR 2EE	Gasolina	4WD	2995	250	340	03.18-	■
eHybrid 4motion (DFKA)	PR 2ED, PR 2EE	Gasol./el éc.	4WD	1984	185	252	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

eHybrid 4motion (DFKA)	PR 2ED, PR 2EE	Gasol./el éc.	4WD	1984	270	367	11.20-06.22
3.0 eHybrid 4motion	PR 2ED, PR 2EE	Gasol./el éc.	4WD	2995	280	381	11.20-
3.0 R 4motion	PR 2ED, PR 2EE	Gasol./el éc.	4WD	2995	340	462	09.20-
3.0 TDI 4motion (DEND)	12/19-, PR 2EE	Diesel	4WD	2967	170	231	05.18-
3.0 TDI 4motion (CVMD)	12/19-, PR 2EE	Diesel	4WD	2967	183	249	01.18-11.23
3.0 TDI 4motion	12/19-, PR 2EE	Diesel	4WD	2967	190	258	11.17-
3.0 TDI 4motion (DENA)	12/19-, PR 2EE	Diesel	4WD	2967	210	286	11.17-
4.0 V8 TDI 4motion (DMVB)	12/19-, PR 2EE	Diesel	4WD	3956	310	421	06.19-11.21

