

LISTA DE APLICACIONES - BUYERS GUIDE

182265




8 424073 149930

Qty: 300

Weight: 3.740

O.E.M.	MAKE
34 10 6 883 510	BMW
34 10 6 888 459	BMW
34 10 8 064 560	BMW
34 10 8 064 562	BMW
34 10 8 094 045	BMW
34 11 6 874 431	BMW
34 11 6 874 432	BMW
34 11 6 888 460	BMW
34 11 6 889 585	BMW
34108064561	BMW
6874431	BMW
6874432	BMW
6883510	BMW
6888459	BMW
6888460	BMW
6889585	BMW
8064560	BMW
8064561	BMW



182265

E 9 90R-02A0111/4545



Brembo

124.9x117.3x19.6

WVA	FMSI
22392	D1868-9098
22618	
MAKE	
ALPINA	
BMW	
BMW (BRILLIANCE)	
ROLLS-ROYCE	



Trac.	CC	Kw	CV		
					Front / Rear

ALPINA

B3 VII (G20) 09.19-						Saloon (Compact executive car-D Segment)			
BITURBO A las 4 ruedas		Gasolina	4WD	2993		340	462	09.19-12.25	■
B3 VII Touring (G21) 09.19-						Estate (Compact executive car-D Segment)			
BITURBO A las 4 ruedas		Gasolina	4WD	2993		340	462	09.19-12.25	■
B7 V (G12) 02.16-						Saloon (Luxury car-F Segment)			
BITURBO A las 4 ruedas (N63 B44 C)		Gasolina	4WD	4395		447	608	02.16-12.22	■
BITURBO A las 4 ruedas (N63 M30 A)		Gasolina	4WD	4395		447	608	02.16-12.22	■
D3 III (G20) 05.20-						Saloon (Compact executive car-D Segment)			
S (B57 D30 B)		Diesel/el éc.	4WD	2993		261	355	05.20-12.25	■
D3 III Touring (G21) 05.20-						Estate (Compact executive car-D Segment)			
S (B57 D30 B)		Diesel/el éc.	4WD	2993		261	355	05.20-12.25	■
XB7 (G07) 05.20-						SUV (Luxury Crossover SUV-J Segment)			
BITURBO (N63 B44 D)		Gasolina	4WD	4395		457	621	05.20-11.25	■

BMW

2 Serie II (G42, G87) 08.21-						Coupe (Compact car-C Segment)			
218i		Gasolina	RWD	1998		115	156	07.22-	■
230 i xDrive (B48 B20 B)		Gasolina	4WD	1998		190	258	08.21-	■
M240 i (B58 B30 C)		Eq.V_ Motorsport	Gasolina	RWD	2998	245	333	08.22-	■
M240 i		Eq.V_ Motorsport	Gasolina	RWD	2998	275	374	07.22-	■

LISTA DE APLICACIONES - BUYERS GUIDE

M240 i xDrive	M technique, discØ 374, SA 033T	Gasolina	4WD	2998	275	374	08.21-	■
M240 i (B58 B30 B)	Eq.V_ Motorsport	Gasolina	RWD	2998	285	387	07.22-	■
M240 i xDrive (B58 B30 B)	Eq.V_ Motorsport	Gasolina	4WD	2998	285	387	08.22-	■
3 Serie VII (G20, G80, G28) 11.18-					Saloon (Compact executive car-D Segment)			
320 i 1.6 (B48 B16 A)	Performance M, discØ 374	Gasolina	RWD	1597	125	170	03.19-	■
318i (B48 B20 A)	discØ 374, Performance M	Gasolina	RWD	1998	115	156	03.20-	■
320i (B48 B20 A)	Performance M	Gasolina	RWD	1998	135	184	03.19-	■
320i (B48 B20 B)	Performance M	Gasolina	RWD	1998	135	184	03.19-	■
320 i xDrive (B48 B20 A)	Performance M, discØ 375	Gasolina	4WD	1998	135	184	07.19-	■
330i (B46 B20 B)	Performance M	Gasolina	RWD	1998	190	258	11.18-	■
330i (B48 B20 B)	Performance M	Gasolina	RWD	1998	190	258	11.18-	■
330 i xDrive (B46 B20 B)	Performance M, discØ 374	Gasolina	4WD	1998	190	258	11.18-	■
330 i xDrive (B48 B20 B)	Performance M, discØ 374	Gasolina	4WD	1998	190	258	11.18-	■
330 Li (B48 B20 B)		Gasolina	RWD	1998	190	255	02.21-	■
M 340 i xDrive (B58 B30 B)	M technique, Eq.V_ S33TA, discØ 374, Performance M, M-sport package	Gasolina	4WD	2998	275	374	07.19-	■
M 340 i		Gasolina	RWD	2998	285	387	03.19-	■
M 340 i xDrive (B58 B30 B)	Performance M, discØ 374, SA S33TA	Gasolina	4WD	2998	285	387	03.19-	■
2.0 320i ActiveFlex (B42T20A)		Gasol./Etanol	RWD	1998	135	184	01.21-	■
320 e Plug-in-Hybrid (B48 B20 A)	discØ 374, Performance M	Gasol./eléc.	RWD	1998	120	163	07.20-	■
320 e Plug-in-Hybrid (GC1)	discØ 374, Performance M	Gasol./eléc.	RWD	1998	120	163	07.20-	■
330 e Plug-in-Hybrid (B46 B20 B)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (B48 B20 B)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (GC1)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid xDrive (B46 B20 B)	Performance M, discØ 375	Gasol./eléc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 375	Gasol./eléc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 375	Gasol./eléc.	4WD	1998	135	184	07.20-	■
320 e Plug-in-Hybrid (B48 B20 A)	discØ 374, Performance M	Gasol./eléc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid (GC1)	discØ 374, Performance M	Gasol./eléc.	RWD	1998	150	204	07.20-	■
330 e Plug-in-Hybrid (B46 B20 B)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B48 B20 B)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (GC1)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B46 B20 B)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (B48 B20 B)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (GC1)	Performance M, discØ 375	Gasol./eléc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid xDrive (B46 B20 B)	Performance M, discØ 374	Gasol./eléc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 374	Gasol./eléc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 374	Gasol./eléc.	4WD	1998	215	292	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

M 340 i Mild-Hybrid xDrive (B58 B30 B)	M technique, Performance M, discØ 374, SA S33TA	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 340 i Mild-Hybrid xDrive (JA1)	M technique, Performance M, discØ 374, SA S33TA	Gasol./el éc.	4WD	2998	275	374	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	90	122	08.20-	■
316 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	90	122	08.20-	■
318 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	100	136	04.20-	■
318 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	100	136	04.20-	■
318 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	110	150	04.20-	■
318 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	110	150	04.20-	■
320 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid (JA1)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	140	190	03.20-	■
330 d Mild-Hybrid (B57 D30 B)	discØ 374, Performance M	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (B57 D30 B)	discØ 374, Performance M	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (JA1)	discØ 374, Performance M	Diesel/el éc.	4WD	2993	210	286	11.20-	■
M340 d Mild-Hybrid xDrive (B57 D30 B)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	04.20-	■
M340 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	04.20-	■
316 d (B47 D20 B)	discØ 374, Performance M	Diesel	RWD	1995	85	116	11.20-	■
316 d (B47 D20 B)	Performance M, discØ 374	Diesel	RWD	1995	90	122	03.20-	■
318 d (B47 D20 B)	Performance M, discØ 374	Diesel	RWD	1995	100	136	03.19-03.20	■
318 d (B47 D20 B)		Diesel	RWD	1995	110	150	03.19-03.20	■
320 d (B47 D20 B)		Diesel	RWD	1995	120	163	11.18-02.20	■
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	120	163	11.18-02.20	■
320 d (B47 D20 B)		Diesel	RWD	1995	140	190	11.18-	■
320 d xDrive (B47 D20 B)		Diesel	4WD	1995	140	190	11.18-02.20	■
330 d (B57 D30 A)	Performance M, discØ 374	Diesel	RWD	2993	195	265	03.19-	■
330 d xDrive (B57 D30 A)	Performance M, discØ 374	Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring (G21, G81) 07.19-					Estate (Compact executive car-D Segment)			
318i (B48 B20 A)	Performance M, discØ 374	Gasolina	RWD	1998	115	156	03.20-	■
320i (B46 B20 B)	Performance M, discØ 374	Gasolina	RWD	1998	135	184	11.19-	■
320i (B48 B20 A)	Performance M, discØ 374	Gasolina	RWD	1998	135	184	11.19-	■
330i		Gasolina	RWD	1998	180	245	07.19-	■
330 i xDrive		Gasolina	4WD	1998	180	245	07.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330i (B48 B20 B)	Performance M, discØ 374	Gasolina	RWD	1998	190	258	07.19-	■
330 i xDrive (B48 B20 B)	Performance M, discØ 374	Gasolina	4WD	1998	190	258	07.19-	■
M 340 i xDrive (B58 B30 B)	Performance M, discØ 374	Gasolina	4WD	2998	275	374	11.19-	■
M 340 i xDrive (B58 B30 B)	discØ 374, Performance M	Gasolina	4WD	2998	285	387	11.19-	■
320 e Plug-in-Hybrid (B48 B20 A)	discØ 374, Performance M	Gasol./el éc.	RWD	1998	120	163	07.20-	■
320 e Plug-in-Hybrid (GC1)	discØ 374, Performance M	Gasol./el éc.	RWD	1998	120	163	07.20-	■
320 e Plug-in-Hybrid xDrive	discØ 374, Performance M	Gasol./el éc.	4WD	1998	120	163	03.21-	■
330 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 374	Gasol./el éc.	RWD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid (GC1)	Performance M, discØ 374	Gasol./el éc.	RWD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 374	Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 374	Gasol./el éc.	4WD	1998	135	184	07.20-	■
320 e Plug-in-Hybrid (B48 B20 A)	discØ 374, Performance M	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid (GC1)	discØ 374, Performance M	Gasol./el éc.	RWD	1998	150	204	07.20-	■
320 e Plug-in-Hybrid xDrive	discØ 374, Performance M	Gasol./el éc.	4WD	1998	150	204	03.21-	■
330 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 374	Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid (GC1)	Performance M, discØ 374	Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 374	Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 374	Gasol./el éc.	4WD	1998	215	292	07.20-	■
M 340 i Mild-Hybrid xDrive (B58 B30 B)	discØ 374, Performance M	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 340 i Mild-Hybrid xDrive (JA1)	discØ 374, Performance M	Gasol./el éc.	4WD	2998	275	374	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	85	116	11.20-	■
316 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	90	122	07.20-	■
316 d Mild-Hybrid (JA1)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	90	122	07.20-	■
318 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	100	136	08.20-	■
318 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	100	136	08.20-	■
318 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	110	150	08.20-	■
318 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	110	150	08.20-	■
320 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid (JA1)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	120	163	03.20-	■
320 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	140	190	03.20-	■
330 d Mild-Hybrid (B57 D30 B)	discØ 374, Performance M	Diesel/el éc.	RWD	2993	210	286	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (B57 D30 B)	discØ 374, Performance M	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (JA1)	discØ 374, Performance M	Diesel/el éc.	4WD	2993	210	286	11.20-	■
M340 d Mild-Hybrid xDrive (B57 D30 B)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	04.20-	■
M340 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	04.20-	■
316 d (B47 D20 B)	discØ 374, Performance M	Diesel	RWD	1995	85	116	11.20-	■
316 d (B47 D20 B)	discØ 274, Performance M	Diesel	RWD	1995	90	122	11.20-	■
318 d (B47 D20 B)	Performance M, discØ 374	Diesel	RWD	1995	100	136	11.19-07.20	■
318 d (B47 D20 B)	Performance M, discØ 374	Diesel	RWD	1995	110	150	11.19-07.20	■
320 d (B47 D20 B)	Performance M, discØ 375	Diesel	RWD	1995	120	163	07.19-02.20	■
320 d xDrive (B47 D20 B)	Performance M, discØ 375	Diesel	4WD	1995	120	163	07.19-02.20	■
320 d (B47 D20 B)	Performance M, discØ 375	Diesel	RWD	1995	140	190	07.19-02.20	■
320 d xDrive (B47 D20 B)	Performance M, discØ 375	Diesel	4WD	1995	140	190	07.19-02.20	■
330 d (B57 D30 A)	Performance M, discØ 374	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)	Performance M, discØ 375	Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring Van (G21) 07.19-					Estate Van (Compact executive car-D Segment)			
320i (B46 B20 B)	Performance M, discØ 374	Gasolina	RWD	1998	135	184	11.19-	■
320i (B48 B20 A)	Performance M, discØ 374	Gasolina	RWD	1998	135	184	11.19-	■
330i (B48 B20 B)	Performance M, discØ 374	Gasolina	RWD	1998	190	258	07.19-	■
M 340 i xDrive (B58 B30 B)		Gasolina	4WD	2998	275	374	11.19-	■
320 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid (JA1)	Performance M, discØ 374	Diesel/el éc.	RWD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (B47 D20 B)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	140	190	03.20-	■
320 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	1995	140	190	03.20-	■
318 d		Diesel	RWD	1995	110	150	11.19-06.22	■
320 d (B47 D20 B)	Performance M, discØ 374	Diesel	RWD	1995	140	190	07.19-02.20	■
320 d xDrive (B47 D20 B)	Performance M, discØ 374	Diesel	4WD	1995	140	190	07.19-02.20	■
330 d (B57 D30 A)	Performance M, discØ 374	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)	Performance M, discØ 374	Diesel	4WD	2993	195	265	11.19-	■
4 Serie II (G23, G83) 11.20-					Convertible (Compact executive car-D Segment)			
420 i (B48 B20 A)	Performance M, M-sport package, discØ 374	Gasolina	RWD	1998	135	184	11.20-	■
430 i	discØ 374, Performance M	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	discØ 374, Performance M	Gasolina	4WD	1998	180	245	07.21-	■
430 i (B46 B20 B)	Performance M, M-sport package, discØ 374	Gasolina	RWD	1998	190	258	11.20-	■
430 i (B48 B20 B)	Performance M, M-sport package, discØ 374	Gasolina	RWD	1998	190	258	11.20-	■
430 i xDrive (B46 B20 B)		Gasolina	4WD	1998	190	258	07.21-	■
M440 i Mild-Hybrid		Gasol./el éc.	RWD	2998	275	374	07.21-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	discØ 374, Performance M	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M440 i Mild-Hybrid xDrive (JA1)	discØ 374, Performance M	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M 440 i Mild Hybrid (B58 B30 B,JA1)		Gasol./el éc.	RWD	2998	285	387	11.20-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	Performance M, discØ 374	Gasol./el éc.	4WD	2998	285	387	11.20-	■
M440 i Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Gasol./el éc.	4WD	2998	285	387	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

420 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	120	163	11.20-	■
420 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	120	163	11.20-	■
420 d Mild-Hybrid (B47 D20 B)	Performance M, M-sport package, discØ 374	Diesel/el éc.	RWD	1995	140	190	11.20-	■
420 d Mild-Hybrid (JA1)	Performance M, M-sport package, discØ 374	Diesel/el éc.	RWD	1995	140	190	11.20-	■
430 d Mild-Hybrid (B57 D30 B)	Performance M, discØ 374	Diesel/el éc.	RWD	2993	210	286	07.21-	■
430 d Mild-Hybrid (JA1)	Performance M, discØ 374	Diesel/el éc.	RWD	2993	210	286	07.21-	■
M440 d Mild-Hybrid xDrive (B57 D30 B)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	11.21-	■
M440 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	11.21-	■
4 Serie II (G22, G82) 07.20-					Coupe (Compact executive car-D Segment)			
420 i 1.6 (B48 B16 A)	discØ 374, Performance M	Gasolina	RWD	1597	125	170	11.20-	■
420 i (B46 B20 B)	discØ 374, Performance M	Gasolina	RWD	1998	135	184	07.20-	■
420 i (B48 B20 A)	discØ 374, Performance M	Gasolina	RWD	1998	135	184	07.20-	■
420 i	discØ 374, Performance M	Gasolina	RWD	1998	135	184	07.21-	■
420 i xDrive	discØ 374, Performance M	Gasolina	4WD	1998	135	184	07.21-	■
430 i	discØ 374, Performance M	Gasolina	RWD	1998	180	245	07.21-	■
430 i	Performance M, M-sport package, discØ 374	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	discØ 374, Performance M	Gasolina	4WD	1998	180	245	07.21-	■
430 i xDrive		Gasolina	4WD	1998	180	245	03.22-	■
430 i (B46 B20 B)	discØ 374, Performance M	Gasolina	RWD	1998	190	258	07.20-	■
430 i (B48 B20 B)	discØ 374, Performance M	Gasolina	RWD	1998	190	258	07.20-	■
430 i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.21-	■
430 i xDrive (B46 B20 B)	Performance M, discØ 374	Gasolina	4WD	1998	190	258	07.20-	■
430 i xDrive		Gasolina	4WD	1998	190	258	07.21-	■
M440 i Mild-Hybrid	Performance brakes, discØ 374, M technique, Performance M, SA 033T	Gasol./el éc.	RWD	2998	275	374	07.21-	■
M440 i Mild-Hybrid	M technique	Gasol./el éc.	RWD	2998	275	374	09.22-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	Performance brakes, discØ 374	Gasol./el éc.	4WD	2998	275	374	11.20-	■
M440 i Mild-Hybrid xDrive	discØ 374, Performance M	Gasol./el éc.	4WD	2998	275	374	07.21-	■
M440 i Mild-Hybrid (B58 B30 B, JA1)	M technique	Gasol./el éc.	RWD	2998	285	387	11.20-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	Performance brakes, discØ 374, M technique	Gasol./el éc.	4WD	2998	285	387	07.20-	■
M440 i Mild-Hybrid xDrive (JA1)	Performance brakes, discØ 374, M technique	Gasol./el éc.	4WD	2998	285	387	07.20-	■
M440 i Mild-Hybrid xDrive (B58 B30 B)	M technique	Gasol./el éc.	4WD	2998	285	387	07.21-	■
i4 M50 xDrive	033T, discØ 374	Eléctrico	4WD		400	544	11.21-	■
420 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid xDrive (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	4WD	1995	120	163	07.20-	■
420 d Mild-Hybrid xDrive (JA1)	discØ 374, Performance M	Diesel/el éc.	4WD	1995	120	163	07.20-	■
420 d Mild-Hybrid (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	140	190	07.20-	■
420 d Mild-Hybrid (JA1)	discØ 374, Performance M	Diesel/el éc.	RWD	1995	140	190	07.20-	■
420 d Mild-Hybrid		Diesel/el éc.	RWD	1995	140	190	07.21-	■

LISTA DE APLICACIONES - BUYERS GUIDE

420 d Mild-Hybrid xDrive (B47 D20 B)	discØ 374, Performance M	Diesel/el éc.	4WD	1995	140	190	07.20-	■
420 d Mild-Hybrid xDrive (JA1)	discØ 374, Performance M	Diesel/el éc.	4WD	1995	140	190	07.20-	■
420 d Mild-Hybrid xDrive	Performance M, M-sport package, discØ 374	Diesel/el éc.	4WD	1995	140	190	07.21-	■
430 d Mild-Hybrid xDrive (B57 D30 B)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	210	286	03.21-	■
430 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	210	286	03.21-	■
430 d Mild-Hybrid xDrive		Diesel/el éc.	4WD	2993	210	286	05.22-	■
M440 d Mild-Hybrid xDrive (B57 D30 B)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	03.21-	■
M440 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 374	Diesel/el éc.	4WD	2993	250	340	03.21-	■
5 Serie VII (G30, F90) 09.16-					Saloon (Executive car-E Segment)			
520 i (B48 B16 A)	Performance M, discØ 395	Gasolina	RWD	1597	125	170	07.17-06.23	■
520 i (B48 B20 A)	reinforced brakes Performance M, discØ 395	Gasolina	RWD	1998	120	163	07.17-06.20	■
520 i (B48 B20 B)	reinforced brakes Performance M, discØ 395	Gasolina	RWD	1998	120	163	07.17-06.20	■
520 i (B48 B20 A)	Performance M, discØ 395	Gasolina	RWD	1998	135	184	07.17-	■
520 i (B48 B20 B)	Performance M, discØ 395	Gasolina	RWD	1998	135	184	07.17-	■
520 i (B48 B20 A)	Performance M, discØ 395	Gasolina	RWD	1998	155	211	07.17-06.20	■
520 i (B48 B20 B)	Performance M, discØ 395	Gasolina	RWD	1998	155	211	07.17-06.20	■
530i	Performance M, discØ 395	Gasolina	RWD	1998	180	245	05.22-06.23	■
530 i xDrive	Performance M, discØ 395	Gasolina	4WD	1998	180	245	05.22-06.23	■
530 i xDrive (B48 B20 B)	Performance M, discØ 395	Gasolina	4WD	1998	183	249	09.16-06.23	■
530i (B46 B20 B)	Performance M, discØ 395	Gasolina	RWD	1998	185	252	09.16-06.20	■
530i (B48 B20 B)	Performance M, discØ 395	Gasolina	RWD	1998	185	252	09.16-06.20	■
530 i xDrive (B46 B20 B)	Performance M, discØ 395	Gasolina	4WD	1998	185	252	09.16-06.20	■
530 i xDrive (B48 B20 B)	Performance M, discØ 395	Gasolina	4WD	1998	185	252	09.16-06.20	■
540 i (B58 B30 A)	sports chassis, discØ 374, discØ 348, M-sport package discØ 395, Performance M, M technique	Gasolina	RWD	2998	250	340	09.16-06.20	■
540 i (B58 B30 C)	sports chassis, discØ 374, discØ 348, M-sport package discØ 395, Performance M, M technique	Gasolina	RWD	2998	250	340	09.16-06.20	■
540 i xDrive (B58 B30 A)	discØ 374, sports chassis, M-sport package, discØ 348 discØ 395, Performance M, M technique	Gasolina	4WD	2998	250	340	09.16-06.20	■
540 i (B58 B30 A)	sports chassis, discØ 374, M-sport package, discØ 348 discØ 395, Performance M, M technique	Gasolina	RWD	2998	265	360	09.16-06.20	■
540 i xDrive (B58 B30 A)	sports chassis, discØ 374, M-sport package, discØ 348 discØ 395, Performance M, M technique	Gasolina	4WD	2998	265	360	09.16-06.20	■
M 550 i xDrive (N63 B44 C)	discØ 374, discØ 395, Performance M	Gasolina	4WD	4395	340	462	03.17-06.19	■
M 550 i xDrive (N63 B44 D)	Syst. Standard, discØ 374, Performance M, discØ 395	Gasolina	4WD	4395	390	530	07.19-06.23	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	■
520 i Mild-Hybrid (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	120	163	07.20-06.23	■
520 i Mild-Hybrid (JA1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	120	163	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid (GC1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	120	163	07.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	120	163	07.19-	■
520 i Mild-Hybrid (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
520 i Mild-Hybrid (JA1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid (GC1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	135	184	03.17-	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid (GC1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530e Plug-in Hybrid (B46 B20 B)	Performance M	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530e Plug-in Hybrid (B48 B20 A)	Performance M	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530e Plug-in Hybrid (GC1)	Performance M	Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 i Mild-Hybrid (B48 B20 B)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid (JA1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (B48 B20 B)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (JA1)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 e Plug-in-Hybrid xDrive (B46 B20 B)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	Performance M, discØ 395, Performance brakes, M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
545 e Plug-in-Hybrid xDrive (B58 B30 C)	M technique, discØ 395, Performance M discØ 374, M-sport package	Gasol./el éc.	4WD	2998	210	286	11.20-	■
545 e Plug-in-Hybrid xDrive (GC1)	M technique, discØ 395, Performance M discØ 374, M-sport package	Gasol./el éc.	4WD	2998	210	286	11.20-	■
540 i Mild-Hybrid (B58 B30 C)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid xDrive (B58 B30 C)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■
540 i Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■
545 e Plug-in-Hybrid xDrive (B58 B30 C)	M technique, discØ 395, Performance M discØ 374, M-sport package	Gasol./el éc.	4WD	2998	290	394	11.20-06.23	■
545 e Plug-in-Hybrid xDrive (GC1)	M technique, discØ 395, Performance M discØ 374, M-sport package	Gasol./el éc.	4WD	2998	290	394	11.20-06.23	■
518 d Mild-Hybrid (B47 D20 B)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	100	136	07.20-06.23	■
518 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	100	136	07.20-06.23	■
518 d Mild-Hybrid (B47 D20 B)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	110	150	07.20-06.23	■
518 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	110	150	07.20-06.23	■
520 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 395	Diesel/el éc.	RWD	1995	120	163	11.19-06.23	■
520 d Mild-Hybrid (JA1)	Performance M, discØ 395	Diesel/el éc.	RWD	1995	120	163	11.19-06.23	■
520 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	11.19-06.23	■
520 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	11.19-06.23	■
520 d Mild-Hybrid xDrive (B47 D20 B)	Performance M, discØ 395	Diesel/el éc.	4WD	1995	140	190	11.19-06.23	■
520 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 395	Diesel/el éc.	4WD	1995	140	190	11.19-06.23	■
530 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)	Performance M, discØ 395 M-sport package, discØ 374, Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 395 M-sport package, discØ 374, Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395	Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid (JA1)	M-sport package, discØ 374, Performance M, discØ 395	Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395	Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374, Performance M, discØ 395	Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■

LISTA DE APLICACIONES - BUYERS GUIDE

540 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.23	■
540 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.23	■
518 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	100	136	07.18-06.20	■
518 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	110	150	07.18-06.20	■
520 d (B47 D20 A)	Performance M, discØ 395	Diesel	RWD	1995	120	163	09.16-06.23	■
520 d xDrive (B47 D20 A)	Performance M, discØ 395	Diesel	4WD	1995	120	163	09.16-06.23	■
520 d (B47 D20 A)	Performance M, discØ 395	Diesel	RWD	1995	140	190	09.16-06.23	■
520 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	140	190	09.16-06.23	■
520 d xDrive (B47 D20 A)	Performance M, discØ 395	Diesel	4WD	1995	140	190	09.16-06.23	■
525 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)	discØ 395, Performance M	Diesel	RWD	1995	170	231	07.17-06.19	■
530 d xDrive (B57 D30 A)	Performance M, discØ 395	Diesel	4WD	2993	183	249	09.16-06.20	■
530 d (B57 D30 A)	Performance M, discØ 395	Diesel	RWD	2993	195	265	09.16-06.20	■
530 d xDrive (B57 D30 A)	Performance M, discØ 395	Diesel	4WD	2993	195	265	09.16-06.20	■
540 d xDrive (B57 D30 A)	discØ 374, M-sport package discØ 395, Performance M	Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (B57 D30 B)	discØ 374, M-sport package discØ 395, Performance M	Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (G4NA)	discØ 374, M-sport package discØ 395, Performance M	Diesel	4WD	2993	235	320	07.17-06.20	■
M 550 d xDrive (B57 D30 C)	discØ 374, discØ 395	Diesel	4WD	2993	294	400	06.17-06.20	■
5 Serie VII Touring (G31) 03.17-					Estate (Executive car-E Segment)			
520 i (B48 B20 A)	reinforced brakes Performance M, discØ 395	Gasolina	RWD	1998	120	163	07.17-06.20	■
520 i (B48 B20 A)	Performance M, discØ 395	Gasolina	RWD	1998	135	184	07.17-06.20	■
520 i (B48 B20 A)	Performance M, discØ 395	Gasolina	RWD	1998	155	211	07.17-06.20	■
530i	Performance M, discØ 395	Gasolina	RWD	1998	180	245	05.22-	■
530 i xDrive	Performance M, discØ 395	Gasolina	4WD	1998	180	245	05.22-	■
530i (B48 B20 B)	Performance M, discØ 395	Gasolina	RWD	1998	185	252	03.17-06.20	■
530 i xDrive (B48 B20 B)	discØ 395, Performance M	Gasolina	4WD	1998	185	252	07.17-06.20	■
540 i xDrive (B58 B30 A)	-07/17, Performance M, discØ 395 M-sport package, discØ 374, M technique	Gasolina	4WD	2998	250	340	03.17-06.20	■
540 i xDrive (B58 B30 A)	M-sport package, discØ 374 - 07/17, Performance M, discØ 395, M technique	Gasolina	4WD	2998	265	360	03.17-06.20	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	■
520 i Mild-Hybrid (B48 B20 A)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	120	163	07.20-	■
520 i Mild-Hybrid (JA1)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	120	163	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	120	163	11.20-	■
520 i Mild-Hybrid (B48 B20 A)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	135	184	07.20-	■
520 i Mild-Hybrid (JA1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	135	184	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	135	184	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 e Plug-in-Hybrid xDrive (GC1)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	135	184	11.20-	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 i Mild-Hybrid (B48 B20 B)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	180	245	07.22-	■
530 i Mild-Hybrid xDrive (B48 B20 B)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	180	245	07.22-	■
530 i Mild-Hybrid (B48 B20 B)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid (JA1)	Performance M, discØ 395	Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (B48 B20 B)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (JA1)	Performance M, discØ 395	Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 395, Performance M	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 395, Performance M	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	11.20-	■
540 i Mild-Hybrid xDrive (B58 B30 C)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	4WD	2998	245	333	07.20-	■
540 i Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	4WD	2998	245	333	07.20-	■
518 d Mild-Hybrid (B47 D20 B)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	100	136	07.20-	■
518 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	100	136	07.20-	■
518 d Mild-Hybrid (B47 D20 B)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	110	150	07.20-	■
518 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	110	150	07.20-	■
520 d Mild-Hybrid (B47 D20 B)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	120	163	11.19-	■
520 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	RWD	1995	120	163	11.19-	■
520 d Mild-Hybrid (B47 D20 B)	Performance M, discØ 395	Diesel/el éc.	RWD	1995	140	190	11.19-	■
520 d Mild-Hybrid (JA1)	Performance M, discØ 395	Diesel/el éc.	RWD	1995	140	190	11.19-	■
520 d Mild-Hybrid xDrive (B47 D20 B)	Performance M, discØ 395	Diesel/el éc.	4WD	1995	140	190	11.19-	■
520 d Mild-Hybrid xDrive (JA1)	Performance M, discØ 395	Diesel/el éc.	4WD	1995	140	190	11.19-	■
530 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, Performance brakes, M technique	Diesel/el éc.	RWD	2993	183	249	07.20-	■
530 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, Performance brakes, M technique	Diesel/el éc.	RWD	2993	183	249	07.20-	■
530 d Mild-Hybrid xDrive (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 d Mild-Hybrid xDrive (JA1)	discØ 395, Performance M, discØ 374, M-sport package, Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■
530 d Mild-Hybrid (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
540 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
540 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
518 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	100	136	07.18-06.20	■
518 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	110	150	07.18-06.20	■
520 d (B47 D20 A)	Performance M, discØ 395	Diesel	RWD	1995	120	163	03.17-	■
520 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	120	163	03.17-	■
520 d xDrive (B47 D20 A)	Performance M, discØ 395	Diesel	4WD	1995	120	163	07.17-	■
520 d xDrive (B47 D20 B)	Performance M, discØ 395	Diesel	4WD	1995	120	163	07.17-	■
520 d (B47 D20 A)	Performance M, discØ 395	Diesel	RWD	1995	140	190	03.17-	■
520 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	140	190	03.17-	■
520 d xDrive (B47 D20 A)	discØ 395, Performance M	Diesel	4WD	1995	140	190	07.17-	■
520 d xDrive (B47 D20 B)	discØ 395, Performance M	Diesel	4WD	1995	140	190	07.17-	■
525 d (B47 D20 B)	Performance M, discØ 395	Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)	discØ 395, Performance M	Diesel	RWD	1995	170	231	07.17-06.19	■
530 d (B57 D30 A)	Performance M, discØ 395	Diesel	RWD	2993	195	265	03.17-06.20	■
530 d xDrive (B57 D30 A)	M-sport package Performance M, discØ 395	Diesel	4WD	2993	195	265	03.17-06.20	■
540 d xDrive (B57 D30 B)	discØ 374, M-sport package discØ 395, Performance M	Diesel	4WD	2993	235	320	07.17-06.20	■
M 550 d xDrive (B57 D30 C)	discØ 395, discØ 374, Performance M	Diesel	4WD	2993	294	400	07.17-	■
5 Serie VII Touring Van (G31) 03.17-					Estate Van (Executive car-E Segment)			
520 i (B48 B20 A)	Performance M, discØ 395	Gasolina	RWD	1998	135	184	07.17-	■
530i (B48 B20 B)	Performance M, discØ 395	Gasolina	RWD	1998	185	252	03.17-	■
530 i xDrive (B48 B20 B)	Performance M, discØ 395	Gasolina	4WD	1998	185	252	07.17-	■
540 i xDrive (B58 B30 A)	discØ 374, sports chassis, M-sport package Performance M, discØ 395, -07/17, M technique	Gasolina	4WD	2998	250	340	03.17-	■
520 d (B47 D20 A)	Performance M	Diesel	RWD	1995	140	190	03.17-11.19	■
520 d (B47 D20 B)	Performance M	Diesel	RWD	1995	140	190	03.17-11.19	■
520 d xDrive (B47 D20 A)	Performance M, discØ 395	Diesel	4WD	1995	140	190	07.17-11.19	■
520 d xDrive (B47 D20 B)	Performance M, discØ 395	Diesel	4WD	1995	140	190	07.17-11.19	■
530 d (B57 D30 A)	Performance M, discØ 395	Diesel	RWD	2993	195	265	03.17-	■
530 d xDrive (B57 D30 A)	M-sport package, discØ 395	Diesel	4WD	2993	195	265	03.17-	■
540 d xDrive (B57 D30 B)	07/20-, discØ 374, M-sport package, discØ 395, Performance M	Diesel	4WD	2993	235	320	07.17-	■
6 Serie IV GRAN TURISMO (G32) 06.17-					Hatchback (Grand Tourer-S Segment)			
630 i (B48 B20 B)	M technique	Gasolina	RWD	1998	180	245	08.22-	■
630 i (B48 B20 B)	Performance M, discØ 395 M-sport package, discØ 374	Gasolina	RWD	1998	183	249	06.17-06.20	■

LISTA DE APLICACIONES - BUYERS GUIDE

630 i (B48 B20 B)	Performance M, discØ 395 M-sport package, discØ 374	Gasolina	RWD	1998	190	258	07.17-06.20	■
630 i xDrive (B58 B30 C)	M-sport package, discØ 374 Performance M, discØ 395, M technique	Gasolina	4WD	2998	190	258	07.19-	■
640 i (B58 B30 A)	Performance M, discØ 395 M-sport package, discØ 374	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i (B58 B30 C)	Performance M, discØ 395 M-sport package, discØ 374	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 A)	M-sport package, discØ 374, Performance M, discØ 395	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 C)	M-sport package, discØ 374, Performance M, discØ 395	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i (B58 B30 A)	discØ 374, M-sport package, Performance M, discØ 395	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i (B58 B30 C)	discØ 374, M-sport package, Performance M, discØ 395	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 A)	discØ 374, M-sport package, Performance M, discØ 395	Gasolina	4WD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 C)	discØ 374, M-sport package, Performance M, discØ 395	Gasolina	4WD	2998	265	360	06.17-06.20	■
630 i Mild-Hybrid	M technique	Gasol./el éc.	RWD	1998	180	245	07.20-	■
630 i Mild-Hybrid (B48 B20 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	RWD	1998	190	258	07.20-	■
630 i Mild-Hybrid (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	RWD	1998	190	258	07.20-	■
640 i Mild-Hybrid (B58 B30 C)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	RWD	2998	245	333	07.20-	■
640 i Mild-Hybrid (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Gasol./el éc.	RWD	2998	245	333	07.20-	■
640 i Mild-Hybrid xDrive (B58 B30 C)	M-sport package, Syst. Standard, discØ 374, Performance M, discØ 395	Gasol./el éc.	4WD	2998	245	333	07.20-	■
640 i Mild-Hybrid xDrive (JA1)	M-sport package, Syst. Standard, discØ 374, Performance M, discØ 395	Gasol./el éc.	4WD	2998	245	333	07.20-	■
620 d Mild-Hybrid (B47 D20 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	RWD	1995	120	163	07.20-	■
620 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	RWD	1995	120	163	07.20-	■
620 d Mild-Hybrid (B47 D20 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	RWD	1995	140	190	07.20-	■
620 d Mild-Hybrid (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	RWD	1995	140	190	07.20-	■
620 d Mild-Hybrid xDrive (B47 D20 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	1995	140	190	07.20-	■
620 d Mild-Hybrid xDrive (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	1995	140	190	07.20-	■
630 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■
630 d Mild-Hybrid (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	RWD	2993	210	286	07.20-	■
630 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

630 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
640 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, Syst. Standard, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
640 d Mild-Hybrid xDrive (JA1)	M-sport package, Syst. Standard, discØ 374, Performance M, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-	■
620 d (B47 D20 B)	Performance M	Diesel	RWD	1995	120	163	07.18-06.20	■
620 d xDrive (B47 D20 B)	Performance M	Diesel	4WD	1995	120	163	07.18-06.20	■
620 d (B47 D20 B)	Performance M	Diesel	RWD	1995	140	190	07.18-06.20	■
620 d xDrive (B47 D20 B)	Performance M	Diesel	4WD	1995	140	190	07.18-06.20	■
630 d (B57 D30 A)	discØ 374, M-sport package, Performance M, discØ 395	Diesel	RWD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	discØ 374, M-sport package, Performance M, discØ 395	Diesel	4WD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	M-sport package, discØ 374 Performance M, discØ 395	Diesel	4WD	2993	183	249	06.17-06.20	■
630 d (B57 D30 A)	Performance M, discØ 395 M-sport package, discØ 374	Diesel	RWD	2993	195	265	06.17-06.20	■
630 d xDrive (B57 D30 A)	Performance M, discØ 395 M-sport package, discØ 374	Diesel	4WD	2993	195	265	06.17-06.20	■
640 d xDrive (B57 D30 B)	discØ 374, M-sport package, Performance M, discØ 395	Diesel	4WD	2993	235	320	11.17-06.20	■
7 Serie VI (G11, G12) 07.15-					Saloon (Luxury car-F Segment)			
730 i (B48 B20 B)	Performance M, discØ 374, discØ 395, M technique	Gasolina	RWD	1998	183	249	11.15-06.22	■
730 i, Li (B48 B20 B)	07/16-, noSA S212A, discØ 374, Eq.V_ Versión China Performance M, discØ 395	Gasolina	RWD	1998	190	258	11.15-02.19	■
730 i, Li (B48 B20 B)	M-sport package, discØ 395 Performance M, discØ 395, noSA S212A, discØ 374	Gasolina	RWD	1998	195	265	03.19-06.22	■
740 i, Li (B58 B30 A)	07/16-, -07/17, discØ 348, Eq.V_ Versión Japón, M technique	Gasolina	RWD	2998	240	326	07.15-02.19	■
740 Li xDrive (B58 B30 A)	07/16-, -07/17, discØ 348, Eq.V_ Versión Japón, M technique	Gasolina	4WD	2998	240	326	03.16-02.19	■
740 i, Li	M technique	Gasolina	RWD	2998	245	333	03.19-06.22	■
740 Li xDrive	M technique	Gasolina	4WD	2998	245	333	03.19-06.22	■
740 i, Li (B58 B30 C)	M-sport package, discØ 395 Performance M, discØ 395, M technique	Gasolina	RWD	2998	250	340	03.19-06.22	■
740 Li xDrive (B58 B30 C)	M-sport package, discØ 395, Performance M, M technique	Gasolina	4WD	2998	250	340	03.19-06.22	■
750 Li xDrive (N63 B40 B)	discØ 374, Syst. Standard discØ 395, not M sport pak.	Gasolina	4WD	3982	330	449	03.16-02.19	■
750 i, Li (N63 B44 C)	discØ 374, not M sport pak.	Gasolina	RWD	4395	330	449	11.15-02.19	■
750 i, Li xDrive (N63 B44 C)	discØ 374, not M sport pak.	Gasolina	4WD	4395	330	449	09.15-02.19	■
750 i, Li xDrive (N63 B44 D)	Performance M, discØ 395, not M sport pak.	Gasolina	4WD	4395	390	530	03.19-06.22	■
M 760 Li xDrive (N74 B66 C)	M-sport package, discØ 374, discØ 395, Performance M	Gasolina	4WD	6592	430	585	03.19-06.22	■
M 760 i, Li xDrive (N74 B66 B)		Gasolina	4WD	6592	448	610	12.16-02.19	■
740 e, Le (B48 B20 B)	Eq.V_ Versión Japón, sports package, M technique	Gasol./el éc.	RWD	1998	190	258	07.16-02.19	■
740 Le xDrive (B48 B20 B)	Eq.V_ Versión Japón, sports package, M technique	Gasol./el éc.	4WD	1998	190	258	07.16-02.19	■
740 e, Le (B48 B20 B)	Eq.V_ Versión Japón, sports package, M technique	Gasol./el éc.	RWD	1998	240	326	07.16-02.19	■
740 Le xDrive (B48 B20 B)	Eq.V_ Versión Japón, sports package, M technique	Gasol./el éc.	4WD	1998	240	326	07.16-02.19	■
745 e, Le Plug-in-Hybrid (B58 B30 C)	Syst. Standard, discØ 374 M-sport package, discØ 395 not M sport pak.	Gasol./el éc.	RWD	2998	210	286	03.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

745 Le Plug-in-Hybrid xDrive (B58 B30 C)	M-sport package, discØ 374 discØ 395, Syst. Standard, Performance M	Gasol./el éc.	4WD	2998	210	286	03.19-	■
745 e, Le Plug-in-Hybrid (B58 B30 C)	Performance M, discØ 395, not M sport pak.	Gasol./el éc.	RWD	2998	290	394	03.19-06.22	■
745 Le Plug-in-Hybrid xDrive (B58 B30 C)	M-sport package, discØ 374 discØ 395, Syst. Standard, Performance M	Gasol./el éc.	4WD	2998	290	394	03.19-06.22	■
730 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 395, M technique	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	■
730 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 395, M technique	Diesel/el éc.	4WD	2993	155	211	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 395, Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (JA1)	M-sport package, discØ 395, Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-06.22	■
730 d, Ld Mild-Hybrid (B57 D30 B)	M-sport package, discØ 395, Performance brakes, M technique	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	■
730 d, Ld Mild-Hybrid (JA1)	M-sport package, discØ 395, Performance brakes, M technique	Diesel/el éc.	RWD	2993	210	286	07.20-05.22	■
730 d, Ld Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 395, Performance brakes, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	■
730 d, Ld Mild-Hybrid xDrive (JA1)	M-sport package, discØ 395, Performance brakes, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-06.22	■
740 d, Ld Mild-Hybrid xDrive (B57 D30 B)	Syst. Standard, discØ 374 M-sport package, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	■
740 d, Ld Mild-Hybrid xDrive (JA1)	Syst. Standard, discØ 374 M-sport package, discØ 395, M technique	Diesel/el éc.	4WD	2993	250	340	07.20-06.22	■
725 d, Ld (B47 D20 B)	discØ 374, M-sport package discØ 395, Performance M, -07/17, M technique	Diesel	RWD	1995	155	211	07.16-02.19	■
725 d, Ld (B47 D20 B)	discØ 374, M-sport package, Performance M, -07/17, M technique	Diesel	RWD	1995	170	231	07.16-02.19	■
730 d (B57 D30 A)	discØ 374, 07/16-, -07/17, noSA S212A	Diesel	RWD	2993	155	211	07.15-06.20	■
730 d xDrive (B57 D30 A)	discØ 374, 07/16-, -07/17, noSA S212A	Diesel	4WD	2993	155	211	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)	discØ 374, M technique	Diesel	4WD	2993	183	249	09.15-06.20	■
730 d, Ld (B57 D30 A)	discØ 374, 07/16-, -07/17, noSA S212A	Diesel	RWD	2993	195	265	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)	discØ 374, 07/16-, -07/17, noSA S212A	Diesel	4WD	2993	195	265	09.15-06.20	■
740 d, Ld xDrive (B57 D30 B)	07/16-, -07/17, M technique	Diesel	4WD	2993	235	320	11.15-06.20	■
750 d, Ld xDrive (B57 D30 C)	discØ 374, not M sport pak.	Diesel	4WD	2993	294	400	07.16-10.20	■
8 Serie II (G14, F91) 11.18-					Convertible (Grand Tourer-S Segment)			
840 i	discØ 395, Performance M discØ 374, M-sport package	Gasolina	RWD	2998	245	333	11.20-	■
840 i xDrive	discØ 395, Performance M discØ 374, M-sport package	Gasolina	4WD	2998	245	333	11.20-	■
840 i (B58 B30 C)	discØ 395, with power steering, Performance M, M-sport package, discØ 374, SA S715A, not M technique, aerodynamic package	Gasolina	RWD	2998	250	340	07.19-	■
840 i xDrive (B58 B30 C)	discØ 395, with power steering, Performance M, M-sport package, discØ 374, SA S715A, not M technique, aerodynamic package	Gasolina	4WD	2998	250	340	07.19-10.20	■
M 850 i xDrive (N63 B44 D)	Eq.V_ S2NHA, discØ 395, not M sport pak.	Gasolina	4WD	4395	390	530	11.18-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	M-sport package, discØ 374 discØ 395, Performance M	Diesel/el éc.	4WD	2993	250	340	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

840 d Mild-Hybrid xDrive (JA1)	M-sport package, discØ 374 discØ 395, Performance M	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d xDrive (B57 D30 B)	M-sport package, discØ 374, discØ 395 Performance M, discØ 395, M technique	Diesel	4WD	2993	235	320	11.18-10.20	■
8 Serie II (G15, F92) 07.18-					Coupe (Grand Tourer-S Segment)			
840 i	discØ 395, Performance M discØ 374, M-sport package	Gasolina	RWD	2998	245	333	11.20-	■
840 i	discØ 395, Performance M discØ 374, M-sport package	Gasolina	RWD	2998	245	333	11.20-	■
840 i xDrive	discØ 395, Performance M discØ 374, M-sport package	Gasolina	4WD	2998	245	333	11.20-	■
840 i xDrive	discØ 395, Performance M discØ 374, M-sport package	Gasolina	4WD	2998	245	333	11.20-	■
840 i (B58 B30 C)	discØ 395, with power steering, Performance M, M-sport package, discØ 374, SA S715A, not M technique, aerodynamic package	Gasolina	RWD	2998	250	340	07.19-	■
840 i (B58 B30 C)	discØ 395, with power steering, Performance M, M-sport package, discØ 374, SA S715A, not M technique, aerodynamic package	Gasolina	RWD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	discØ 395, with power steering, Performance M, M-sport package, discØ 374, SA S715A, not M technique, aerodynamic package	Gasolina	4WD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	discØ 395, with power steering, Performance M, M-sport package, discØ 374, SA S715A, not M technique, aerodynamic package	Gasolina	4WD	2998	250	340	07.19-	■
M 850 i xDrive (N63 B44 D)	Eq.V_ S2NHA, discØ 395, not M sport pak.	Gasolina	4WD	4395	390	530	10.18-	■
M 850 i xDrive (N63 B44 D)	Eq.V_ S2NHA, discØ 395, not M sport pak.	Gasolina	4WD	4395	390	530	07.19-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	not Performance brak, M technique discØ 395, Performance M discØ 374, M-sport package, Syst. Standard	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	not Performance brak, M technique discØ 395, Performance M discØ 374, M-sport package, Syst. Standard	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	not Performance brak, M technique discØ 395, Performance M discØ 274, M-sport package, Syst. Standard	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	not Performance brak, M technique discØ 395, Performance M discØ 274, M-sport package, Syst. Standard	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d xDrive (B57 D30 B)	M-sport package, discØ 374, discØ 395 Performance M, discØ 395, M technique	Diesel	4WD	2993	235	320	07.18-10.20	■
840 d xDrive (B57 D30 B)	discØ 395, Performance M, M-sport package, discØ 374, SA S715A, not M technique, aerodynamic package	Diesel	4WD	2993	235	320	07.19-10.20	■
X3 III (G01, F97, G08) 07.17-					SUV (Luxury Crossover SUV-J Segment)			
M (S58 B30 A)	discØ 395, SA TX4007, -10/19	Gasolina	4WD	2993	353	480	03.19-	■
M Competition (S58 B30 A)	discØ 395, SA TX4007, -10/19	Gasolina	4WD	2993	375	510	03.19-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	Performance brakes, M technique	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	Performance brakes, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	Performance brakes, M technique	Diesel/el éc.	4WD	2993	210	286	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

X4 II (G02, F98) 04.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	180	245	10.21-	■
M (S58 B30 A)	discØ 395, SA TX4007, -10/19	Gasolina	4WD	2993	353	480	03.19-	
M Competition (S58 B30 A)	discØ 395, SA TX4007, -10/19	Gasolina	4WD	2993	375	510	03.19-	
X5 IV (G05) 11.19-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	M-sport package Performance M, discØ 395	Gasolina	4WD	2998	250	340	11.19-03.23	■
xDrive 30 d (B57 D30 A)	M-sport package Performance M, discØ 395	Diesel	4WD	2993	195	265	11.19-03.23	
X5 IV (G05, F95) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i	M technique	Gasolina	4WD	1998	195	265	09.19-12.21	■
sDrive 40 i	M technique	Gasolina	RWD	2998	250	340	08.19-03.23	
xDrive 40 i (B58 B30 C)	Performance M, discØ 395 M-sport package	Gasolina	4WD	2998	250	340	08.18-03.23	
xDrive 50 i (N63 B44 D)	discØ 374, discØ 395	Gasolina	4WD	4395	340	462	08.18-07.19	
xDrive M50 i (N63 B44 D)	discØ 395	Gasolina	4WD	4395	390	530	08.19-03.23	
xDrive 45 e Plug-in-Hybrid (B58 B30 C)	discØ 374, discØ 395	Gasol./el éc.	4WD	2998	155	211	06.19-	
xDrive 45 e Plug-in-Hybrid (B58 B30 C)	discØ 374, discØ 395	Gasol./el éc.	4WD	2998	210	286	06.19-	
xDrive 45 e Plug-in-Hybrid (B58 B30 C)	discØ 374, discØ 395	Gasol./el éc.	4WD	2998	235	320	06.19-03.23	
xDrive 40 i Mild-Hybrid	discØ 395, Performance M	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	
xDrive 40 i Mild-Hybrid		Gasol./el éc.	4WD	2998	280	381	04.23-	
xDrive 45 e Plug-in Hybrid (B58 B30 C)	discØ 374, discØ 395	Gasol./el éc.	4WD	2998	290	394	06.19-03.23	
xDrive 50 e Plug-in-Hybrid		Gasol./el éc.	4WD	2998	360	489	04.23-	
xDrive M60 i Mild-Hybrid		Gasol./el éc.	4WD	4395	390	530	04.23-	
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	210	286	08.20-	
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	210	286	08.20-	
xDrive 30 d Mild-Hybrid	M technique	Diesel/el éc.	4WD	2993	219	298	04.23-	
xDrive 40 d Mild-Hybrid (B57 D30 B)	discØ 374, discØ 395	Diesel/el éc.	4WD	2993	250	340	05.20-	
xDrive 40 d Mild-Hybrid (JA1)	discØ 374, discØ 395	Diesel/el éc.	4WD	2993	250	340	05.20-	
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	06.23-	
xDrive 25 d (B47 D20 B)	Performance M, discØ 398 M-sport package, discØ 374, discØ 395	Diesel	4WD	1995	155	211	08.19-03.23	
xDrive 25 d (B47 D20 B)	Performance M, discØ 398 M-sport package, discØ 374, discØ 395	Diesel	4WD	1995	170	231	08.19-03.23	
xDrive 30 d (B57 D30 A)	M-sport package Performance M, discØ 395	Diesel	4WD	2993	183	249	08.18-07.20	
xDrive 30 d (B57 D30 A)	Performance M, discØ 395 M-sport package	Diesel	4WD	2993	195	265	08.18-07.20	
xDrive M 50 d (B57 D30 C)		Diesel	4WD	2993	294	400	08.18-03.23	

LISTA DE APLICACIONES - BUYERS GUIDE

X6 III (G06, F96) 08.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i (B48 B20 B)	M technique	Gasolina	4WD	1998	195	265	11.19-	■
sDrive 40 i	M technique	Gasolina	RWD	2998	250	340	08.19-	
xDrive 40 i (B58 B30 C)	M-sport package, discØ 395, Performance M	Gasolina	4WD	2998	250	340	08.19-03.23	
xDrive M50 i (N63 B44 D)	M-sport package, discØ 395, discØ 398	Gasolina	4WD	4395	390	530	08.19-03.23	
xDrive 30 i Mild-Hybrid (B48 B20 S)		Gasol./el éc.	4WD	1998	190	258	05.23-	
xDrive 40 i Mild-Hybrid	discØ 395, Performance M discØ 374, M-sport package	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	
xDrive 40 i Mild Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	250	340	04.22-	
xDrive 40 i Mild Hybrid		Gasol./el éc.	4WD	2998	280	381	04.23-	
xDrive M60 i Mild-Hybrid		Gasol./el éc.	4WD	4395	390	530	04.23-	
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	155	211	08.20-	
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	155	211	08.20-	
xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	164	223	04.23-	
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	183	249	08.20-	
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M, discØ 374, M-sport package, M technique	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	
xDrive 30 d Mild-Hybrid	M technique	Diesel/el éc.	4WD	2993	219	298	04.23-	
xDrive 40 d Mild-Hybrid (B57 D30 B)	discØ 374, discØ 395	Diesel/el éc.	4WD	2993	250	340	05.20-03.23	
xDrive 40 d Mild-Hybrid (JA1)	discØ 374, discØ 395	Diesel/el éc.	4WD	2993	250	340	05.20-03.23	
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	06.23-	
xDrive 30 d (B57 D30 A)	Performance M, discØ 398 M-sport package, discØ 395	Diesel	4WD	2993	155	211	08.19-07.20	
xDrive 30 d (B57 D30 A)	Performance M, discØ 398 M-sport package, discØ 395	Diesel	4WD	2993	183	249	08.19-07.20	
xDrive 30 d (B57 D30 A)	M-sport package, discØ 395 Performance M, discØ 398	Diesel	4WD	2993	195	265	08.19-07.20	
xDrive M 50 d (B57 D30 C)	M-sport package, discØ 395, discØ 398	Diesel	4WD	2993	294	400	08.19-03.23	
X7 (G07) 03.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	Syst. Standard, discØ 374 M-sport package, discØ 395	Gasolina	4WD	2998	250	340	03.19-	■
xDrive 50 i (N63 B44 D)	not M technique	Gasolina	4WD	4395	340	462	03.19-	
xDrive M50 i (N63 B44 D)	Syst. Standard, discØ 374, discØ 395	Gasolina	4WD	4395	390	530	07.19-	
xDrive 40 i Mild-Hybrid	discØ 395, M-sport package discØ 374, Syst. Standard	Gasol./el éc.	4WD	2998	245	333	12.20-	
xDrive 40 i Mild Hybrid		Gasol./el éc.	4WD	2998	280	381	07.22-	
xDrive M 60 i Mild Hybrid		Gasol./el éc.	4WD	4395	390	530	07.22-	
xDrive 40 d Mild-Hybrid (B57 D30 B)	Syst. Standard, discØ 374, discØ 395, M-sport package	Diesel/el éc.	4WD	2993	155	211	08.20-	
xDrive 40 d Mild-Hybrid (JA1)	Syst. Standard, discØ 374, discØ 395, M-sport package	Diesel/el éc.	4WD	2993	155	211	08.20-	

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 40 d Mild-Hybrid (B57 D30 B)	Syst. Standard, discØ 374, discØ 395, M-sport package	Diesel/el éc.	4WD	2993	250	340	08.20-	■
xDrive 40 d Mild-Hybrid (JA1)	Syst. Standard, discØ 374, discØ 395, M-sport package	Diesel/el éc.	4WD	2993	250	340	08.20-	■
xDrive 40 d Mild-Hybrid		Diesel/el éc.	4WD	2993	259	352	07.22-	■
xDrive 30 d (B57 D30 A)	M-sport package	Diesel	4WD	2993	155	211	03.19-08.20	■
xDrive 30 d (B57 D30 A)	M-sport package	Diesel	4WD	2993	183	249	03.19-	■
xDrive 30 d (B57 D30 A)	M-sport package	Diesel	4WD	2993	195	265	03.19-	■
xDrive M 50 d (B57 D30 C)		Diesel	4WD	2993	294	400	03.19-	■
BMW (BRILLIANCE)								
3 SERIES VII (G28, G20) 06.19-					Saloon (Compact executive car-D Segment)			
320i		Gasolina	RWD	1998	115	156	11.19-	■
330 Li		Gasolina	RWD	1998	115	156	11.19-	■
325i		Gasolina	RWD	1998	135	184	06.19-	■
330i (B48B20G)		Gasolina	RWD	1998	180	245	08.22-	■
330i		Gasolina	RWD	1998	190	258	11.19-	■
330 Li xDrive		Gasolina	4WD	1998	190	258	11.19-	■
X5 (G18) 03.22-					SUV ()			
xDrive 40 Li Mild-Hybrid (B58B30C)	M technique	Gasol./el éc.	4WD	2998	245	333	03.22-	■
xDrive 40 Li Mild-Hybrid (B58 B30 P)	M technique	Gasol./el éc.	4WD	2998	280	381	08.23-	■
ROLLS-ROYCE								
CULLINAN (RR31) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
V12 (N74 B68 A)	discØ 395	Gasolina	4WD	6749	420	571	08.18-	■
V12 (N74 B68 A)	discØ 395	Gasolina	4WD	6749	441	600	08.19-	■
GHOST II (RR21) 08.20-					Saloon (Luxury car-F Segment)			
V12 (N74 B68 A)	discØ 395	Gasolina	4WD	6749	420	571	08.20-	■
V12 (N74 B68 A)	discØ 395	Gasolina	4WD	6749	420	571	08.20-	■
V12		Gasolina	4WD	6749	441	600	08.22-	■
PHANTOM VIII (RR11, RR12) 09.17-					Saloon (Luxury car-F Segment)			
V12, V12 EWB (N74 B68 A)	discØ 395	Gasolina	RWD	6749	420	571	09.17-	■