

LISTA DE APLICACIONES - BUYERS GUIDE

182291




8 424073 174468

Qty: 300

Weight: 2.820

O.E.M.	MAKE
34 10 6 883 469	BMW
34 10 6 888 482	BMW
34 10 6 898 192	BMW
34 10 6 898 266	BMW
34 11 6 875 396	BMW
34 11 6 875 397	BMW
34 11 6 883 469	BMW
34 11 6 883 470	BMW



182291



90R-02A0111/4596



Ate - Teves

222.06x84.8x19.2

WVA	FMSI
25900	D2060-9293
25901	
MAKE	
ALPINA	
BMW	
BMW (BRILLIANCE)	



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

ALPINA

B3 VII (G20) 09.19-					Saloon (Compact executive car-D Segment)			
BITURBO A las 4 ruedas	Gasolina	4WD	2993	340	462	09.19-12.25	■	
B3 VII Touring (G21) 09.19-					Estate (Compact executive car-D Segment)			
BITURBO A las 4 ruedas	Gasolina	4WD	2993	340	462	09.19-12.25	■	
D3 III (G20) 05.20-					Saloon (Compact executive car-D Segment)			
S (B57 D30 B)	Diesel/el éc.	4WD	2993	261	355	05.20-12.25	■	
D3 III Touring (G21) 05.20-					Estate (Compact executive car-D Segment)			
S (B57 D30 B)	Diesel/el éc.	4WD	2993	261	355	05.20-12.25	■	

BMW

2 Serie II (G42, G87) 08.21-					Coupe (Compact car-C Segment)			
230 i	discØ 348	Gasolina	RWD	1998	180	245	04.22-	■
3 Serie VII (G20, G80, G28) 11.18-					Saloon (Compact executive car-D Segment)			
330i		Gasolina	RWD	1998	180	245	07.22-	■
330 i xDrive		Gasolina	4WD	1998	180	245	07.22-	■
330i (B46 B20 B)		Gasolina	RWD	1998	190	258	11.18-	■
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	11.18-	■
330 i xDrive (B46 B20 B)		Gasolina	4WD	1998	190	258	11.18-	■
330 i xDrive (B48 B20 B)		Gasolina	4WD	1998	190	258	11.18-	■
330 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	135	184	07.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	07.19-	■
330 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	185	252	07.19-02.20	■
330 e Plug-in-Hybrid (B46 B20 B)	not M technique	Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (B48 B20 B)	not M technique	Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid (GC1)	not M technique	Gasol./el éc.	RWD	1998	215	292	07.19-	■
330 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 d Mild-Hybrid (B57 D30 B)	discØ 348, Syst. Standard	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid (JA1)	discØ 348, Syst. Standard	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (JA1)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.19-	■
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring (G21, G81) 07.19-					Estate (Compact executive car-D Segment)			
330i		Gasolina	RWD	1998	180	245	07.19-	■
330 i xDrive		Gasolina	4WD	1998	180	245	07.19-	■
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.19-	■
330 i xDrive (B48 B20 B)		Gasolina	4WD	1998	190	258	07.19-	■
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	07.20-	■
330 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	07.20-	■
330 d Mild-Hybrid (B57 D30 B)	discØ 348, Syst. Standard	Diesel/el éc.	RWD	2993	210	286	11.20-	■
330 d Mild-Hybrid (JA1)	discØ 348, Syst. Standard	Diesel/el éc.	RWD	2993	210	286	11.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

330 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d Mild-Hybrid xDrive (JA1)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	210	286	11.20-	■
330 d (B57 D30 A)	not M technique	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	07.19-	■
3 Serie VII Touring Van (G21) 07.19-					Estate Van (Compact executive car-D Segment)			
330i (B48 B20 B)		Gasolina	RWD	1998	190	258	07.19-	■
330 d (B57 D30 A)	not M technique	Diesel	RWD	2993	195	265	11.19-	■
330 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	11.19-	■
4 Serie II (G23, G83) 11.20-					Convertible (Compact executive car-D Segment)			
420 i (B48 B20 A)	not M technique	Gasolina	RWD	1998	135	184	11.20-	■
430 i	discØ 348	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	discØ 348	Gasolina	4WD	1998	180	245	07.21-	■
430 i (B46 B20 B)	not M technique, Syst. Standard, discØ 348	Gasolina	RWD	1998	190	258	11.20-	■
430 i (B48 B20 B)	not M technique, Syst. Standard, discØ 348	Gasolina	RWD	1998	190	258	11.20-	■
420 d Mild-Hybrid (B47 D20 B)	not M technique	Diesel/el éc.	RWD	1995	140	190	11.20-	■
420 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	1995	140	190	11.20-	■
430 d Mild-Hybrid (B57 D30 B)	not M technique, Performance brakes, discØ 348, Syst. standard	Diesel/el éc.	RWD	2993	210	286	07.21-	■
430 d Mild-Hybrid (JA1)	not M technique, Performance brakes, discØ 348, Syst. standard	Diesel/el éc.	RWD	2993	210	286	07.21-	■
4 Serie II (G22, G82) 07.20-					Coupe (Compact executive car-D Segment)			
420 i (B46 B20 B)	not M technique	Gasolina	RWD	1998	135	184	07.20-	■
420 i (B48 B20 A)	not M technique	Gasolina	RWD	1998	135	184	07.20-	■
420 i	not M technique	Gasolina	RWD	1998	135	184	07.21-	■
430 i	discØ 348	Gasolina	RWD	1998	180	245	07.21-	■
430 i	not M technique, Syst. Standard, discØ 348	Gasolina	RWD	1998	180	245	07.21-	■
430 i xDrive	discØ 348	Gasolina	4WD	1998	180	245	07.21-	■
430 i xDrive		Gasolina	4WD	1998	180	245	03.22-	■
430 i (B46 B20 B)	not M technique, Syst. Standard, discØ 348	Gasolina	RWD	1998	190	258	07.20-	■
430 i (B48 B20 B)	not M technique, Syst. Standard, discØ 348	Gasolina	RWD	1998	190	258	07.20-	■
430 i xDrive (B46 B20 B)	Syst. standard, discØ 348	Gasolina	4WD	1998	190	258	07.20-	■
430 i		Gasol./el éc.	RWD	1998	190	258	07.24-	■
430 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	1998	190	258	07.24-	■
i4 eDrive35		Eléctrico	RWD		210	286	11.22-	■
i4 eDrive40	Syst. STANDARD	Eléctrico	RWD		250	340	11.21-	■
i4 xDrive40		Eléctrico	4WD		295	401	07.24-	■
420 d Mild-Hybrid (B47 D20 B)	not M technique	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	1995	120	163	07.20-	■
420 d Mild-Hybrid xDrive (B47 D20 B)	not M technique	Diesel/el éc.	4WD	1995	120	163	07.20-	■
420 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	1995	120	163	07.20-	■
420 d Mild-Hybrid (B47 D20 B)	not M technique	Diesel/el éc.	RWD	1995	140	190	07.20-	■
420 d Mild-Hybrid (JA1)	not M technique	Diesel/el éc.	RWD	1995	140	190	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

420 d Mild-Hybrid	not M technique	Diesel/el éc.	RWD	1995	140	190	07.21-	■
420 d Mild-Hybrid xDrive (B47 D20 B)	not M technique	Diesel/el éc.	4WD	1995	140	190	07.20-	■
420 d Mild-Hybrid xDrive (JA1)	not M technique	Diesel/el éc.	4WD	1995	140	190	07.20-	■
420 d Mild-Hybrid xDrive	not M technique	Diesel/el éc.	4WD	1995	140	190	07.21-	■
430 d Mild-Hybrid xDrive (B57 D30 B)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	210	286	03.21-	■
430 d Mild-Hybrid xDrive (JA1)	Syst. Standard, discØ 348	Diesel/el éc.	4WD	2993	210	286	03.21-	■
5 Serie VII (G30, F90) 09.16-					Saloon (Executive car-E Segment)			
530i	discØ 348	Gasolina	RWD	1998	180	245	05.22-06.23	■
530 i xDrive	discØ 348	Gasolina	4WD	1998	180	245	05.22-06.23	■
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	183	249	09.16-06.23	■
530i (B46 B20 B)	discØ 348	Gasolina	RWD	1998	185	252	09.16-06.20	■
530i (B48 B20 B)	discØ 348	Gasolina	RWD	1998	185	252	09.16-06.20	■
530 i xDrive (B46 B20 B)	discØ 348	Gasolina	4WD	1998	185	252	09.16-06.20	■
530 i xDrive (B48 B20 B)	discØ 348	Gasolina	4WD	1998	185	252	09.16-06.20	■
540 i (B58 B30 A)		Gasolina	RWD	2998	250	340	09.16-06.20	■
540 i (B58 B30 C)		Gasolina	RWD	2998	250	340	09.16-06.20	■
540 i xDrive (B58 B30 A)	discØ 348	Gasolina	4WD	2998	250	340	09.16-06.20	■
540 i (B58 B30 A)	discØ 348	Gasolina	RWD	2998	265	360	09.16-06.20	■
540 i xDrive (B58 B30 A)	discØ 348	Gasolina	4WD	2998	265	360	09.16-06.20	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348	Gasol./el éc.	RWD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid (GC1)	discØ 348	Gasol./el éc.	RWD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	120	163	07.19-	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	120	163	07.19-	■
520 i Mild-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
520 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	135	184	07.20-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid (GC1)		Gasol./el éc.	RWD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)		Gasol./el éc.	4WD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	03.17-	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	135	184	03.17-	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 e Plug-in-Hybrid (B48 B20 A)	not M technique, discØ 348, not Performance brak	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid (GC1)	not M technique, discØ 348, not Performance brak	Gasol./el éc.	RWD	1998	170	231	07.19-06.20	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	not M technique	Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	not M technique	Gasol./el éc.	4WD	1998	170	231	07.19-06.23	■
530 i Mild-Hybrid		Gasol./el éc.	RWD	1998	180	245	05.22-06.23	■
530 i Mild-Hybrid xDrive		Gasol./el éc.	4WD	1998	180	245	05.22-06.23	■

LISTA DE APLICACIONES - BUYERS GUIDE

530e Plug-in Hybrid (B46 B20 B)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530e Plug-in Hybrid (B48 B20 A)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530e Plug-in Hybrid (GC1)		Gasol./el éc.	RWD	1998	185	252	03.17-06.20	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)	not M technique, not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	not M technique, not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	not M technique, not Performance brak	Gasol./el éc.	4WD	1998	185	252	03.17-06.23	■
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (B48 B20 B)	discØ 348, not M technique	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 i Mild-Hybrid xDrive (JA1)	discØ 348, not M technique	Gasol./el éc.	4WD	1998	185	252	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348	Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)	discØ 348	Gasol./el éc.	RWD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	200	272	07.20-06.23	■
530 e Plug-in-Hybrid (B46 B20 B)	not M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid (B48 B20 A)	not M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid (GC1)	not M technique	Gasol./el éc.	RWD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B46 B20 B)	not M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	not M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
530 e Plug-in-Hybrid xDrive (GC1)	not M technique	Gasol./el éc.	4WD	1998	215	292	07.20-06.23	■
540 i Mild-Hybrid (B58 B30 C)		Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	2998	245	333	07.20-05.23	■
540 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■
540 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	245	333	07.20-06.23	■
530 d Mild-Hybrid (B57 D30 B)	discØ 348, SA S212A	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (JA1)	discØ 348, SA S212A	Diesel/el éc.	RWD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)	not M technique, SA S212A, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)	not M technique, SA S212A, discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-06.23	■
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-06.23	■
525 d (B47 D20 B)		Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)		Diesel	RWD	1995	170	231	07.17-06.19	■
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	183	249	09.16-06.20	■
530 d (B57 D30 A)	not sport chassis, discØ 348	Diesel	RWD	2993	195	265	09.16-06.20	■
530 d xDrive (B57 D30 A)	not sport chassis, discØ 348	Diesel	4WD	2993	195	265	09.16-06.20	■

LISTA DE APLICACIONES - BUYERS GUIDE

540 d xDrive (B57 D30 A)		Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-06.20	■
540 d xDrive (G4NA)		Diesel	4WD	2993	235	320	07.17-06.20	■
5 Serie VII Touring (G31) 03.17-					Estate (Executive car-E Segment)			
530i	discØ 348	Gasolina	RWD	1998	180	245	05.22-	■
530 i xDrive	discØ 348	Gasolina	4WD	1998	180	245	05.22-	■
530i (B48 B20 B)		Gasolina	RWD	1998	185	252	03.17-06.20	■
530 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	07.17-06.20	■
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	250	340	03.17-06.20	■
540 i xDrive (B58 B30 A)		Gasolina	4WD	2998	265	360	03.17-06.20	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	120	163	03.21-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	1998	120	163	11.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	1998	135	184	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	1998	135	184	11.20-	■
520 E PLUG-IN-HYBRID		Gasol./el éc.	RWD	1998	150	204	03.21-05.22	■
530 i Mild-Hybrid (B48 B20 B)	discØ 348	Gasol./el éc.	RWD	1998	180	245	07.22-	■
530 i Mild-Hybrid xDrive (B48 B20 B)	discØ 348	Gasol./el éc.	4WD	1998	180	245	07.22-	■
530 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (B48 B20 B)		Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	1998	185	252	07.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	4WD	1998	200	272	11.20-	■
530 e Plug-in-Hybrid (B48 B20 A)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid (GC1)	discØ 348, Syst. Standard	Gasol./el éc.	RWD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	11.20-	■
530 e Plug-in-Hybrid xDrive (GC1)		Gasol./el éc.	4WD	1998	215	292	11.20-	■
540 i Mild-Hybrid xDrive (B58 B30 C)		Gasol./el éc.	4WD	2998	245	333	07.20-	■
540 i Mild-Hybrid xDrive (JA1)		Gasol./el éc.	4WD	2998	245	333	07.20-	■
530 d Mild-Hybrid (B57 D30 B)	discØ 348, SA S212A	Diesel/el éc.	RWD	2993	183	249	07.20-	■
530 d Mild-Hybrid (JA1)	discØ 348, SA S212A	Diesel/el éc.	RWD	2993	183	249	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

530 d Mild-Hybrid xDrive (B57 D30 B)	discØ 348, SA S212A	Diesel/el éc.	4WD	2993	183	249	07.20-	■
530 d Mild-Hybrid xDrive (JA1)	discØ 348, SA S212A	Diesel/el éc.	4WD	2993	183	249	07.20-	■
530 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	■
530 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	■
525 d (B47 D20 B)		Diesel	RWD	1995	155	211	07.17-06.19	■
525 d (B47 D20 B)		Diesel	RWD	1995	170	231	07.17-06.19	■
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.17-06.20	■
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	03.17-06.20	■
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-06.20	■
5 Serie VII Touring Van (G31) 03.17-					Estate Van (Executive car-E Segment)			
530i (B48 B20 B)	discØ 348	Gasolina	RWD	1998	185	252	03.17-	■
530 i xDrive (B48 B20 B)	discØ 348	Gasolina	4WD	1998	185	252	07.17-	■
540 i xDrive (B58 B30 A)	discØ 348	Gasolina	4WD	2998	250	340	03.17-	■
530 d (B57 D30 A)		Diesel	RWD	2993	195	265	03.17-	■
530 d xDrive (B57 D30 A)		Diesel	4WD	2993	195	265	03.17-	■
540 d xDrive (B57 D30 B)		Diesel	4WD	2993	235	320	07.17-	■
6 Serie IV GRAN TURISMO (G32) 06.17-					Hatchback (Grand Tourer-S Segment)			
630 i (B48 B20 B)		Gasolina	RWD	1998	183	249	06.17-06.20	■
630 i (B48 B20 B)	SA S212A, discØ 348	Gasolina	RWD	1998	190	258	07.17-06.20	■
630 i xDrive (B58 B30 C)		Gasolina	4WD	2998	190	258	07.19-	■
640 i (B58 B30 A)	SA S212A, discØ 348	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i (B58 B30 C)	SA S212A, discØ 348	Gasolina	RWD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 A)	SA S212A, discØ 348	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i xDrive (B58 B30 C)	SA S212A, discØ 348	Gasolina	4WD	2998	250	340	06.17-06.20	■
640 i (B58 B30 A)	SA S212A, discØ 348	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i (B58 B30 C)	SA S212A, discØ 348	Gasolina	RWD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 A)	SA S212A, discØ 348	Gasolina	4WD	2998	265	360	06.17-06.20	■
640 i xDrive (B58 B30 C)	SA S212A, discØ 348	Gasolina	4WD	2998	265	360	06.17-06.20	■
630 i Mild-Hybrid		Gasol./el éc.	RWD	1998	180	245	07.20-	■
630 i Mild-Hybrid (B48 B20 B)		Gasol./el éc.	RWD	1998	190	258	07.20-	■
630 i Mild-Hybrid (JA1)		Gasol./el éc.	RWD	1998	190	258	07.20-	■
620 d Mild-Hybrid (B47 D20 B)	discØ 348	Diesel/el éc.	RWD	1995	120	163	07.20-	■
620 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	RWD	1995	120	163	07.20-	■
620 d Mild-Hybrid (B47 D20 B)		Diesel/el éc.	RWD	1995	140	190	07.20-	■
620 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	1995	140	190	07.20-	■
620 d Mild-Hybrid xDrive (B47 D20 B)	discØ 348	Diesel/el éc.	4WD	1995	140	190	07.20-	■
620 d Mild-Hybrid xDrive (JA1)	discØ 348	Diesel/el éc.	4WD	1995	140	190	07.20-	■
630 d Mild-Hybrid (B57 D30 B)	discØ 348, SA S212A	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (JA1)	discØ 348, SA S212A	Diesel/el éc.	RWD	2993	155	211	07.20-	■
630 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	RWD	2993	210	286	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

630 d Mild-Hybrid (JA1)		Diesel/el éc.	RWD	2993	210	286	07.20-	■
630 d Mild-Hybrid xDrive (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	07.20-	■
630 d Mild-Hybrid xDrive (JA1)		Diesel/el éc.	4WD	2993	210	286	07.20-	■
620 d (B47 D20 B)	SA S212A	Diesel	RWD	1995	120	163	07.18-06.20	■
620 d xDrive (B47 D20 B)	SA S212A	Diesel	4WD	1995	120	163	07.18-06.20	■
620 d (B47 D20 B)	SA S212A	Diesel	RWD	1995	140	190	07.18-06.20	■
620 d xDrive (B47 D20 B)	SA S212A	Diesel	4WD	1995	140	190	07.18-06.20	■
630 d (B57 D30 A)	SA S212A, discØ 348	Diesel	RWD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	SA S212A, discØ 348	Diesel	4WD	2993	155	211	06.17-06.20	■
630 d xDrive (B57 D30 A)	SA S212A, discØ 348	Diesel	4WD	2993	183	249	06.17-06.20	■
630 d (B57 D30 A)	SA S212A, discØ 348	Diesel	RWD	2993	195	265	06.17-06.20	■
630 d xDrive (B57 D30 A)	SA S212A, discØ 348	Diesel	4WD	2993	195	265	06.17-06.20	■
640 d xDrive (B57 D30 B)	SA S212A, discØ 348	Diesel	4WD	2993	235	320	11.17-06.20	■
7 Serie VI (G11, G12) 07.15-					Saloon (Luxury car-F Segment)			
730 i (B48 B20 B)	SA S212A, discØ 348	Gasolina	RWD	1998	183	249	11.15-06.22	■
730 i, Li (B48 B20 B)	-11/16	Gasolina	RWD	1998	190	258	11.15-02.19	■
730 i, Li (B48 B20 B)		Gasolina	RWD	1998	195	265	03.19-06.22	■
725 d, Ld (B47 D20 B)	not M technique	Diesel	RWD	1995	155	211	07.16-02.19	■
725 d, Ld (B47 D20 B)	not M technique, discØ 348	Diesel	RWD	1995	170	231	07.16-02.19	■
730 d (B57 D30 A)	discØ 348, SA S212A	Diesel	RWD	2993	155	211	07.15-06.20	■
730 d xDrive (B57 D30 A)	discØ 348, South Korea	Diesel	4WD	2993	155	211	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)	SA S212A, discØ 348	Diesel	4WD	2993	183	249	09.15-06.20	■
730 d, Ld (B57 D30 A)	discØ 348, SA S212A	Diesel	RWD	2993	195	265	09.15-06.20	■
730 d, Ld xDrive (B57 D30 A)	discØ 348, South Korea	Diesel	4WD	2993	195	265	09.15-06.20	■
iX3 (G08) 09.20-					SUV (Luxury Crossover SUV-J Segment)			
Electric (HA0)	discØ 348	Eléctrico	RWD		80	109	09.20-	■
X3 III (G01, F97, G08) 07.17-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i (B48 B20 B)	not M technique, discØ 348, Syst. Standard	Gasolina	4WD	1998	183	249	08.17-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)	not M technique	Gasol./el éc.	4WD	1998	120	163	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)	not M technique	Gasol./el éc.	4WD	1998	120	163	12.19-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	4WD	1998	135	184	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	4WD	1998	135	184	12.19-	■
xDrive 30 i Mild Hybrid		Gasol./el éc.	4WD	1998	180	245	08.21-	■
xDrive 30e Plug-in-Hybrid		Gasol./el éc.	4WD	1998	200	272	01.23-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)		Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)		Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B46 B20 B)	not M technique	Gasol./el éc.	4WD	1998	215	292	12.19-	■
xDrive 30e Plug-in-Hybrid (B48 B20 A)	not M technique	Gasol./el éc.	4WD	1998	215	292	12.19-	■
iX3 (HA0)	discØ 348	Eléctrico	RWD		210	286	09.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	210	286	07.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30 d Mild-Hybrid (JA1)	discØ 348, Syst. Standard	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	155	211	04.18-	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	170	231	04.18-	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	12.17-06.20	■
xDrive 30 d (B57 D30 A)	SA S212A	Diesel	4WD	2993	195	265	08.17-06.20	■
X3 III Van (G01) 07.17-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive 30 d (B57 D30 A)	SA S212A, Syst. Standard	Diesel	4WD	2993	195	265	08.17-	■
X4 II (G02, F98) 04.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	183	249	04.18-	■
xDrive 30 i (B46 B20 B)		Gasolina	4WD	1998	185	252	04.18-	■
xDrive 30 i (B48 B20 B)		Gasolina	4WD	1998	185	252	04.18-	■
xDrive 30 i Mild Hybrid		Gasol./el éc.	4WD	1998	180	245	07.21-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	183	249	07.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 348	Diesel/el éc.	4WD	2993	210	286	07.20-	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	155	211	04.18-	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	170	231	04.18-	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	09.18-06.20	■
xDrive 30 d (B57 D30 A)	not M technique, SA S212A	Diesel	4WD	2993	195	265	04.18-06.20	■
X5 IV (G05) 11.19-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)	Syst. Standard	Gasolina	4WD	2998	250	340	11.19-03.23	■
xDrive 30 d (B57 D30 A)	Syst. Standard	Diesel	4WD	2993	195	265	11.19-03.23	■
X5 IV (G05, F95) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i	not M technique	Gasolina	4WD	1998	195	265	09.19-12.21	■
sDrive 40 i	not M technique	Gasolina	RWD	2998	250	340	08.19-03.23	■
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	08.18-03.23	■
xDrive 40 i Mild-Hybrid	discØ 348, SA S212A	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	■
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	155	211	08.19-03.23	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	170	231	08.19-03.23	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.18-07.20	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.18-07.20	■
X6 III (G06, F96) 08.19-					SUV (Luxury Crossover SUV-J Segment)			
sDrive 40 i	not M technique	Gasolina	RWD	2998	250	340	08.19-	■
xDrive 40 i (B58 B30 C)	USA, discØ 348	Gasolina	4WD	2998	250	340	08.19-03.23	■
xDrive 40 i Mild-Hybrid	discØ 348, SA S212A	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	■
xDrive 40 i Mild Hybrid		Gasol./el éc.	4WD	2998	280	381	04.23-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	155	211	08.20-	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	155	211	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)		Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
xDrive 30 d Mild-Hybrid (JA1)		Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	155	211	08.19-07.20	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.19-07.20	■
xDrive 30 d (B57 D30 A)	discØ 348	Diesel	4WD	2993	195	265	08.19-07.20	■
BMW (BRILLIANCE)								
3 SERIES VII (G28, G20) 06.19-					Saloon (Compact executive car-D Segment)			
330i	not M technique	Gasolina	RWD	1998	190	258	11.19-	■
330 Li xDrive	not M technique	Gasolina	4WD	1998	190	258	11.19-	■