

LISTA DE APLICACIONES - BUYERS GUIDE

182308




8 424073 183095

Qty: 300

Weight: 1.935

O.E.M.	MAKE
34 20 7 883 269	BMW
34 20 7 883 273	BMW
34 20 8 092 823	BMW
34 20 8 093 737	BMW
34 21 6 876 905	BMW
34 21 6 885 187	BMW
34 21 6 885 362	BMW
34 21 6 893 227	BMW
34 21 6 893 228	BMW
34 21 7 991 043	BMW
34 21 7 991 044	BMW
6 885 362	ROLLS-ROYCE
6 893 228	ROLLS-ROYCE
7 884 379	BMW
7 991 043	BMW
8 0928 23	BMW



182308



E 90R-02A0111/5236

Trw

116.1x74.8x18

116.1x80.5x18

WVA	FMSI
22039	D2059-9292
22040	
MAKE	
BMW	
ROLLS-ROYCE	



Trac.	CC	Kw	CV	
				Front / Rear

BMW

3 Serie VII (G20, G80, G28) 11.18-						Saloon (Compact executive car-D Segment)			
M3 Competition xDrive		Gasolina	4WD	2993	390	530	07.24-		■
M3 CS xDrive		Gasolina	4WD	2993	405	551	03.23-		■
4 Serie II (G23, G83) 11.20-						Convertible (Compact executive car-D Segment)			
M4 Competition M xDrive		Gasolina	4WD	2993	390	530	03.24-		■
4 Serie II (G22, G82) 07.20-						Coupe (Compact executive car-D Segment)			
M4 Competition M xDrive		Gasolina	4WD	2993	375	510	05.21-02.24		■
M4 Competition M xDrive		Gasolina	4WD	2993	390	530	03.24-		■
M4 CSL		Gasolina	RWD	2993	405	551	05.22-02.23		■
3.0 CSL		Gasolina	RWD	2993	412	560	11.22-02.23		■
5 Serie VII (G30, F90) 09.16-						Saloon (Executive car-E Segment)			
M5 (S63 B44 B)	discØ 380, SA TX4007	Gasolina	4WD	4395	441	600	09.17-06.23		■
M5 Competition (S63 B44 B)	SA TX4007, discØ 380	Gasolina	4WD	4395	460	625	07.18-06.23		■
M5 CS		Gasolina	4WD	4395	467	635	03.21-02.22		■
7 Serie VI (G11, G12) 07.15-						Saloon (Luxury car-F Segment)			
M 760 Li xDrive (N74 B66 C)		Gasolina	4WD	6592	430	585	03.19-06.22		■
M 760 i, Li xDrive (N74 B66 B)		Gasolina	4WD	6592	448	610	12.16-02.19		■
8 Serie II (G14, F91) 11.18-						Convertible (Grand Tourer-S Segment)			
840 i	discØ 398, M-sport package, Performance M	Gasolina	RWD	2998	245	333	11.20-		■
840 i xDrive	discØ 398, M-sport package, Performance M	Gasolina	4WD	2998	245	333	11.20-		■

LISTA DE APLICACIONES - BUYERS GUIDE

840 i (B58 B30 C)	discØ 398, sports package, M technique	Gasolina	RWD	2998	250	340	07.19-	■
840 i xDrive (B58 B30 C)	discØ 398, sports package, M technique	Gasolina	4WD	2998	250	340	07.19-10.20	■
M 850 i xDrive (N63 B44 D)	Eq.V_ S2NHA	Gasolina	4WD	4395	390	530	11.18-	■
M8 (S63 B44 B)		Gasolina	4WD	4395	441	600	07.19-	■
M8 Competition (S63 B44 B)		Gasolina	4WD	4395	460	625	07.19-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	discØ 398, M-sport package	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	discØ 398, M-sport package	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d xDrive (B57 D30 B)	Eq.V_ S2NHA, M technique	Diesel	4WD	2993	235	320	11.18-10.20	■
8 Serie II (G15, F92) 07.18-					Coupe (Grand Tourer-S Segment)			
840 i	discØ 398, M-sport package, Performance M	Gasolina	RWD	2998	245	333	11.20-	■
840 i	discØ 398, M-sport package, Performance M	Gasolina	RWD	2998	245	333	11.20-	■
840 i xDrive	discØ 398, M-sport package, Performance M	Gasolina	4WD	2998	245	333	11.20-	■
840 i xDrive	discØ 398, M-sport package, Performance M	Gasolina	4WD	2998	245	333	11.20-	■
840 i (B58 B30 C)	discØ 398, sports package, M technique	Gasolina	RWD	2998	250	340	07.19-	■
840 i (B58 B30 C)	discØ 398, sports package, Blue Caliper, M technique	Gasolina	RWD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	discØ 398, sports package, M technique	Gasolina	4WD	2998	250	340	07.19-10.20	■
840 i xDrive (B58 B30 C)	discØ 398, sports package, M technique, Blue Caliper	Gasolina	4WD	2998	250	340	07.19-	■
M 850 i xDrive (N63 B44 D)	Eq.V_ S2NHA, discØ 398	Gasolina	4WD	4395	390	530	10.18-	■
M 850 i xDrive (N63 B44 D)	Eq.V_ S2NHA, discØ 398	Gasolina	4WD	4395	390	530	07.19-	■
M8 (S63 B44 B)		Gasolina	4WD	4395	441	600	07.19-	■
M8 (S63 B44 B)		Gasolina	4WD	4395	441	600	11.19-	■
M8 Competition (S63 B44 B)		Gasolina	4WD	4395	460	625	07.19-	■
M8 Competition (S63 B44 B)		Gasolina	4WD	4395	460	625	11.19-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	discØ 398, M-sport package, Performance M	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	discØ 398, M-sport package, Performance M	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (B57 D30 B)	discØ 398, M-sport package, Performance M	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d Mild-Hybrid xDrive (JA1)	discØ 398, M-sport package, Performance M	Diesel/el éc.	4WD	2993	250	340	11.20-	■
840 d xDrive (B57 D30 B)	Eq.V_ S2NHA, M technique	Diesel	4WD	2993	235	320	07.18-10.20	■
840 d xDrive (B57 D30 B)	Eq.V_ S2NHA, Blue Caliper, M technique	Diesel	4WD	2993	235	320	07.19-10.20	■
X5 IV (G05) 11.19-					SUV Van (Luxury Crossover SUV-J Segment)			
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	11.19-03.23	■
xDrive 30 d (B57 D30 A)	Performance M, discØ 398	Diesel	4WD	2993	195	265	11.19-03.23	■
X5 IV (G05, F95) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
xDrive 30 i		Gasolina	4WD	1998	195	265	09.19-12.21	■
sDrive 40 i		Gasolina	RWD	2998	250	340	08.19-03.23	■
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	08.18-03.23	■
xDrive 50 i (N63 B44 D)		Gasolina	4WD	4395	340	462	08.18-07.19	■
xDrive M50 i (N63 B44 D)		Gasolina	4WD	4395	390	530	08.19-03.23	■
M (S63 B44 B)		Gasolina	4WD	4395	441	600	12.19-03.23	■
M Competition (S63 B44 B)		Gasolina	4WD	4395	460	625	12.19-	■
xDrive 45 e Plug-in-Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	155	211	06.19-	■

LISTA DE APLICACIONES - BUYERS GUIDE

xDrive 45 e Plug-in-Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	210	286	06.19-	■
xDrive 45 e Plug-in-Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	235	320	06.19-03.23	■
xDrive 40 i Mild-Hybrid	discØ 398, Performance M	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	■
xDrive 45 e Plug-in Hybrid (B58 B30 C)		Gasol./el éc.	4WD	2998	290	394	06.19-03.23	■
M Competition Mild Hybrid		Gasol./el éc.	4WD	4395	460	625	04.23-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 398, Performance M	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 398, Performance M	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 398, Performance M	Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 398, Performance M	Diesel/el éc.	4WD	2993	210	286	08.20-	■
xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	219	298	04.23-	■
xDrive 40 d Mild-Hybrid (B57 D30 B)	discØ 398	Diesel/el éc.	4WD	2993	250	340	05.20-	■
xDrive 40 d Mild-Hybrid (JA1)	discØ 398	Diesel/el éc.	4WD	2993	250	340	05.20-	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	155	211	08.19-03.23	■
xDrive 25 d (B47 D20 B)		Diesel	4WD	1995	170	231	08.19-03.23	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.18-07.20	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.18-07.20	■
xDrive M 50 d (B57 D30 C)		Diesel	4WD	2993	294	400	08.18-03.23	■
X6 III (G06, F96) 08.19-					SUV (Luxury Crossover SUV-J Segment)			
sDrive 40 i		Gasolina	RWD	2998	250	340	08.19-	■
xDrive 40 i (B58 B30 C)		Gasolina	4WD	2998	250	340	08.19-03.23	■
xDrive M50 i (N63 B44 D)		Gasolina	4WD	4395	390	530	08.19-03.23	■
M (S63 B44 B)		Gasolina	4WD	4395	441	600	12.19-03.23	■
M Competition (S63 B44 B)		Gasolina	4WD	4395	460	625	12.19-03.23	■
xDrive 40 i Mild-Hybrid	discØ 398, Performance M	Gasol./el éc.	4WD	2998	245	333	12.20-03.23	■
xDrive 40 i Mild Hybrid		Gasol./el éc.	4WD	2998	280	381	04.23-	■
M Competition		Gasol./el éc.	4WD	4395	460	625	04.23-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M	Diesel/el éc.	4WD	2993	155	211	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	4WD	2993	155	211	08.20-	■
xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	164	223	04.23-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	4WD	2993	183	249	08.20-	■
xDrive 30 d Mild-Hybrid (B57 D30 B)	discØ 395, Performance M	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
xDrive 30 d Mild-Hybrid (JA1)	discØ 395, Performance M	Diesel/el éc.	4WD	2993	210	286	08.20-03.23	■
xDrive 30 d Mild-Hybrid		Diesel/el éc.	4WD	2993	219	298	04.23-	■
xDrive 40 d Mild-Hybrid (B57 D30 B)	discØ 398	Diesel/el éc.	4WD	2993	250	340	05.20-03.23	■
xDrive 40 d Mild-Hybrid (JA1)	discØ 398	Diesel/el éc.	4WD	2993	250	340	05.20-03.23	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	155	211	08.19-07.20	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	183	249	08.19-07.20	■
xDrive 30 d (B57 D30 A)		Diesel	4WD	2993	195	265	08.19-07.20	■
xDrive M 50 d (B57 D30 C)		Diesel	4WD	2993	294	400	08.19-03.23	■

LISTA DE APLICACIONES - BUYERS GUIDE

X7 (G07) 03.19-					SUV (Luxury Crossover SUV-J Segment)			
xDrive M50 i (N63 B44 D)	Gasolina	4WD	4395	390	530	07.19-	■	
xDrive M 60 i Mild Hybrid	Gasol./el éc.	4WD	4395	390	530	07.22-		
ROLLS-ROYCE								
CULLINAN (RR31) 08.18-					SUV (Luxury Crossover SUV-J Segment)			
V12 (N74 B68 A)	Gasolina	4WD	6749	420	571	08.18-	■	
V12 (N74 B68 A)	Gasolina	4WD	6749	441	600	08.19-		
GHOST II (RR21) 08.20-					Saloon (Luxury car-F Segment)			
V12 (N74 B68 A)	discØ 398	Gasolina	4WD	6749	420	571	08.20-	■
V12 (N74 B68 A)	discØ 398	Gasolina	4WD	6749	420	571	08.20-	
PHANTOM VIII (RR11, RR12) 09.17-					Saloon (Luxury car-F Segment)			
V12, V12 EWB (N74 B68 A)	Gasolina	RWD	6749	420	571	09.17-	■	