

# LISTA DE APLICACIONES - BUYERS GUIDE


## 182360



8 424073 191946

Qty: 300      Weight: 935

| O.E.M.          | MAKE |
|-----------------|------|
| 34 20 6 888 825 | BMW  |
| 34 20 8 844 393 | BMW  |



2x

2x

4x

25

1-Ref. 690569 E

4x

M8x1

2-Ref. 690059

## 182360

 **E 90R-02A0111/5433**      Trw

|                |
|----------------|
| 98.6x44.5x16.6 |
| 98.6x49.8x16.6 |

| WVA   | FMSI       |
|-------|------------|
| 21421 | D2517-9749 |
| 21422 |            |

| MAKE             |
|------------------|
| BMW              |
| BMW (BRILLIANCE) |



| Trac. | CC | Kw | CV |  |  Front / Rear |
|-------|----|----|----|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
|-------|----|----|----|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|

| BMW                                |                                            |               |     |      |                                          |     |        |  |   |
|------------------------------------|--------------------------------------------|---------------|-----|------|------------------------------------------|-----|--------|--|---|
| 2 Serie II (G42, G87) 08.21-       |                                            |               |     |      | Coupe (Compact car-C Segment)            |     |        |  |   |
| 218i                               |                                            | Gasolina      | RWD | 1998 | 115                                      | 156 | 07.22- |  | ■ |
| 220 i                              | discØ 300, not M technique, Syst. standard | Gasolina      | RWD | 1998 | 135                                      | 184 | 08.21- |  | ■ |
| 220 d Mild-Hybrid                  | discØ 300, Syst. standard, not M technique | Diesel/el éc. | RWD | 1995 | 140                                      | 190 | 08.21- |  | ■ |
| 3 Serie VII (G20, G80, G28) 11.18- |                                            |               |     |      | Saloon (Compact executive car-D Segment) |     |        |  |   |
| 320 i 1.6 (B48 B16 A)              | discØ 300, not M technique                 | Gasolina      | RWD | 1597 | 125                                      | 170 | 03.19- |  | ■ |
| 318i (B48 B20 A)                   | not M technique, discØ 300                 | Gasolina      | RWD | 1998 | 115                                      | 156 | 03.20- |  | ■ |
| 320i (B48 B20 A)                   | discØ 300, not M technique                 | Gasolina      | RWD | 1998 | 135                                      | 184 | 03.19- |  | ■ |
| 320i (B48 B20 B)                   | discØ 300, not M technique                 | Gasolina      | RWD | 1998 | 135                                      | 184 | 03.19- |  | ■ |
| 320 i xDrive (B48 B20 A)           | discØ 300, not M technique                 | Gasolina      | 4WD | 1998 | 135                                      | 184 | 07.19- |  | ■ |
| 316 d Mild-Hybrid (B47 D20 B)      | discØ 300, Syst. Standard, not M technique | Diesel/el éc. | RWD | 1995 | 85                                       | 116 | 11.20- |  | ■ |
| 316 d Mild-Hybrid (JA1)            | discØ 300, Syst. Standard, not M technique | Diesel/el éc. | RWD | 1995 | 85                                       | 116 | 11.20- |  | ■ |
| 316 d Mild-Hybrid (B47 D20 B)      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 90                                       | 122 | 08.20- |  | ■ |
| 316 d Mild-Hybrid (JA1)            | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 90                                       | 122 | 08.20- |  | ■ |
| 318 d Mild-Hybrid (B47 D20 B)      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 100                                      | 136 | 04.20- |  | ■ |
| 318 d Mild-Hybrid (JA1)            | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 100                                      | 136 | 04.20- |  | ■ |
| 318 d Mild-Hybrid (B47 D20 B)      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 110                                      | 150 | 04.20- |  | ■ |
| 318 d Mild-Hybrid (JA1)            | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 110                                      | 150 | 04.20- |  | ■ |

# LISTA DE APLICACIONES - BUYERS GUIDE

|                                              |                                            |               |     |      |                                                 |     |             |   |
|----------------------------------------------|--------------------------------------------|---------------|-----|------|-------------------------------------------------|-----|-------------|---|
| 320 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (B47 D20 B)         | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (JA1)               | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (B47 D20 B)         | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (JA1)               | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 316 d (B47 D20 B)                            | discØ 300, Syst. Standard, not M technique | Diesel        | RWD | 1995 | 85                                              | 116 | 11.20-      | ■ |
| 316 d (B47 D20 B)                            | discØ 300, not M technique, Syst. Standard | Diesel        | RWD | 1995 | 90                                              | 122 | 03.20-      | ■ |
| 318 d (B47 D20 B)                            | discØ 300, not M technique                 | Diesel        | RWD | 1995 | 100                                             | 136 | 03.19-03.20 | ■ |
| 318 d (B47 D20 B)                            | discØ 300, not M technique                 | Diesel        | RWD | 1995 | 110                                             | 150 | 03.19-03.20 | ■ |
| 320 d (B47 D20 B)                            | discØ 300, not M technique                 | Diesel        | RWD | 1995 | 120                                             | 163 | 11.18-02.20 | ■ |
| 320 d xDrive (B47 D20 B)                     | discØ 300, not M technique                 | Diesel        | 4WD | 1995 | 120                                             | 163 | 11.18-02.20 | ■ |
| 320 d (B47 D20 B)                            | discØ 300, not M technique                 | Diesel        | RWD | 1995 | 140                                             | 190 | 11.18-      | ■ |
| 320 d xDrive (B47 D20 B)                     | discØ 300, not M technique                 | Diesel        | 4WD | 1995 | 140                                             | 190 | 11.18-02.20 | ■ |
| <b>3 Serie VII Touring (G21, G81) 07.19-</b> |                                            |               |     |      | <b>Estate (Compact executive car-D Segment)</b> |     |             |   |
| 318i (B48 B20 A)                             | discØ 300, not M technique                 | Gasolina      | RWD | 1998 | 115                                             | 156 | 03.20-      | ■ |
| 320i (B46 B20 B)                             | discØ 300, not M technique                 | Gasolina      | RWD | 1998 | 135                                             | 184 | 11.19-      | ■ |
| 320i (B48 B20 A)                             | discØ 300, not M technique                 | Gasolina      | RWD | 1998 | 135                                             | 184 | 11.19-      | ■ |
| 316 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 85                                              | 116 | 11.20-      | ■ |
| 316 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 85                                              | 116 | 11.20-      | ■ |
| 316 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 90                                              | 122 | 07.20-      | ■ |
| 316 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 90                                              | 122 | 07.20-      | ■ |
| 318 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 100                                             | 136 | 08.20-      | ■ |
| 318 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 100                                             | 136 | 08.20-      | ■ |
| 318 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 110                                             | 150 | 08.20-      | ■ |
| 318 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 110                                             | 150 | 08.20-      | ■ |
| 320 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (B47 D20 B)         | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (JA1)               | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 120                                             | 163 | 03.20-      | ■ |
| 320 d Mild-Hybrid (B47 D20 B)                | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid (JA1)                      | discØ 300, not M technique                 | Diesel/el éc. | RWD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (B47 D20 B)         | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (JA1)               | discØ 300, not M technique                 | Diesel/el éc. | 4WD | 1995 | 140                                             | 190 | 03.20-      | ■ |
| 316 d (B47 D20 B)                            | discØ 300, not M technique                 | Diesel        | RWD | 1995 | 85                                              | 116 | 11.20-      | ■ |
| 316 d (B47 D20 B)                            | discØ 300, not M technique                 | Diesel        | RWD | 1995 | 90                                              | 122 | 11.20-      | ■ |
| 318 d (B47 D20 B)                            | discØ 300, not M technique                 | Diesel        | RWD | 1995 | 100                                             | 136 | 11.19-07.20 | ■ |

# LISTA DE APLICACIONES - BUYERS GUIDE

|                                             |                                                        |               |     |      |                                                      |     |             |   |
|---------------------------------------------|--------------------------------------------------------|---------------|-----|------|------------------------------------------------------|-----|-------------|---|
| 318 d (B47 D20 B)                           | discØ 300, not M technique                             | Diesel        | RWD | 1995 | 110                                                  | 150 | 11.19-07.20 | ■ |
| 320 d (B47 D20 B)                           | discØ 300, not M technique                             | Diesel        | RWD | 1995 | 120                                                  | 163 | 07.19-02.20 | ■ |
| 320 d xDrive (B47 D20 B)                    | discØ 300, not M technique                             | Diesel        | 4WD | 1995 | 120                                                  | 163 | 07.19-02.20 | ■ |
| 320 d (B47 D20 B)                           | discØ 300, not M technique                             | Diesel        | RWD | 1995 | 140                                                  | 190 | 07.19-02.20 | ■ |
| 320 d xDrive (B47 D20 B)                    | discØ 300, not M technique                             | Diesel        | 4WD | 1995 | 140                                                  | 190 | 07.19-02.20 | ■ |
| <b>3 Serie VII Touring Van (G21) 07.19-</b> |                                                        |               |     |      | <b>Estate Van (Compact executive car-D Segment)</b>  |     |             |   |
| 320i (B46 B20 B)                            | discØ 300, not M technique                             | Gasolina      | RWD | 1998 | 135                                                  | 184 | 11.19-      | ■ |
| 320i (B48 B20 A)                            | discØ 300, not M technique                             | Gasolina      | RWD | 1998 | 135                                                  | 184 | 11.19-      | ■ |
| 320 d Mild-Hybrid (B47 D20 B)               | discØ 300, not M technique                             | Diesel/el éc. | RWD | 1995 | 140                                                  | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid (JA1)                     | discØ 300, not M technique                             | Diesel/el éc. | RWD | 1995 | 140                                                  | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (B47 D20 B)        | discØ 300, not M technique                             | Diesel/el éc. | 4WD | 1995 | 140                                                  | 190 | 03.20-      | ■ |
| 320 d Mild-Hybrid xDrive (JA1)              | discØ 300, not M technique                             | Diesel/el éc. | 4WD | 1995 | 140                                                  | 190 | 03.20-      | ■ |
| 318 d                                       |                                                        | Diesel        | RWD | 1995 | 110                                                  | 150 | 11.19-06.22 | ■ |
| 320 d (B47 D20 B)                           | discØ 300, not M technique                             | Diesel        | RWD | 1995 | 140                                                  | 190 | 07.19-02.20 | ■ |
| 320 d xDrive (B47 D20 B)                    | discØ 300, not M technique                             | Diesel        | 4WD | 1995 | 140                                                  | 190 | 07.19-02.20 | ■ |
| <b>4 Serie II (G23, G83) 11.20-</b>         |                                                        |               |     |      | <b>Convertible (Compact executive car-D Segment)</b> |     |             |   |
| 420 i (B48 B20 A)                           | Syst. Standard, discØ 300, not M technique             | Gasolina      | RWD | 1998 | 135                                                  | 184 | 11.20-      | ■ |
| 420 d Mild-Hybrid (B47 D20 B)               | discØ 300, Syst. Standard                              | Diesel/el éc. | RWD | 1995 | 120                                                  | 163 | 11.20-      | ■ |
| 420 d Mild-Hybrid (JA1)                     | discØ 300, Syst. Standard                              | Diesel/el éc. | RWD | 1995 | 120                                                  | 163 | 11.20-      | ■ |
| 420 d Mild-Hybrid (B47 D20 B)               | Syst. Standard, discØ 300                              | Diesel/el éc. | RWD | 1995 | 140                                                  | 190 | 11.20-      | ■ |
| 420 d Mild-Hybrid (JA1)                     | Syst. Standard, discØ 300                              | Diesel/el éc. | RWD | 1995 | 140                                                  | 190 | 11.20-      | ■ |
| <b>4 Serie II (G22, G82) 07.20-</b>         |                                                        |               |     |      | <b>Coupe (Compact executive car-D Segment)</b>       |     |             |   |
| 420 i 1.6 (B48 B16 A)                       | discØ 280, Syst. Standard   discØ 300, not M technique | Gasolina      | RWD | 1597 | 125                                                  | 170 | 11.20-      | ■ |
| 420 i (B46 B20 B)                           | discØ 300, not M technique                             | Gasolina      | RWD | 1998 | 135                                                  | 184 | 07.20-      | ■ |
| 420 i (B48 B20 A)                           | discØ 300, not M technique                             | Gasolina      | RWD | 1998 | 135                                                  | 184 | 07.20-      | ■ |
| 420 i                                       | discØ 300, Syst. standard, not M technique             | Gasolina      | RWD | 1998 | 135                                                  | 184 | 07.21-      | ■ |
| 420 i xDrive                                | discØ 280, Syst. Standard, discØ 300                   | Gasolina      | 4WD | 1998 | 135                                                  | 184 | 07.21-      | ■ |
| 430 i (B46 B20 B)                           | discØ 300                                              | Gasolina      | RWD | 1998 | 190                                                  | 258 | 07.20-      | ■ |
| 430 i (B48 B20 B)                           | discØ 300                                              | Gasolina      | RWD | 1998 | 190                                                  | 258 | 07.20-      | ■ |
| 420 d Mild-Hybrid (B47 D20 B)               | discØ 300, not M technique                             | Diesel/el éc. | RWD | 1995 | 120                                                  | 163 | 07.20-      | ■ |
| 420 d Mild-Hybrid (JA1)                     | discØ 300, not M technique                             | Diesel/el éc. | RWD | 1995 | 120                                                  | 163 | 07.20-      | ■ |
| 420 d Mild-Hybrid xDrive (B47 D20 B)        | discØ 300, not M technique                             | Diesel/el éc. | 4WD | 1995 | 120                                                  | 163 | 07.20-      | ■ |
| 420 d Mild-Hybrid xDrive (JA1)              | discØ 300, not M technique                             | Diesel/el éc. | 4WD | 1995 | 120                                                  | 163 | 07.20-      | ■ |
| 420 d Mild-Hybrid (B47 D20 B)               | discØ 300, not M technique                             | Diesel/el éc. | RWD | 1995 | 140                                                  | 190 | 07.20-      | ■ |
| 420 d Mild-Hybrid (JA1)                     | discØ 300, not M technique                             | Diesel/el éc. | RWD | 1995 | 140                                                  | 190 | 07.20-      | ■ |
| 420 d Mild-Hybrid                           | Syst. Standard, discØ 300, not M technique             | Diesel/el éc. | RWD | 1995 | 140                                                  | 190 | 07.21-      | ■ |
| 420 d Mild-Hybrid xDrive (B47 D20 B)        | discØ 300, not M technique                             | Diesel/el éc. | 4WD | 1995 | 140                                                  | 190 | 07.20-      | ■ |
| 420 d Mild-Hybrid xDrive (JA1)              | discØ 300, not M technique                             | Diesel/el éc. | 4WD | 1995 | 140                                                  | 190 | 07.20-      | ■ |
| 420 d Mild-Hybrid xDrive                    | Syst. Standard, discØ 300, not M technique             | Diesel/el éc. | 4WD | 1995 | 140                                                  | 190 | 07.21-      | ■ |
| <b>BMW (BRILLIANCE)</b>                     |                                                        |               |     |      |                                                      |     |             |   |

# LISTA DE APLICACIONES - BUYERS GUIDE

| 3 SERIES VII (G28, G20) 06.19- |                            |          |     |      | Saloon (Compact executive car-D Segment) |     |        |   |
|--------------------------------|----------------------------|----------|-----|------|------------------------------------------|-----|--------|---|
| 320i                           | discØ 300, not M technique | Gasolina | RWD | 1998 | 115                                      | 156 | 11.19- | ■ |
| 330 Li                         | not M technique            | Gasolina | RWD | 1998 | 115                                      | 156 | 11.19- | ■ |
| 325i                           | discØ 300, not M technique | Gasolina | RWD | 1998 | 135                                      | 184 | 06.19- | ■ |
| 325Li                          | not M technique            | Gasolina | RWD | 1998 | 135                                      | 184 | 06.19- | ■ |
| 325 Li xDrive                  | not M technique            | Gasolina | 4WD | 1998 | 135                                      | 184 | 06.19- | ■ |