

LISTA DE APLICACIONES - BUYERS GUIDE

21 7795 00 8 424073 029850 Qty: 850 Weight: 6.800		21 7795 00 143x18/17.9x173.7/217.1- Ø410 WVA 17795 17796 MAKE MERCEDES-BENZ
---	-----------------------------------	--



Trac.	CC	Kw	CV		
					Front / Rear

MERCEDES-BENZ								
O 303 10.74-09.92								Bus
O 303 (OM 401.907)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.907)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.908)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.908)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 401.912)	Diesel		9570	141	192	10.74-06.83		■
O 303 (OM 421.908)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 421.908)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.911)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.911)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 421.908)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 421.908)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.908)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.908)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.909)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.909)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.911)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 441.911)	Diesel		10964	159	216	01.80-09.92		■
O 303 (OM 421.908)	Diesel		10964	159	216	01.80-01.89		■

LISTA DE APLICACIONES - BUYERS GUIDE

O 303 (OM 421.908)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-01.89	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.908)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.909)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 441.911)		Diesel		10964	159	216	01.80-09.92	■
O 303 (OM 421.951)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 421.951)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 441.950)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 441.950)		Diesel		10964	184	250	11.85-04.89	■
O 303 (OM 441.950)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 441.950)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 441.953)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 441.953)		Diesel		10964	200	272	12.87-09.92	■
O 303 (OM 402.907)		Diesel		12763	188	256	03.75-06.83	■
O 303 (OM 402.907)		Diesel		12763	188	256	03.75-06.83	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.908)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.917)		Diesel		14618	206	280	01.80-09.87	■
O 303 (OM 422.951)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 422.951)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 422.963)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 422.963)		Diesel		14618	243	330	08.80-09.87	■
O 303 (OM 442.954)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.954)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.955)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.955)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.960)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.960)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.961)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.961)		Diesel		14618	260	354	09.87-09.92	■
O 303 (OM 442.910)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.910)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.911)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.911)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.918)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.918)	-12/91	Diesel		15078	213	290	09.87-09.92	■

LISTA DE APLICACIONES - BUYERS GUIDE

O 303 (OM 442.939)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 442.939)	-12/91	Diesel		15078	213	290	09.87-09.92	■
O 303 (OM 403.918)		Diesel		15950	235	320	07.75-06.83	■
O 303 (OM 403.918)		Diesel		15950	235	320	07.75-06.83	■