

LISTA DE APLICACIONES - BUYERS GUIDE

21 9255 00  8 424073 072702 Qty: 850 Weight: 16.800 <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <tr> <th style="width: 50%;">O.E.M.</th> <th style="width: 50%;">MAKE</th> </tr> <tr> <td>5000 288 524</td> <td>RENAULT TRUCKS</td> </tr> <tr> <td>5000 825 627</td> <td>RENAULT TRUCKS</td> </tr> </table>	O.E.M.	MAKE	5000 288 524	RENAULT TRUCKS	5000 825 627	RENAULT TRUCKS		21 9255 00  170x12/9x247.1/333.6- Ø360 <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 100%;">WVA</th> </tr> <tr> <td>19255</td> </tr> <tr> <td>19259</td> </tr> </table> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 5px;"> <tr> <th style="width: 100%;">MAKE</th> </tr> <tr> <td>RENAULT TRUCKS</td> </tr> </table>	WVA	19255	19259	MAKE	RENAULT TRUCKS
O.E.M.	MAKE												
5000 288 524	RENAULT TRUCKS												
5000 825 627	RENAULT TRUCKS												
WVA													
19255													
19259													
MAKE													
RENAULT TRUCKS													



Trac.	CC	Kw	CV		 Front / Rear
-------	----	----	----	---	--

RENAULT TRUCKS

Midliner 10.82-01.00							Dump Truck	
M 160.13/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
M 160.13/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
S 150.11Ti (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90	■
S 150.11Ti (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90	■
S 150.13Ti (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90	■
S 150.13Ti (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90	■
M 180.13/C (MIDR 06.02.26 V/41)		Diesel		6177	132	180	05.96-01.00	■
M 180.13/C (MIDR 06.02.26 V/41)		Diesel		6177	132	180	05.96-01.00	■
M 200.13/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 200.13/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 210.13/C (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-01.00	■
M 210.13/C (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-01.00	■
M 210.13/C (MIDR 06.02.26 W/41)		Diesel		6177	151	205	05.92-01.00	■
M 210.13/C (MIDR 06.02.26 W/41)		Diesel		6177	151	205	05.92-01.00	■
M 230.13/C (MIDR 06.02.26 X)		Diesel		6177	166	226	05.92-10.96	■
M 230.13/C (MIDR 06.02.26 X)		Diesel		6177	166	226	05.92-10.96	■
M 250.13/C (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	05.96-01.00	■
M 250.13/C (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	05.96-01.00	■
Midliner 10.82-01.00							Municipal Vehicle	
M 140.12/C (MIDS 06.02.12 C)		Diesel		5490	103	140	05.89-03.93	■
M 140.12/C (MIDS 06.02.12 C)		Diesel		5490	103	140	05.89-03.93	■
M 140.13/C (MIDS 06.02.12 C)		Diesel		5490	103	140	04.89-03.93	■
M 140.13/C (MIDS 06.02.12 C)		Diesel		5490	103	140	04.89-03.93	■

LISTA DE APLICACIONES - BUYERS GUIDE

M 160.12/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
M 160.12/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
M 160.13/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
M 160.13/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
M 160.14/C CIT (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
M 160.14/C CIT (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93	■
S 170.13TI (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.83-03.93	■
S 170.13TI (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.83-03.93	■
S 170.13TI,S 170 SP (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.83-03.93	■
S 170.13TI,S 170 SP (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.83-03.93	■
S 130.11 (797)		Diesel		5491	96	130	09.83-01.90	■
S 130.11 (797)		Diesel		5491	96	130	09.83-01.90	■
S 150.14TI BOM (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90	■
S 150.14TI BOM (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90	■
M 150.09/C SP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.09/C SP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.11/C SP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.11/C SP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.12/C BTP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.12/C BTP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.13/C BTP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.13/C BTP (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 180.10/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.10/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.11/C SP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.11/C SP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.12/C BTP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.12/C BTP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13/C BTP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13/C BTP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13 SP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13 SP (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 200.13/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 200.13/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 210.13/C SP (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-10.96	■
M 210.13/C SP (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-10.96	■
M 230.12/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.12/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.12/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
M 230.12/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
M 230.13/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.13/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.13/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
M 230.13/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
Midliner 10.82-01.00					Platform/Chassis			
M 120.12	01/89-	Diesel		4995	82	111	10.82-	■
M 120.12	01/89-	Diesel		4995	82	111	10.82-	■
M 120.12	01/95-	Diesel		4995	82	111	10.82-	■
M 120.12	01/95-	Diesel		4995	82	111	10.82-	■
M 120.12	01/98-	Diesel		4995	82	111	10.82-	■
M 120.12	01/98-	Diesel		4995	82	111	10.82-	■

LISTA DE APLICACIONES - BUYERS GUIDE

M 120.12	01/98-	Diesel		4995	82	111	10.82-
M 120.12	01/98-	Diesel		4995	82	111	10.82-
M 120.12	01/99-	Diesel		4995	82	111	10.82-
M 120.12	01/99-	Diesel		4995	82	111	10.82-
M 120.13	01/89-	Diesel		4995	82	111	10.82-
M 120.13	01/89-	Diesel		4995	82	111	10.82-
M 120.13	01/94-	Diesel		4995	82	111	10.82-
M 120.13	01/94-	Diesel		4995	82	111	10.82-
M 120.13	01/98-	Diesel		4995	82	111	10.82-
M 120.13	01/98-	Diesel		4995	82	111	10.82-
M 120.13	01/98-	Diesel		4995	82	111	10.82-
M 120.13	01/98-	Diesel		4995	82	111	10.82-
M 120.13	01/99-	Diesel		4995	82	111	10.82-
M 120.13	01/99-	Diesel		4995	82	111	10.82-
M 140.12/C (MIDS 06.02.12 C)		Diesel		5490	103	140	05.89-03.93
M 140.12/C (MIDS 06.02.12 C)		Diesel		5490	103	140	05.89-03.93
M 140.13/C (MIDS 06.02.12 C)		Diesel		5490	103	140	05.89-03.93
M 140.13/C (MIDS 06.02.12 C)		Diesel		5490	103	140	05.89-03.93
M 160.12/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93
M 160.12/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93
M 160.13/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93
M 160.13/C (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93
ME 160.13 (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93
ME 160.13 (MIDS 06.02.12 B)		Diesel		5490	117	159	05.89-03.93
S 170.11TI (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89
S 170.11TI (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89
S 170.11TI/R (MIDR 06.02.12 D)		Diesel		5490	127	173	10.87-05.89
S 170.13TI,S 170.13TI/R (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.83-05.89
S 170.13TI,S 170.13TI/R (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.83-05.89
S 130.11/B (797)		Diesel		5491	96	130	09.83-01.90
S 130.11/B (797)		Diesel		5491	96	130	09.83-01.90
S 130.11/B (797)		Diesel		5491	96	130	09.83-01.90
S 130.11/B (797)		Diesel		5491	96	130	09.83-01.90
S 130.13/B (797)		Diesel		5491	96	130	09.83-01.90
S 130.13/B (797)		Diesel		5491	96	130	09.83-01.90
S 150.11TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
S 150.11TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
S 150.11TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
S 150.11TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
S 150.11TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
S 150.11TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
S 150.13TI (MIDS 06.02.12 B)		Diesel		5491	113	154	04.86-09.90
S 150.13TI (MIDS 06.02.12 B)		Diesel		5491	113	154	04.86-09.90
S 150.13TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
S 150.13TI (MIDS 06.02.12 B)		Diesel		5491	113	154	05.86-09.90
M 150.12/C (MIDR 06.02.26 U/4)		Diesel		6174	110	150	11.92-10.96
M 150.12/C (MIDR 06.02.26 U/4)		Diesel		6174	110	150	11.92-10.96
M 150.09/C (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96

LISTA DE APLICACIONES - BUYERS GUIDE

M 150.09/C (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.11/C (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.11/C (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-10.96	■
M 150.12/C (MIDR 06.02.26 U/4)		Diesel		6177	110	150	05.96-01.00	■
M 150.12/C (MIDR 06.02.26 U/4)		Diesel		6177	110	150	05.96-01.00	■
M 150.13/C (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-01.00	■
M 150.13/C (MIDR 06.02.26 U)		Diesel		6177	110	150	11.92-01.00	■
M 180.11/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.11/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.12/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.12/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.13/C (MIDR 06.02.26 V)		Diesel		6177	129	175	11.92-10.96	■
M 180.12/C (MIDR 06.02.26 V/41)	01/98-	Diesel		6177	132	180	05.96-01.00	■
M 180.12/C (MIDR 06.02.26 V/41)	01/98-	Diesel		6177	132	180	05.96-01.00	■
M 180.13/C (MIDR 06.02.26 V/41)		Diesel		6177	132	180	05.96-01.00	■
M 180.13/C (MIDR 06.02.26 V/41)		Diesel		6177	132	180	05.96-01.00	■
M 200.10/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 200.10/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 200.12/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 200.12/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 200.13/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 200.13/C (MIDR 06.02.26 H)		Diesel		6177	144	196	05.88-03.93	■
M 210.12/C (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-01.00	■
M 210.12/C (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-01.00	■
M 210.12/C (MIDR 06.02.26 W/41)		Diesel		6177	151	205	05.92-01.00	■
M 210.12/C (MIDR 06.02.26 W/41)		Diesel		6177	151	205	05.92-01.00	■
M 210.13/C (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-01.00	■
M 210.13/C (MIDR 06.02.26 W)		Diesel		6177	151	205	05.92-01.00	■
M 210.13/C (MIDR 06.02.26 W/41)		Diesel		6177	151	205	05.92-01.00	■
M 210.13/C (MIDR 06.02.26 W/41)		Diesel		6177	151	205	05.92-01.00	■
M 230.10/C (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.10/C (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.10/C (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
M 230.10/C (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
M 230.12/C (MIDR 06.02.26 X)		Diesel		6177	166	226	05.92-10.96	■
M 230.12/C (MIDR 06.02.26 X)		Diesel		6177	166	226	05.92-10.96	■
M 230.12/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.12/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-07.92	■
M 230.12/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
M 230.12/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-07.92	■
M 230.13/C,M 230.13/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-10.96	■
M 230.13/C,M 230.13/D (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-10.96	■
M 230.13/C,M 230.13/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-10.96	■
M 230.13/C,M 230.13/D (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-10.96	■
M 230.13/C,M 230.13/D (MIDR 06.02.26 X)		Diesel		6177	166	226	05.89-10.96	■
M 230.13/C,M 230.13/D (MIDR 06.02.26 X)		Diesel		6177	166	226	05.89-10.96	■
M 250.13/C (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	05.96-01.00	■
M 250.13/C (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	05.96-01.00	■

LISTA DE APLICACIONES - BUYERS GUIDE

M 250.15/C,M 250.15/D (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	05.96-01.00	■
M 250.15/C,M 250.15/D (MIDR 06.02.26 Y/41)		Diesel		6177	184	250	05.96-01.00	■
M 150.13/C (MIDR 06.02.26 U/4)		Diesel		6180	110	150	05.96-01.00	■
M 150.13/C (MIDR 06.02.26 U/4)		Diesel		6180	110	150	05.96-01.00	■
Midliner 10.82-01.00					Truck Tractor			
S 170.13TI/T (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.84-05.89	■
S 170.13TI/T (MIDR 06.02.12 D)	01/86-	Diesel		5490	127	173	10.84-05.89	■
M 230.13C/T (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-10.96	■
M 230.13C/T (MIDR 06.02.26 D)		Diesel		6177	166	226	05.89-10.96	■
M 230.13C/T (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-10.96	■
M 230.13C/T (MIDR 06.02.26 S)		Diesel		6177	166	226	05.89-10.96	■
M 230.13C/T (MIDR 06.02.26 X)		Diesel		6177	166	226	05.89-10.96	■
M 230.13C/T (MIDR 06.02.26 X)		Diesel		6177	166	226	05.89-10.96	■