

LISTA DE APLICACIONES - BUYERS GUIDE


21 9486 00



8 424073 073228

Qty: 850

Weight: 7.600



21 9486 00



E1 90R-01167/071

163x17x178- Ø410

WVA
19486

MAKE
MAN
MERCEDES-BENZ
RENAULT TRUCKS



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

MAN

15 T Series 01.82-

15.220	01/82-	Diesel			162	220	01.82-	■
15.220	01/82-	Diesel			162	220	01.82-	■
15.240	01/82-	Diesel			176	240	01.82-	■
15.240	01/82-	Diesel			176	240	01.82-	■

16 T Series 01.79-

16.240	01/79-	Diesel			176	240	01.79-	■
16.240	01/79-	Diesel			176	240	01.79-	■
16.280	01/79-	Diesel			206	280	01.79-	■
16.280	01/79-	Diesel			206	280	01.79-	■
16.291	01/79-	Diesel			229	311	01.79-	■
16.291	01/79-	Diesel			229	311	01.79-	■
16.331	01/81-	Diesel			244	332	01.79-	■
16.360	01/79-	Diesel			265	360	01.79-	■
16.360	01/79-	Diesel			265	360	01.79-	■

17 T Series 01.79-

17.136	01/79-	Diesel			100	136	01.79-	■
17.136	01/79-	Diesel			100	136	01.79-	■
17.152	01/87-	Diesel			112	152	01.79-	■
17.170	01/79-	Diesel			125	170	01.79-	■
17.170	01/79-	Diesel			125	170	01.79-	■
17.182	01/87-	Diesel			134	182	01.79-	■
17.192	01/79-	Diesel			141	192	01.79-	■

LISTA DE APLICACIONES - BUYERS GUIDE

17.192	01/79-	Diesel			141	192	01.79-	■
17.220	01/79-	Diesel			162	220	01.79-	■
17.220	01/79-	Diesel			162	220	01.79-	■
17.222	01/87-	Diesel			163	222	01.79-	■
17.232	01/79-	Diesel			169	230	01.79-	■
17.232	01/79-	Diesel			169	230	01.79-	■
17.240	01/79-	Diesel			176	240	01.79-	■
17.240	01/79-	Diesel			176	240	01.79-	■
19 T Series 01.79-								
19.240	01/79-	Diesel			176	240	01.79-	■
19.281	01/79-	Diesel			207	281	01.79-	■
19.291	01/79-	Diesel			214	291	01.79-	■
19.321	01/79-	Diesel			236	321	01.79-	■
19.331	01/79-	Diesel			243	331	01.79-	■
19.361	01/79-	Diesel			265	361	01.79-	■
20 T Series 01.78-								
20.280	01/78-	Diesel			206	280	01.78-	■
20.280	01/78-	Diesel			206	280	01.78-	■
22 T Series 01.78-								
22.331	01/78-	Diesel			243	331	01.78-	■
22.331	01/78-	Diesel			243	331	01.78-	■
24 T Series 01.80-								
24.192	01/80-	Diesel			141	192	01.80-	■
24.192	01/80-	Diesel			141	192	01.80-	■
24.192	01/89-	Diesel			141	192	01.80-	■
24.220	01/80-	Diesel			162	220	01.80-	■
24.220	01/80-	Diesel			162	220	01.80-	■
24.220	01/80-	Diesel			162	220	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.240	01/80-	Diesel			176	240	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.291	01/80-	Diesel			214	291	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.331	01/80-	Diesel			244	332	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
24.361	01/80-	Diesel			266	362	01.80-	■
26 T Series 01.79-								
26.240	01/79-	Diesel			176	240	01.79-	■ ■

LISTA DE APLICACIONES - BUYERS GUIDE

26.281	01/79-	Diesel			206	280	01.79-	■	■
26.291	01/79-	Diesel			213	290	01.79-	■	■
26.321	01/79-	Diesel			235	320	01.79-	■	■
26.331	01/79-	Diesel			243	330	01.79-	■	■
26.361	01/79-	Diesel			265	360	01.79-	■	■
30 T Series 01.84-									
30.291	01/84-	Diesel			214	291	01.84-	■	
30.291	01/84-	Diesel			214	291	01.84-	■	
30.331	01/84-	Diesel			243	331	01.84-	■	
30.331	01/84-	Diesel			243	331	01.84-	■	
32 T Series 01.79-									
32.240	01/79-	Diesel			176	240	01.79-	■	
32.240	01/79-	Diesel			176	240	01.79-	■	
32.281	01/79-	Diesel			206	280	01.79-	■	
32.281	01/79-	Diesel			206	280	01.79-	■	
32.290	01/79-	Diesel			213	290	01.79-	■	
32.290	01/79-	Diesel			213	290	01.79-	■	
32.321	01/79-	Diesel			235	320	01.79-	■	
32.321	01/79-	Diesel			235	320	01.79-	■	
32.331	01/79-	Diesel			243	330	01.79-	■	
32.331	01/79-	Diesel			243	330	01.79-	■	
32.361	01/79-	Diesel			265	360	01.79-	■	
32.361	01/79-	Diesel			265	360	01.79-	■	
33 T Series 01.82-									
33.291	01/82-	Diesel			214	291	01.82-	■	
33.291	01/82-	Diesel			214	291	01.82-	■	
33.331	01/82-	Diesel			243	330	01.82-	■	
33.331	01/82-	Diesel			243	330	01.82-	■	
40 T Series 01.82-									
40.365	01/82-	Diesel			268	365	01.82-	■	
40.400	01/82-	Diesel			294	400	01.82-	■	
40.400	01/82-	Diesel			323	440	01.82-	■	
41 T Series 01.82-									
41.361	01/82-	Diesel			265	361	01.82-	■	
41.361	01/82-	Diesel			265	361	01.82-	■	
F90 06.86-12.97									
27.272 DF/DFA	01/89-	Diesel			198	270	06.86-	■	
27.272 DFK/DFAK	01/89-	Diesel			198	270	06.86-	■	
27.272 DFS/DFAS	01/89-	Diesel			198	270	06.86-	■	
27.422 DF/DFA	01/89-	Diesel			198	270	06.86-	■	
27.422 DFK/DFAK	01/89-	Diesel			198	270	06.86-	■	
27.422 DFS/DFAS	01/89-	Diesel			198	270	06.86-	■	
27.322 DF/DFA	01/89-	Diesel			235	320	06.86-	■	
27.322 DFK/DFAK	01/89-	Diesel			235	320	06.86-	■	
27.322 DFS/DFAS	01/89-	Diesel			235	320	06.86-	■	
27.372 DF/DFA	01/89-	Diesel			272	370	06.86-	■	
27.372 DFK/DFAK	01/89-	Diesel			272	370	06.86-	■	
27.372 DFS/DFAS	01/89-	Diesel			272	370	06.86-	■	
27.502 DFA	01/89-	Diesel			368	500	06.86-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

27.502 DFAS	01/89-	Diesel			368	500	06.86-	■
19.262FA	01/89-	Diesel		10000	191	260	06.86-	■
19.262FAK	01/89-	Diesel		10000	191	260	06.86-	■
19.262FAS	01/89-	Diesel		10000	191	260	06.86-	■
26.262DF	01/88-	Diesel		10000	191	260	06.86-	■
26.262DFA	01/89-	Diesel		10000	191	260	06.86-	■
26.262DFAK	01/89-	Diesel		10000	191	260	06.86-	■
26.262DFAS	01/89-	Diesel		10000	191	260	06.86-	■
26.262DFK	01/88-	Diesel		10000	191	260	06.86-	■
26.262DFS	01/88-	Diesel		10000	191	260	06.86-	■
33.262DFAK	01/89-	Diesel		10000	191	260	06.86-	■
35.262VF	01/89-	Diesel		10000	191	260	06.86-	■
35.262VFA	01/89-	Diesel		10000	191	260	06.86-	■
35.262VFK	01/89-	Diesel		10000	191	260	06.86-	■
35.262VFK	01/89-	Diesel		10000	191	260	06.86-	■
41.262VF	01/89-	Diesel		10000	191	260	06.86-	■
41.262VFAK	01/89-	Diesel		10000	191	260	06.86-	■
41.262VFK	01/89-	Diesel		10000	191	260	06.86-	■
19.272FA	01/90-	Diesel		10000	198	269	06.86-	■
19.272FAK	01/90-	Diesel		10000	198	269	06.86-	■
19.272FAS	01/90-	Diesel		10000	198	269	06.86-	■
26.272DF	01/90-	Diesel		10000	198	269	06.86-	■
26.272DFA	01/90-	Diesel		10000	198	269	06.86-	■
26.272DFAK	01/90-	Diesel		10000	198	269	06.86-	■
26.272DFAS	01/90-	Diesel		10000	198	269	06.86-	■
26.272DFK	01/90-	Diesel		10000	198	269	06.86-	■
26.272DFS/DFLS	01/90-	Diesel		10000	198	269	06.86-	■
33.272DFA	01/92-	Diesel		10000	198	269	06.86-	■
35.272VF	01/90-	Diesel		10000	198	269	06.86-	■
35.272VFK	01/90-	Diesel		10000	198	269	06.86-	■
41.272VF	01/90-	Diesel		10000	198	269	06.86-	■
19.322FA	01/90-	Diesel		10000	235	320	06.86-	■
19.322FAK	01/90-	Diesel		10000	235	320	06.86-	■
19.322FAS	01/90-	Diesel		10000	235	320	06.86-	■
26.322DF	01/90-	Diesel		10000	235	320	06.86-	■
26.322DFA	01/90-	Diesel		10000	235	320	06.86-	■
26.322DFAS	01/90-	Diesel		10000	235	320	06.86-	■
26.322DFK	01/92-	Diesel		10000	235	320	06.86-	■
26.322DFS/DFLS	01/90-	Diesel		10000	235	320	06.86-	■
26.322UNL/UNLL	01/90-	Diesel		10000	235	320	06.86-	■
26.332DFAK	01/90-	Diesel		10000	235	320	06.86-	■
33.322DFA	01/91-	Diesel		10000	235	320	06.86-	■
35.322VF	01/90-	Diesel		10000	235	320	06.86-	■
35.322VFAK	01/90-	Diesel		10000	235	320	06.86-	■
35.322VFK	01/90-	Diesel		10000	235	320	06.86-	■
35.322VFKK	01/90-	Diesel		10000	235	320	06.86-	■
41.322VF	01/90-	Diesel		10000	235	320	06.86-	■
26.242DF	01/88-	Diesel		11995	177	241	06.86-	■
26.242DFAK	01/89-	Diesel		11995	177	241	06.86-	■
26.242DFK	01/88-	Diesel		11995	177	241	06.86-	■
26.242DFS	01/88-	Diesel		11995	177	241	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

33.242DFAK	01/88-	Diesel		11995	177	241	06.86-	■
19.292FA	01/88-	Diesel		11995	213	290	06.86-	■
19.292FAK	01/88-	Diesel		11995	213	290	06.86-	■
19.292FAS	01/88-	Diesel		11995	213	290	06.86-	■
26.292DF	01/87-	Diesel		11995	213	290	06.86-	■
26.292DFA	01/88-	Diesel		11995	213	290	06.86-	■
26.292DFAK	01/88-	Diesel		11995	213	290	06.86-	■
26.292DFAS	01/89-	Diesel		11995	213	290	06.86-	■
26.292DFK	01/87-	Diesel		11995	213	290	06.86-	■
26.292DFS	01/87-	Diesel		11995	213	290	06.86-	■
33.292DFA	01/88-	Diesel		11995	213	290	06.86-	■
33.292DFAK	01/88-	Diesel		11995	213	290	06.86-	■
33.292DFAS	01/88-	Diesel		11995	213	290	06.86-	■
35.292VF	01/88-	Diesel		11995	213	290	06.86-	■
35.292VFK	01/88-	Diesel		11995	213	290	06.86-	■
41.292VF	01/88-	Diesel		11995	213	290	06.86-	■
41.292VFAK	01/89-	Diesel		11995	213	290	06.86-	■
41.292VFK	01/88-	Diesel		11995	213	290	06.86-	■
48.292VFAK	01/89-	Diesel		11995	213	290	06.86-	■
26.302DF	01/90-	Diesel		11995	220	299	06.86-	■
26.302DFA	01/90-	Diesel		11995	220	299	06.86-	■
26.302DFAK	01/90-	Diesel		11995	220	299	06.86-	■
26.302DFAS	01/90-	Diesel		11995	220	299	06.86-	■
26.302DFK	01/90-	Diesel		11995	220	299	06.86-	■
26.302DFS	01/90-	Diesel		11995	220	299	06.86-	■
35.302VF	01/90-	Diesel		11995	220	299	06.86-	■
35.302VF	01/90-	Diesel		11995	220	299	06.86-	■
35.302VFA	01/90-	Diesel		11995	220	299	06.86-	■
35.302VFAK	01/90-	Diesel		11995	220	299	06.86-	■
35.302VFK	01/90-	Diesel		11995	220	299	06.86-	■
35.302VFK	01/90-	Diesel		11995	220	299	06.86-	■
41.322VFAK	01/89-	Diesel		11995	235	320	06.86-	■
19.332FA	01/88-	Diesel		11995	243	330	06.86-	■
19.332FAK	01/88-	Diesel		11995	243	330	06.86-	■
19.332FAS	01/88-	Diesel		11995	243	330	06.86-	■
26.322DF	01/87-	Diesel		11995	243	330	06.86-	■
26.322DFK	01/87-	Diesel		11995	243	330	06.86-	■
26.332DFA	01/88-	Diesel		11995	243	330	06.86-	■
26.332DFAK	01/88-	Diesel		11995	243	330	06.86-	■
26.332DFAS	01/88-	Diesel		11995	243	330	06.86-	■
26.332DFS	01/87-	Diesel		11995	243	330	06.86-	■
33.332DFA	01/88-	Diesel		11995	243	330	06.86-	■
33.332DFAK	01/89-	Diesel		11995	243	330	06.86-	■
33.332DFAS	01/88-	Diesel		11995	243	330	06.86-	■
35.332VF	01/88-	Diesel		11995	243	330	06.86-	■
35.332VFK	01/88-	Diesel		11995	243	330	06.86-	■
41.332VF	01/88-	Diesel		11995	243	330	06.86-	■
41.332VFAK	01/89-	Diesel		11995	243	330	06.86-	■
41.332VFK	01/88-	Diesel		11995	243	330	06.86-	■
48.332VFA	01/89-	Diesel		11995	243	330	06.86-	■
48.332VFAK	01/89-	Diesel		11995	243	330	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.372VF	01/90-	Diesel		11995	249	339	06.86-	■
35.372VFK	01/90-	Diesel		11995	249	339	06.86-	■
19.362FA	01/88-	Diesel		11995	265	360	06.86-	■
19.362FAK	01/88-	Diesel		11995	265	360	06.86-	■
19.362FAS	01/88-	Diesel		11995	265	360	06.86-	■
26.362DF/DFL	01/87-	Diesel		11995	265	360	06.86-	■
26.362DFA	01/88-	Diesel		11995	265	360	06.86-	■
26.362DFAK	01/88-	Diesel		11995	265	360	06.86-	■
26.362DFAS	01/88-	Diesel		11995	265	360	06.86-	■
26.362DFK	01/87-	Diesel		11995	265	360	06.86-	■
26.362DFS	01/87-	Diesel		11995	265	360	06.86-	■
33.362DFA	01/88-	Diesel		11995	265	360	06.86-	■
33.362DFAK	01/88-	Diesel		11995	265	360	06.86-	■
33.362DFAS	01/88-	Diesel		11995	265	360	06.86-	■
35.362VF	01/88-	Diesel		11995	265	360	06.86-	■
35.362VFK	01/88-	Diesel		11995	265	360	06.86-	■
41.362VF	01/88-	Diesel		11995	265	360	06.86-	■
41.362VFAK	01/89-	Diesel		11995	265	360	06.86-	■
41.362VFK	01/88-	Diesel		11995	265	360	06.86-	■
48.362VFA	01/89-	Diesel		11995	265	360	06.86-	■
48.362VFAK	01/89-	Diesel		11995	265	360	06.86-	■
19.372FA	01/90-	Diesel		11995	272	370	06.86-	■
19.372FAK	01/90-	Diesel		11995	272	370	06.86-	■
19.372FAS	01/90-	Diesel		11995	272	370	06.86-	■
26.372DF/DFL	01/90-	Diesel		11995	272	370	06.86-	■
26.372DFA	01/90-	Diesel		11995	272	370	06.86-	■
26.372DFAK	01/92-	Diesel		11995	272	370	06.86-	■
26.372DFAS	01/90-	Diesel		11995	272	370	06.86-	■
26.372DFK	01/92-	Diesel		11995	272	370	06.86-	■
26.372DFS	01/90-	Diesel		11995	272	370	06.86-	■
33.372DFA	01/91-	Diesel		11995	272	370	06.86-	■
33.372DFAK	01/91-	Diesel		11995	272	370	06.86-	■
35.372VF	01/90-	Diesel		11995	272	370	06.86-	■
35.372VF	01/90-	Diesel		11995	272	370	06.86-	■
35.372VFK	01/90-	Diesel		11995	272	370	06.86-	■
35.372VFK	01/90-	Diesel		11995	272	370	06.86-	■
40.372DFA	01/91-	Diesel		11995	272	370	06.86-	■
41.372VF	01/90-	Diesel		11995	272	370	06.86-	■
41.372VFAK	01/89-	Diesel		11995	272	370	06.86-	■
19.422FA	01/90-	Diesel		11995	309	420	06.86-	■
19.422FAK	01/90-	Diesel		11995	309	420	06.86-	■
19.422FAS	01/90-	Diesel		11995	309	420	06.86-	■
26.422DF/DFL	01/90-	Diesel		11995	309	420	06.86-	■
26.422DFA	01/90-	Diesel		11995	309	420	06.86-	■
26.422DFAK	01/90-	Diesel		11995	309	420	06.86-	■
26.422DFAS	01/90-	Diesel		11995	309	420	06.86-	■
26.422DFK	01/90-	Diesel		11995	309	420	06.86-	■
26.422DFS	01/90-	Diesel		11995	309	420	06.86-	■
33.422DFA	01/91-	Diesel		11995	309	420	06.86-	■
35.422VF	01/90-	Diesel		11995	309	420	06.86-	■
35.422VF	01/90-	Diesel		11995	309	420	06.86-	■

LISTA DE APLICACIONES - BUYERS GUIDE

35.422VF	01/90-	Diesel		11995	309	420	06.86-	■
35.422VFK	01/90-	Diesel		11995	309	420	06.86-	■
40.422DFA	01/91-	Diesel		11995	309	420	06.86-	■
41.422VF	01/90-	Diesel		11995	309	420	06.86-	■
41.422VFAK	01/89-	Diesel		11995	309	420	06.86-	■
48.502VFA	01/89-	Diesel		11995	368	500	06.86-	■
48.502VFAK	01/89-	Diesel		11995	368	500	06.86-	■
26.462DF	01/89-	Diesel		18295	338	460	06.86-	■
26.462DFA	01/89-	Diesel		18295	338	460	06.86-	■
26.462DFAS	01/89-	Diesel		18295	338	460	06.86-	■
26.462DFS	01/89-	Diesel		18295	338	460	06.86-	■
33.462DFA	01/89-	Diesel		18295	338	460	06.86-	■
40.462DFA	01/89-	Diesel		18295	338	460	06.86-	■
33.502DFA	01/91-	Diesel		18295	368	500	06.86-	■
40.502DFA	01/90-	Diesel		18295	368	500	06.86-	■
F90 06.86-12.97					Platform/Chassis			
26.502 DF (D 2840 LF01)	-12/93	Diesel		18273	368	500	02.90-06.96	■
26.502 DF (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
26.502 DF (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
F90 06.86-12.97					Truck Tractor			
26.502 DFS,26.502 DFLS (D 2840 LF04)	-12/93	Diesel		18273	368	500	02.90-06.96	■
26.502 DFS,26.502 DFLS (D 2840 LF06)	-12/93	Diesel		18273	368	500	02.90-06.96	■
M90 08.88-12.98								
17.192F/FL	01/88-	Diesel		6595	137	186	08.88-	■
17.192FA	01/89-	Diesel		6595	137	186	08.88-	■
17.192FAK	01/89-	Diesel		6595	137	186	08.88-	■
17.192FK	01/88-	Diesel		6595	137	186	08.88-	■
17.192FS/FLS	01/88-	Diesel		6595	137	186	08.88-	■
17.192F/FL	01/90-	Diesel		6895	140	190	08.88-	■
17.192FA	01/90-	Diesel		6895	140	190	08.88-	■
17.192FAK	01/90-	Diesel		6895	140	190	08.88-	■
17.192FK	01/90-	Diesel		6895	140	190	08.88-	■
17.192FS/FLS	01/90-	Diesel		6895	140	190	08.88-	■
18.192F/FL/FLL	01/90-	Diesel		6895	140	190	08.88-	■
18.192FK	01/90-	Diesel		6895	140	190	08.88-	■
24.192FNL/FNLL	01/89-	Diesel		6895	140	190	08.88-	■
17.232F/FL	01/90-	Diesel		6895	160	218	08.88-	■
17.232FA	01/90-	Diesel		6895	160	218	08.88-	■
17.232FAK	01/90-	Diesel		6895	160	218	08.88-	■
17.232FK	01/90-	Diesel		6895	160	218	08.88-	■
17.232FS/FLS	01/90-	Diesel		6895	160	218	08.88-	■
24.232FNL	01/90-	Diesel		6895	160	218	08.88-	■
17.192FS/FLS	01/88-	Diesel		6895	169	230	08.88-	■
17.232F/FL	01/88-	Diesel		6895	169	230	08.88-	■
17.232FA	01/89-	Diesel		6895	169	230	08.88-	■
17.232FAK	01/89-	Diesel		6895	169	230	08.88-	■
17.232FK	01/88-	Diesel		6895	169	230	08.88-	■
18.232F/FL/FLL	01/90-	Diesel		6895	169	230	08.88-	■
18.232FK	01/90-	Diesel		6895	169	230	08.88-	■
24.232FNL/FNLL	01/89-	Diesel		6895	169	230	08.88-	■

LISTA DE APLICACIONES - BUYERS GUIDE

17.272FLS	01/92-	Diesel		6895	198	269	08.88-	■
18.272F/FL/FLL	01/92-	Diesel		6895	198	269	08.88-	■
18.272FK	01/92-	Diesel		6895	198	269	08.88-	■
24.272FNL/FNLL	01/92-	Diesel		6895	198	269	08.88-	■
17.272FLS	01/91-	Diesel		10000	198	269	08.88-	■
18.272F/FL/FLL	01/91-	Diesel		10000	198	269	08.88-	■
18.272FK	01/91-	Diesel		10000	198	269	08.88-	■
24.272FNL/FNLL	01/91-	Diesel		10000	198	269	08.88-	■
SD 04.74-04.94					Bus			
SD 200 (D 2556 MXUH/175)		Diesel		11045	129	175	04.74-09.75	■
SD 200 (D 2556 MXUH/192)		Diesel		11045	141	192	04.74-09.75	■
SD 200 (D 2566 MUH/175)		Diesel		11413	128	174	10.75-04.80	■
SD 200 (D 2566 MUH/192)		Diesel		11413	141	192	10.75-11.86	■
SD 200 (D 2566 MUH/200)		Diesel		11413	141	192	10.75-11.86	■
SD 200 (D 2566 MUH/220)		Diesel		11413	162	220	06.79-12.86	■
SG 09.72-					Bus			
SG 220 (D 2566 MUM/200)		Diesel		11413	147	200	05.80-01.85	■
SG 220 (D 2566 MUM/220)		Diesel		11413	162	220	07.76-04.80	■
SG 220,SG 240 HÜ,SG 242 H (D 2566 MUH/240)		Diesel		11413	177	241	05.80-01.86	■
SG 240 HÜ (D 2566 MTUH)		Diesel		11413	206	280	09.81-01.86	■
SL 06.72-04.87					Bus			
SL 200 (D 2566 MUH/200)		Diesel		11413	147	200	05.80-04.87	■
SL 200 (D 2566 UH/205)		Diesel		11413	147	200	05.80-04.87	■
SL 200 (D 2566 MUH/240)		Diesel		11413	177	241	05.80-01.86	■
SL 200 (D 2866 UH/240)		Diesel		11967	177	241	01.86-04.87	■
SR 02.75-08.94					Bus			
SR 240 (D 2566 MUH/240)		Diesel		11413	177	241	10.75-06.83	■
SR 280,SR 280 H (D 2566 MTUH)		Diesel		11413	206	280	01.77-11.86	■
SÜ 10.75-					Bus			
SÜ 240 (D 2566 MUH/200)		Diesel		11413	147	200	05.80-09.89	■
SÜ 240 (D 2566 UH/205)		Diesel		11413	147	200	05.80-09.89	■
SÜ 240 (D 2566 MUH/240)		Diesel		11413	177	241	10.75-01.86	■
SÜ 240 (D 2566 MTUH)		Diesel		11413	206	280	11.82-01.86	■
MERCEDES-BENZ								
MK 12.87-12.05					Dump Truck			
1827 K (OM 445.926)		Diesel		10964	200	272	01.94-09.96	■
MK 12.87-12.05					Municipal Vehicle			
1231 AF (OM 401.986)	-12/92	Diesel		9570	230	313	01.92-09.96	■
1227 AF, 1227 LAF (OM 445.933)		Diesel		10964	200	272	01.92-07.92	■
1627 AF (OM 442.914)		Diesel		15078	195	265	01.92-09.96	■ ■
1627 AF (OM 442.920)		Diesel		15078	195	265	01.92-09.96	■ ■
1627 AF (OM 442.932)		Diesel		15078	195	265	01.92-09.96	■ ■
1627 AF (OM 442.933)		Diesel		15078	195	265	01.92-09.96	■ ■
1429 AF (OM 442.926)		Diesel		15078	213	290	01.92-09.96	■ ■
MK 12.87-12.05					Platform/Chassis			
1417		Diesel		5995	121	165	07.89-09.96	■
1417	-12/93	Diesel		5995	121	165	07.89-09.96	■ ■
1417A	01/89-	Diesel		5995	121	165	12.87-	■ ■

LISTA DE APLICACIONES - BUYERS GUIDE

1417AK	01/89-	Diesel		5995	121	165	12.87-	■	■
1417K	01/89-	Diesel		5995	121	165	12.87-	■	■
1717AK	01/89-	Diesel		5995	129	175	12.87-	■	
1420/L	01/90-	Diesel		5995	155	211	12.87-	■	■
1420LS	01/90-	Diesel		5995	155	211	12.87-	■	■
1820AK	01/93-	Diesel		5995	155	211	12.87-	■	
1820K	01/92-	Diesel		5995	155	211	12.87-	■	
1722AK	01/89-	Diesel		5995	177	241	12.87-	■	
1424/L	01/93-	Diesel		9595	180	245	12.87-	■	■
1424S/LS	01/93-	Diesel		9595	180	245	12.87-	■	■
1824AK	01/92-	Diesel		9595	180	245	12.87-	■	
1824K	01/92-	Diesel		9595	180	245	12.87-	■	
2024	01/93-	Diesel		9595	180	245	12.87-	■	
2024AK	01/93-	Diesel		9595	180	245	12.87-	■	
2024K	01/93-	Diesel		9595	180	245	12.87-	■	
1427F	01/93-	Diesel		9595	200	272	12.87-	■	■
1722AK	01/88-	Diesel		9595	200	272	12.87-	■	
1831AK	01/91-	Diesel		9595	230	313	12.87-	■	
1831K	01/92-	Diesel		9595	230	313	12.87-	■	
2031	01/92-	Diesel		9595	230	313	12.87-	■	
2031A	01/92-	Diesel		9595	230	313	12.87-	■	
2031AS	01/92-	Diesel		9595	230	313	12.87-	■	
2031S	01/92-	Diesel		9595	230	313	12.87-	■	
2631A	01/92-	Diesel		9595	230	313	12.87-	■	
2631AK	01/92-	Diesel		9595	230	313	12.87-	■	
2631AS	01/92-	Diesel		9595	230	313	12.87-	■	
1222	-12/91	Diesel		10964	160	218	07.89-08.94		■
1831K	01/92-	Diesel		10995	230	313	12.87-	■	
2534/L	01/91-, Auxiliary Axle	Diesel		10995	250	340	12.87-		■
1722AK	01/89-	Diesel		11295	151	205	12.87-	■	
1422/L	01/89-	Diesel		11295	160	218	12.87-	■	■
1422F	01/89-	Diesel		11295	160	218	12.87-	■	■
1422S/LS	01/89-	Diesel		11295	160	220	12.87-	■	■
1922AK	01/89-	Diesel		11295	160	218	12.87-	■	
2629A	01/88-	Diesel		12795	269	366	12.87-	■	
1838AK	01/92-	Diesel		12795	280	381	12.87-	■	
1838K	01/90-	Diesel		12795	280	381	12.87-	■	
2031A	01/92-	Diesel		12795	280	381	12.87-	■	
2038	01/91-	Diesel		12795	280	381	12.87-	■	
2038AS	01/92-	Diesel		12795	280	381	12.87-	■	
2038S	01/91-	Diesel		12795	280	381	12.87-	■	
2538	01/91-, Auxiliary Axle	Diesel		12795	280	381	12.87-		■
2538/L	01/91-, Auxiliary Axle	Diesel		12795	280	381	12.87-		■
2629A	01/88-	Diesel		12795	280	381	12.87-	■	
2638AK	01/92-	Diesel		12795	280	381	12.87-	■	
2638AS	01/92-	Diesel		12795	280	381	12.87-	■	
2031A	01/92-	Diesel		12795	320	435	12.87-	■	
2629A	01/88-	Diesel		12795	362	492	12.87-	■	
1935AK	01/89-	Diesel		14595	250	340	12.87-	■	
1935AS	01/89-	Diesel		14595	250	340	12.87-	■	
2635AK	01/90-	Diesel		14595	250	340	12.87-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

2635AS	01/92-	Diesel		14595	250	340	12.87-	■	
1735AK	01/89-	Diesel		14595	260	354	12.87-	■	
2635A	01/90-	Diesel		14595	260	354	12.87-	■	
2635AS	01/90-	Diesel		14595	266	362	12.87-	■	
2629AK	01/88-	Diesel		14595	269	366	12.87-	■	
1838AK	01/92-	Diesel		14595	320	435	12.87-	■	
20344S	01/92-	Diesel		14595	320	435	12.87-	■	
2038AS	01/92-	Diesel		14595	320	435	12.87-	■	
2044	01/92-	Diesel		14595	320	435	12.87-	■	
2538/L	01/91-, Auxiliary Axle	Diesel		14595	320	435	12.87-		■
2544/L	01/92-, Auxiliary Axle	Diesel		14595	320	435	12.87-		■
2544S	01/92-, Auxiliary Axle	Diesel		14595	320	435	12.87-		■
2629A	01/88-	Diesel		14595	320	435	12.87-	■	
2629AK	01/88-	Diesel		14595	320	435	12.87-	■	
2635A	01/91-	Diesel		14595	320	435	12.87-	■	
2638AK	01/92-	Diesel		14595	320	435	12.87-	■	
2638AS	01/92-	Diesel		14595	320	435	12.87-	■	
2050	01/91-	Diesel		14595	362	492	12.87-	■	
2050S	01/91-	Diesel		14595	362	492	12.87-	■	
2629AK	01/88-	Diesel		14595	362	492	12.87-	■	
2629AS	01/88-	Diesel		14595	362	492	12.87-	■	
2635AK	01/90-	Diesel		14595	362	492	12.87-	■	
1838AK	01/92-	Diesel		14595	370	503	12.87-	■	
2538	01/91-, Auxiliary Axle	Diesel		14595	370	503	12.87-		■
2550/L	01/91-, Auxiliary Axle	Diesel		14595	370	503	12.87-		■
2638AK	01/91-	Diesel		14595	370	503	12.87-	■	
2638AS	01/92-	Diesel		14595	370	503	12.87-	■	
1426S/LS	01/89-	Diesel		15095	191	260	12.87-	■	■
1726AK	01/89-	Diesel		15095	195	265	12.87-	■	
1929A	01/88-	Diesel		15095	210	286	12.87-	■	
1929AK	01/88-	Diesel		15095	210	286	12.87-	■	
1729AK	01/88-	Diesel		15095	213	290	12.87-	■	
1929AS	01/88-	Diesel		15095	213	290	12.87-	■	
2629A	01/88-	Diesel		15095	213	290	12.87-	■	
2629AK	01/88-	Diesel		15095	213	290	12.87-	■	
2629AS	01/88-	Diesel		15095	213	290	12.87-	■	
26329B	01/88-, Eq.V_ Eje Eaton	Diesel		15095	213	290	12.87-	■	
1929A	01/88-	Diesel		15095	269	366	12.87-	■	
1929A	01/88-	Diesel		18295	340	462	12.87-	■	
2629A	01/88-	Diesel		18295	340	462	12.87-	■	
MK 12.87-12.05					Truck Tractor				
1617	01/83-	Diesel		9572	180	245	12.87-		■
1619	01/83-	Diesel		9572	180	245	12.87-		■
1426	01/83-	Diesel		15080	191	260	12.87-		■
1625	01/83-	Diesel		15080	195	265	12.87-		■
NG 08.73-03.98									
2219	01/83-	Diesel		5695	141	192	08.73-	■	■
1614	01/84-	Diesel		5995	100	136	08.73-	■	■
1614K	01/84-	Diesel		5995	100	136	08.73-	■	■
1617C/CL	01/81-	Diesel		5995	125	170	08.73-		■
1617CAK	01/84-	Diesel		5995	125	170	08.73-		■

LISTA DE APLICACIONES - BUYERS GUIDE

1617CK	01/84-	Diesel		5995	125	170	08.73-		■
1617CS	01/84-	Diesel		5995	125	170	08.73-		■
1619C/CL	01/83-	Diesel		5995	141	192	08.73-		■
1620/L	01/85-	Diesel		5995	150	204	08.73-	■	■
2220/L	01/85-	Diesel		5995	150	204	08.73-	■	
2219	01/76-	Diesel		9595	141	192	08.73-	■	■
2219/2219L	01/76-	Diesel		9595	141	192	08.73-	■	■
2219K	01/76-	Diesel		9595	141	192	08.73-	■	■
2219KO	01/76-	Diesel		9595	141	192	08.73-	■	■
2220	01/82-	Diesel		9595	147	200	08.73-	■	■
2220	01/75-	Diesel		9595	147	200	08.73-	■	■
2222	01/75-	Diesel		9595	162	220	08.73-	■	■
1922AK	01/81-	Diesel		10995	141	192	08.73-	■	
1922K	01/81-	Diesel		10995	141	192	08.73-	■	
1922S	01/81-	Diesel		10995	141	192	08.73-	■	
1622/L	01/82-	Diesel		10995	150	204	08.73-	■	■
1622AK	01/82-	Diesel		10995	159	216	08.73-	■	■
1622K	01/82-	Diesel		10995	159	216	08.73-	■	■
1622S	01/82-	Diesel		10995	159	216	08.73-	■	■
1922	01/81-	Diesel		10995	159	216	08.73-	■	
2222	01/82-	Diesel		10995	159	216	08.73-	■	■
2222/L	01/82-	Diesel		10995	159	216	08.73-	■	■
2222B	01/82-	Diesel		10995	159	216	08.73-	■	
2222K	01/82-	Diesel		10995	159	216	08.73-	■	
1625/L	01/80-	Diesel		14595	184	250	08.73-	■	
1625AK	01/80-	Diesel		14595	184	250	08.73-		■
1625K	01/80-	Diesel		14595	184	250	08.73-	■	
1625S/LS	01/80-	Diesel		14595	184	250	08.73-	■	
2025S	01/83-	Diesel		14595	184	250	08.73-	■	
2225	01/85-	Diesel		14595	184	250	08.73-	■	
2225B	01/83-	Diesel		14595	184	250	08.73-	■	
3025B	01/85-	Diesel		14595	184	250	08.73-	■	
3025K	01/85-	Diesel		14595	184	250	08.73-	■	■
1628/L	01/80-	Diesel		14595	206	280	08.73-	■	
1628A	01/80-	Diesel		14595	206	280	08.73-	■	■
1628A	01/80-	Diesel		14595	206	280	08.73-	■	
1628A	01/80-	Diesel		14595	206	280	08.73-	■	
1628S/LS	01/80-	Diesel		14595	206	280	08.73-	■	
1928/L	01/80-	Diesel		14595	206	280	08.73-	■	
1928A	01/80-	Diesel		14595	206	280	08.73-	■	
1928AK	01/80-	Diesel		14595	206	280	08.73-	■	
1928AS	01/80-	Diesel		14595	206	280	08.73-	■	
1928K	01/80-	Diesel		14595	206	280	08.73-	■	
1928S/LS	01/80-	Diesel		14595	206	280	08.73-	■	
2028A	01/80-	Diesel		14595	206	280	08.73-	■	■
2028LS	01/80-	Diesel		14595	206	280	08.73-	■	
2228	01/79-	Diesel		14595	206	280	08.73-	■	■
2228/L	01/79-	Diesel		14595	206	280	08.73-	■	
2228/L	01/79-, Auxiliary Axle	Diesel		14595	206	280	08.73-		■
2228S	01/79-	Diesel		14595	206	280	08.73-	■	■
2628	01/80-	Diesel		14595	206	280	08.73-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2628A	01/80-	Diesel		14595	206	280	08.73-	■	■
2628AK	01/80-	Diesel		14595	206	280	08.73-	■	■
2628AS	01/80-	Diesel		14595	206	280	08.73-	■	■
2628B	01/80-	Diesel		14595	206	280	08.73-	■	■
2628K	01/80-	Diesel		14595	206	280	08.73-	■	■
2628S	01/80-	Diesel		14595	206	280	08.73-	■	■
3025B	01/85-	Diesel		14595	206	280	08.73-	■	
3028B	01/85-	Diesel		14595	206	280	08.73-	■	■
3028K	01/85-	Diesel		14595	206	280	08.73-	■	■
3228B	01/87-	Diesel		14595	206	280	08.73-	■	
3228K	01/87-	Diesel		14595	206	280	08.73-	■	■
3328B	01/82-	Diesel		14595	206	280	08.73-	■	■
3328K	01/82-	Diesel		14595	206	280	08.73-	■	■
3528B	01/89-	Diesel		14595	206	280	08.73-	■	■
3528K	01/89-	Diesel		14595	206	280	08.73-	■	■
3229B	01/83-	Diesel		14595	213	290	08.73-	■	■
3229B	01/87-	Diesel		14595	213	290	08.73-	■	■
3229K	01/83-	Diesel		14595	213	290	08.73-	■	■
3229K	01/87-	Diesel		14595	213	290	08.73-	■	■
1633/L	01/80-	Diesel		14595	243	330	08.73-	■	
1633S/LS	01/80-	Diesel		14595	243	330	08.73-	■	
1933	01/80-	Diesel		14595	243	330	08.73-	■	
1933S/LS	01/80-	Diesel		14595	243	330	08.73-	■	
2033LS	01/81-	Diesel		14595	243	330	08.73-	■	
2232/L	01/79-	Diesel		14595	243	330	08.73-	■	
2232/L	01/79-, Auxiliary Axle	Diesel		14595	243	330	08.73-		■
2233	01/80-	Diesel		14595	243	330	08.73-	■	■
2233/L	01/80-	Diesel		14595	243	330	08.73-	■	
2233/L	01/80-, Auxiliary Axle	Diesel		14595	243	330	08.73-		■
2233S	01/80-	Diesel		14595	243	330	08.73-	■	■
2633	01/82-	Diesel		14595	243	330	08.73-	■	■
2633S	01/82-	Diesel		14595	243	330	08.73-	■	■
3333	01/82-	Diesel		14595	243	330	08.73-	■	■
3235K	01/83-	Diesel		14595	257	350	08.73-	■	■
1635/L	01/86-	Diesel		14595	260	354	08.73-	■	
1635K	01/86-	Diesel		14595	260	354	08.73-	■	
1635S/LS	01/86-	Diesel		14595	260	354	08.73-	■	
1935	01/86-	Diesel		14595	260	354	08.73-	■	
1935AK	01/87-	Diesel		14595	260	354	08.73-	■	
1935S/LS	01/86-	Diesel		14595	260	354	08.73-	■	
2035S/LS	01/86-	Diesel		14595	260	354	08.73-	■	
2235/L	01/86-	Diesel		14595	260	354	08.73-	■	
2235/L	01/86-, Auxiliary Axle	Diesel		14595	260	354	08.73-		■
2235K	01/86-	Diesel		14595	260	354	08.73-	■	■
2235S/LS	01/86-	Diesel		14595	260	354	08.73-	■	
2235S/LS	01/86-, Auxiliary Axle	Diesel		14595	260	354	08.73-		■
2635	01/86-	Diesel		14595	260	354	08.73-	■	■
2635S	01/86-	Diesel		14595	260	354	08.73-	■	■
3236A	01/87-	Diesel		14595	261	355	08.73-	■	■
2635A	01/87-	Diesel		14595	269	366	08.73-	■	■
2635AK	01/87-	Diesel		14595	269	366	08.73-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

2635S	01/87-	Diesel		14595	269	366	08.73-	■	■
1638	01/80-	Diesel		14595	276	375	08.73-	■	
1638S/LS	01/80-	Diesel		14595	276	375	08.73-	■	
1938	01/80-	Diesel		14595	276	375	08.73-	■	
1938S/LS	01/80-	Diesel		14595	276	375	08.73-	■	
2238/L	01/81-	Diesel		14595	276	375	08.73-	■	
2238/L	01/81-, Auxiliary Axle	Diesel		14595	276	375	08.73-		■
2238S	01/81-	Diesel		14595	276	375	08.73-	■	■
2638S	01/81-	Diesel		14595	276	375	08.73-	■	■
1644	01/86-	Diesel		14595	320	435	08.73-	■	
1644S/LS	01/86-	Diesel		14595	320	435	08.73-	■	
1944	01/85-	Diesel		14595	320	435	08.73-	■	
1944S/LS	01/85-	Diesel		14595	320	435	08.73-	■	
2244/L	01/85-	Diesel		14595	320	435	08.73-	■	
2244/L	01/85-, Auxiliary Axle	Diesel		14595	320	435	08.73-		■
2244S	01/85-	Diesel		14595	320	435	08.73-	■	■
2644S	01/85-	Diesel		14595	320	435	08.73-	■	■
2036LS	01/84-	Diesel		18295	243	330	08.73-	■	
1636/L	01/83-	Diesel		18295	261	355	08.73-	■	
1636S/LS	01/83-	Diesel		18295	261	355	08.73-	■	
1936	01/81-	Diesel		18295	261	355	08.73-	■	
1936AK	01/81-	Diesel		18295	261	355	08.73-	■	
1936AS	01/81-	Diesel		18295	261	355	08.73-	■	
1936K	01/81-	Diesel		18295	261	355	08.73-	■	
1936S/LS	01/81-	Diesel		18295	261	355	08.73-	■	
2236	01/82-	Diesel		18295	261	355	08.73-	■	
2236	01/82-, Auxiliary Axle	Diesel		18295	261	355	08.73-		■
2236S	01/84-	Diesel		18295	261	355	08.73-	■	■
2636	01/81-	Diesel		18295	261	355	08.73-	■	■
2636A	01/81-	Diesel		18295	261	355	08.73-	■	■
2636AK	01/81-	Diesel		18295	261	355	08.73-	■	■
2636AS	01/81-	Diesel		18295	261	355	08.73-	■	■
2636K	01/81-	Diesel		18295	261	355	08.73-	■	■
2636S	01/81-	Diesel		18295	261	355	08.73-	■	■
3336	01/82-	Diesel		18295	261	355	08.73-	■	■
2636A	01/81-	Diesel		18295	322	438	08.73-	■	■
2628A	01/90-	Diesel		18295	331	450	08.73-	■	■
3250A	01/85-	Diesel		18295	368	500	08.73-	■	■
3250AF	01/85-	Diesel		18295	368	500	08.73-	■	
3328	01/83-	Diesel		18395	206	280	08.73-	■	■
3336	01/83-	Diesel		18395	261	355	08.73-	■	■
3336AK	01/86-	Diesel		18395	261	355	08.73-	■	■
3336K	01/82-	Diesel		18395	261	355	08.73-	■	■
3336S	01/82-	Diesel		18395	261	355	08.73-	■	■
3850AS	01/83-	Diesel		18395	368	500	08.73-	■	■
4050A	01/83-	Diesel		18395	368	500	08.73-	■	■
4850A	01/83-	Diesel		18395	368	500	08.73-	■	■
RENAULT TRUCKS									
PR Series 01.79-					Bus				
Saviem PR 40, T, V8, VT	01/79-	Diesel					01.79-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

PS Series 01.79-					Bus			
Saviem PS 30, T, V2, VT	01/79-	Diesel					01.79-	■
SM Series 01.73-					Platform/Chassis			
Saviem SM 12/12 T	01/74-	Diesel					01.73-	■
Saviem SM 12 B	01/74-	Diesel					01.73-	■
Saviem SM 170	01/73-	Diesel					01.73-	■ ■
Saviem SM 240	01/73-	Diesel					01.73-	■ ■
Saviem SM 260	01/73-	Diesel					01.73-	■ ■
Saviem SM 280 TU	01/73-	Diesel					01.73-	■ ■
Saviem SM 300	01/73-	Diesel					01.73-	■ ■
Saviem SM 340 Jumbo 38.320	01/73-	Diesel					01.73-	■ ■