


LISTA DE APLICACIONES - BUYERS GUIDE

31914-5387



8 424073 202932

Weight: 23.375



31914-5387



Mando

131.3x59.6x19.3

Ø321x30x51

WVA

24415

24416

24417

MAKE

BUICK

CHEVROLET

GMC

HOLDEN

OPEL

SAAB

VAUXHALL



Trac.

CC

Kw

CV



Front / Rear

BUICK

LA CROSSE II 06.09-

Saloon (Executive car-E Segment)

2.4 (LE5)		Gasolina	FWD	2384	125	170	09.09-	■
2.4 (LE5)		Gasolina	FWD	2384	125	170	09.09-	■
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-	■
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-	■
2.4		Gasolina	FWD	2384	136	185	09.10-12.11	■
2.4		Gasolina	FWD	2384	136	185	09.10-12.11	■
3.0		Gasolina	FWD	2980	131	178	09.09-	■
3.0		Gasolina	FWD	2980	131	178	09.09-	■
3.0 (LF1)		Gasolina	FWD	2997	190	258	09.09-	■
3.0 (LF1)		Gasolina	FWD	2997	190	258	09.09-	■
3.0 AWD (LF1)		Gasolina	4WD	2997	190	258	09.09-	■
3.0 AWD (LF1)		Gasolina	4WD	2997	190	258	09.09-	■
3.6 VVTi (LLT)		Gasolina	FWD	3564	209	284	01.10-12.11	■
3.6 VVTi (LLT)		Gasolina	FWD	3564	209	284	01.10-12.11	■
3.6 VVTi		Gasolina	FWD	3564	209	284	09.10-12.11	■
3.6 VVTi		Gasolina	FWD	3564	209	284	09.10-12.11	■
3.6		Gasolina	FWD	3564	226	307	07.15-	■
3.6		Gasolina	FWD	3564	226	307	07.15-	■
3.6 (LFX)		Gasolina	FWD	3564	227	309	09.13-	■
3.6 (LFX)		Gasolina	FWD	3564	227	309	09.13-	■
3.6 (LLT)		Gasolina	FWD	3564	227	309	09.13-	■
3.6 (LLT)		Gasolina	FWD	3564	227	309	09.13-	■
3.6 (LGX)		Gasolina	FWD	3640	227	309	02.16-09.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

3.6 (LGX)		Gasolina	FWD	3640	227	309	02.16-09.17	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	227	309	09.11-	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	227	309	09.11-	■
3.6 FLEX AWD (LFX)		Gasol./Etanol	4WD	3564	227	309	09.11-	■
3.6 FLEX AWD (LFX)		Gasol./Etanol	4WD	3564	227	309	09.11-	■
2.4 Hybrid (LUK)		Gasol./eléc.	FWD	2384	136	185	09.12-	■
2.4 Hybrid (LUK)		Gasol./eléc.	FWD	2384	136	185	09.12-	■
2.4 Hybrid AWD (LUK)		Gasol./eléc.	4WD	2384	136	185	09.11-	■
2.4 Hybrid AWD (LUK)		Gasol./eléc.	4WD	2384	136	185	09.11-	■
REGAL V (U.S.A.) 09.10-					Saloon (Large family car-D Segment)			
2.0 (LHU)		Gasolina	FWD	1998	164	223	09.12-12.13	■
2.0 (LHU)		Gasolina	FWD	1998	164	223	09.12-12.13	■
2.0 (LTG)		Gasolina	FWD	1998	190	258	01.14-12.17	■
2.0 (LTG)		Gasolina	FWD	1998	190	258	01.14-12.17	■
2.0 (LTG)		Gasolina	FWD	1998	193	262	07.13-	■
2.0 (LTG)		Gasolina	FWD	1998	193	262	07.13-	■
2.0 AWD (LTG)		Gasolina	4WD	1998	193	262	07.13-	■
2.0 AWD (LTG)		Gasolina	4WD	1998	193	262	07.13-	■
2.0 Flex (LHU)		Gasol./Etanol	FWD	1998	164	223	09.10-	■
2.0 Flex (LHU)		Gasol./Etanol	FWD	1998	164	223	09.10-	■
2.0 FLEX AWD (LHU)		Gasol./Etanol	4WD	1998	164	223	09.11-	■
2.0 FLEX AWD (LHU)		Gasol./Etanol	4WD	1998	164	223	09.11-	■
2.4 FLEX AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	05.16-	■
2.4 FLEX AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	05.16-	■
CHEVROLET								
AVEO / KALOS (T250, T255) 03.05-					Saloon (Supermini car-B Segment)			
1.6 Aveo (LXV)		Gasolina	FWD	1598	79	106	09.08-12.09	■
1.6 Aveo (LXV)		Gasolina	FWD	1598	79	106	09.08-12.09	■
EQUINOX 04.03-12.09					SUV (Compact SUV-J Segment)			
3.6 (LY1)		Gasolina	FWD	3564	197	268	09.07-12.09	■
3.6 (LY1)		Gasolina	FWD	3564	197	268	09.07-12.09	■
3.6 AWD (LY7)		Gasolina	4WD	3564	197	268	09.07-12.09	■
3.6 AWD (LY7)		Gasolina	4WD	3564	197	268	09.07-12.09	■
EQUINOX II 09.09-					SUV (Compact SUV-J Segment)			
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-12.17	■
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-12.17	■
2.4 (LEA)		Gasolina	FWD	2384	136	185	09.09-12.17	■
2.4 (LEA)		Gasolina	FWD	2384	136	185	09.09-12.17	■
2.4 AWD (LAF)		Gasolina	4WD	2384	136	185	09.09-12.17	■
2.4 AWD (LAF)		Gasolina	4WD	2384	136	185	09.09-12.17	■
2.4 AWD (LEA)		Gasolina	4WD	2384	136	185	09.09-12.17	■
2.4 AWD (LEA)		Gasolina	4WD	2384	136	185	09.09-12.17	■
3.0		Gasolina	FWD	2997	197	268	09.09-12.10	■

LISTA DE APLICACIONES - BUYERS GUIDE

3.0		Gasolina	FWD	2997	197	268	09.09-12.10	■
3.0 AWD		Gasolina	4WD	2997	197	268	09.09-12.12	■
3.0 AWD		Gasolina	4WD	2997	197	268	09.09-12.12	■
3.0 FLEX		Gasolina	FWD	2997	197	268	09.10-12.12	■
3.0 FLEX		Gasolina	FWD	2997	197	268	09.10-12.12	■
3.0 FLEX		Gasolina	FWD	2997	197	268	09.10-12.12	■
3.0 FLEX		Gasolina	FWD	2997	197	268	09.10-12.12	■
3.6 (LFX)		Gasolina	FWD	3564	224	305	07.13-12.17	■
3.6 (LFX)		Gasolina	FWD	3564	224	305	07.13-12.17	■
3.6 AWD (LFX)		Gasolina	4WD	3564	224	305	07.13-12.17	■
3.6 AWD (LFX)		Gasolina	4WD	3564	224	305	07.13-12.17	■
2.4 FLEX (LEA)		Gasol./Etanol	FWD	2384	136	185	09.11-12.17	■
2.4 FLEX (LEA)		Gasol./Etanol	FWD	2384	136	185	09.11-12.17	■
2.4 FLEX AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	09.11-12.17	■
2.4 FLEX AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	09.11-12.17	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	224	305	09.12-12.17	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	224	305	09.12-12.17	■
3.6 FLEX AWD (LFX)		Gasol./Etanol	4WD	3564	224	305	09.12-12.17	■
3.6 FLEX AWD (LFX)		Gasol./Etanol	4WD	3564	224	305	09.12-12.17	■
IMPALA X 01.13-					Saloon (Executive car-E Segment)			
2.5		Gasolina	FWD	2457	145	197	07.13-12.16	■
2.5		Gasolina	FWD	2457	145	197	07.13-12.16	■
2.5		Gasolina	FWD	2457	146	199	03.16-	■
2.5		Gasolina	FWD	2457	146	199	03.16-	■
3.6 (LFX)		Gasolina	FWD	3564	227	309	07.13-12.14	■
3.6 (LFX)		Gasolina	FWD	3564	227	309	07.13-12.14	■
3.6 Bi-Fuel		Gasol./Gas (CNG)	FWD	3564	172	234	04.14-	■
3.6 Bi-Fuel		Gasol./Gas (CNG)	FWD	3564	172	234	04.14-	■
2.5 Flex (LCV)		Gasol./Etanol	FWD	2457	145	197	06.15-	■
2.5 Flex (LCV)		Gasol./Etanol	FWD	2457	145	197	06.15-	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	224	305	07.13-	■
3.6 FLEX (LFX)		Gasol./Etanol	FWD	3564	224	305	07.13-	■
3.6 FLEX		Gasol./Etanol	FWD	3564	226	307	07.13-12.14	■
3.6 FLEX		Gasol./Etanol	FWD	3564	226	307	07.13-12.14	■
3.6 FLEX		Gasol./Etanol	FWD	3564	227	309	07.13-	■
3.6 FLEX		Gasol./Etanol	FWD	3564	227	309	07.13-	■
2.4 Hybrid		Gasol./eléc.	FWD	2384	136	185	07.13-12.14	■
2.4 Hybrid		Gasol./eléc.	FWD	2384	136	185	07.13-12.14	■
2.4 Hybrid		Gasol./eléc.	FWD	2384	147	200	06.14-	■
2.4 Hybrid		Gasol./eléc.	FWD	2384	147	200	06.14-	■

LISTA DE APLICACIONES - BUYERS GUIDE

MALIBU VII 01.08-					Saloon (Executive car-E Segment)			
2.0		Gasolina	FWD	1998	193	262	09.12-	■
2.0		Gasolina	FWD	1998	193	262	09.12-	■
MALIBU VIII (V300) 01.12-					Saloon (Executive car-E Segment)			
2.0 LPG		Gasolina	FWD	1998	101	137	02.12-	■
2.0 LPG		Gasolina	FWD	1998	101	137	02.12-	■
2.0		Gasolina	FWD	1998	104	141	02.12-	■
2.0		Gasolina	FWD	1998	104	141	02.12-	■
2.0 (LTG)		Gasolina	FWD	1998	193	262	01.12-12.15	■
2.0 (LTG)		Gasolina	FWD	1998	193	262	01.12-12.15	■
2.4 (LE9(145CUL4))		Gasolina	FWD	2384	123	167	01.12-	■
2.4 (LE9(145CUL4))		Gasolina	FWD	2384	123	167	01.12-	■
2.4 (LE9(145CUL4))		Gasolina	FWD	2384	125	170	01.12-	■
2.4 (LE9(145CUL4))		Gasolina	FWD	2384	125	170	01.12-	■
2.5 (LCV)		Gasolina	FWD	2457	142	193	09.12-12.13	■
2.5 (LCV)		Gasolina	FWD	2457	142	193	09.12-12.13	■
2.5		Gasolina	FWD	2457	146	199	09.13-12.15	■
2.5		Gasolina	FWD	2457	146	199	09.13-12.15	■
2.5 (LCV,LKW)		Gasolina	FWD	2457	147	200	07.13-	■
2.5 (LCV,LKW)		Gasolina	FWD	2457	147	200	07.13-	■
3.0 (LFW)		Gasolina	FWD	2997	196	267	04.13-	■
3.0 (LFW)		Gasolina	FWD	2997	196	267	04.13-	■
2.4 Hybrid (LUK)		Gasol./el éc.	FWD	2384	136	185	01.12-	■
2.4 Hybrid (LUK)		Gasol./el éc.	FWD	2384	136	185	01.12-	■
2.0 D		Diesel	FWD	1956	115	156	04.12-	■
2.0 D		Diesel	FWD	1956	115	156	04.12-	■
2.0 D (LBS)		Diesel	FWD	1956	118	160	04.12-	■
2.0 D (LBS)		Diesel	FWD	1956	118	160	04.12-	■
GMC								
TERRAIN 08.09-					SUV (Compact SUV-J Segment)			
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-	■
2.4 (LAF)		Gasolina	FWD	2384	136	185	09.09-	■
2.4 (LEA)		Gasolina	FWD	2384	136	185	09.09-	■
2.4 (LEA)		Gasolina	FWD	2384	136	185	09.09-	■
2.4 AWD (LAF)		Gasolina	4WD	2384	136	185	09.09-	■
2.4 AWD (LAF)		Gasolina	4WD	2384	136	185	09.09-	■
2.4 AWD (LEA)		Gasolina	4WD	2384	136	185	09.09-	■
2.4 AWD (LEA)		Gasolina	4WD	2384	136	185	09.09-	■
3.0 (LF1)		Gasolina	FWD	2997	197	268	09.09-12.12	■
3.0 (LF1)		Gasolina	FWD	2997	197	268	09.09-12.12	■
3.0 AWD (LF1)		Gasolina	4WD	2997	197	268	09.09-12.10	■
3.0 AWD (LF1)		Gasolina	4WD	2997	197	268	09.09-12.10	■
3.6 DI (LFX)		Gasolina	FWD	3564	224	305	09.12-	■
3.6 DI (LFX)		Gasolina	FWD	3564	224	305	09.12-	■
3.6 DI AWD (LFX)		Gasolina	4WD	3564	224	305	07.13-	■
3.6 DI AWD (LFX)		Gasolina	4WD	3564	224	305	07.13-	■
2.4 Flexfuel (LEA)		Gasol./Et anol	FWD	2384	136	185	08.09-	■
2.4 Flexfuel (LEA)		Gasol./Et anol	FWD	2384	136	185	08.09-	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.4 Flexfuel AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	08.09-	■
2.4 Flexfuel AWD (LEA)		Gasol./Etanol	4WD	2384	136	185	08.09-	■
3.0 Flexfuel DI		Gasol./Etanol	FWD	2997	197	268	09.10-	■
3.0 Flexfuel DI		Gasol./Etanol	FWD	2997	197	268	09.10-	■
3.0 Flexfuel DI AWD (LF1)		Gasol./Etanol	4WD	2997	197	268	09.10-	■
3.0 Flexfuel DI AWD (LF1)		Gasol./Etanol	4WD	2997	197	268	09.10-	■
3.6 Flexfuel DI (LFX)		Gasol./Etanol	FWD	3564	224	305	09.12-	■
3.6 Flexfuel DI (LFX)		Gasol./Etanol	FWD	3564	224	305	09.12-	■
3.6 Flexfuel DI AWD (LFX)		Gasol./Etanol	4WD	3564	224	305	09.12-	■
3.6 Flexfuel DI AWD (LFX)		Gasol./Etanol	4WD	3564	224	305	09.12-	■
HOLDEN								
MALIBU (EM) 05.13-					Saloon (Executive car-E Segment)			
2.4 i (LE9)		Gasolina	FWD	2384	123	167	05.13-12.16	■
2.4 i (LE9)		Gasolina	FWD	2384	123	167	05.13-12.16	■
2.0 D (A 20 DTH)		Diesel	FWD	1956	117	159	05.13-12.16	■
2.0 D (A 20 DTH)		Diesel	FWD	1956	117	159	05.13-12.16	■
OPEL								
INSIGNIA A (G09) 07.08-					Hatchback (Executive car-E Segment)			
1.4 (68) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (68) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (68) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (68) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (68) (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-03.17	■
1.6 (68) (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-03.17	■
1.6 SIDI (68) (A 16 XHT)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (68) (A 16 XHT)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (68) (B 16 SHL)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (68) (B 16 SHL)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 Turbo (68) (A 16 LET)		Gasolina	FWD	1598	132	180	07.08-03.17	■
1.6 Turbo (68) (A 16 LET)		Gasolina	FWD	1598	132	180	07.08-03.17	■
1.8 (68) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (68) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (68) (B 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (68) (B 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (68) (A 20 NHT)		Gasolina	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo (68) (A 20 NHT)		Gasolina	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)		Gasolina	4WD	1998	162	220	07.08-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)		Gasolina	4WD	1998	162	220	07.08-03.17	■
2.0 Turbo (68) (A 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (68) (A 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (68) (B 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (68) (B 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (68) (A 20 NFT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (68) (A 20 NFT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo 4x4 (68) (B 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (68) (B 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.8 V6 Turbo 4x4 (68) (A 28 NET)		Gasolina	4WD	2792	191	260	07.08-03.17	■
2.8 V6 Turbo 4x4 (68) (A 28 NET)		Gasolina	4WD	2792	191	260	07.08-03.17	■
1.4 LPG (68) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (68) (A 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (68) (B 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (68) (B 14 NET)		Gasol./Gas (LPG)	FWD	1364	103	140	07.12-03.17	■
2.0 E85 Turbo (68) (A 20 NFT)		Gasol./Etanol	FWD	1998	162	220	10.10-03.17	■
2.0 E85 Turbo (68) (A 20 NFT)		Gasol./Etanol	FWD	1998	162	220	10.10-03.17	■
1.6 CDTi (68) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (68) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (68) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
1.6 CDTi (68) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTi (68) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTi (68) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTi (68) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTi (68) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTi (68) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (68) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (68) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (68) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTi (68) (A 20 DTE)		Diesel	FWD	1956	103	140	06.13-03.17	■
2.0 CDTi (68) (A 20 DTE)		Diesel	FWD	1956	103	140	06.13-03.17	■
2.0 CDTi (68) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-03.17	■
2.0 CDTi (68) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-03.17	■
2.0 CDTi 4x4 (68) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-03.17	■
2.0 CDTi 4x4 (68) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-03.17	■
2.0 CDTi (68) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-03.17	■
2.0 CDTi (68) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-03.17	■
2.0 CDTi 4x4 (68) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-03.17	■
2.0 CDTi 4x4 (68) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-03.17	■
2.0 CDTi (68) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTi (68) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (68) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (68) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 Biturbo CDTi (68) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTi (68) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTi 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-12.11	■
2.0 Biturbo CDTi 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-12.11	■
2.0 Biturbo CDTi (68) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTi (68) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTi 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTi 4x4 (68) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-03.17	■
INSIGNIA A (G09) 07.08-					Saloon (Executive car-E Segment)			
1.4 (69) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (69) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (69) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.4 (69) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (69) (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-03.17	■
1.6 (69) (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-03.17	■
1.6 SIDI (69) (A 16 XHT)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (69) (A 16 XHT)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (69) (B 16 SHL)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 SIDI (69) (B 16 SHL)		Gasolina	FWD	1598	125	170	03.13-03.17	■
1.6 Turbo (69) (A 16 LET)		Gasolina	FWD	1598	132	180	07.08-03.17	■
1.6 Turbo (69) (A 16 LET)		Gasolina	FWD	1598	132	180	07.08-03.17	■
1.8 (69) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (69) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (69) (B 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (69) (B 18 XER)		Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (69) (A 20 NHT)		Gasolina	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo (69) (A 20 NHT)		Gasolina	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)		Gasolina	4WD	1998	162	220	07.08-03.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)		Gasolina	4WD	1998	162	220	07.08-03.17	■
2.0 Turbo (69) (A 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (69) (A 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (69) (B 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (69) (B 20 NHT)		Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (69) (A 20 NFT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (69) (A 20 NFT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (69) (B 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.0 Turbo 4x4 (69) (B 20 NHT)		Gasolina	4WD	1998	184	250	07.11-03.17	■
2.8 V6 Turbo 4x4 (69) (A 28 NET)		Gasolina	4WD	2792	191	260	07.08-03.17	■
2.8 V6 Turbo 4x4 (69) (A 28 NET)		Gasolina	4WD	2792	191	260	07.08-03.17	■
1.4 LPG (69) (A 14 NET)		Gasol./G as (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (69) (A 14 NET)		Gasol./G as (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (69) (B 14 NET)		Gasol./G as (LPG)	FWD	1364	103	140	07.12-03.17	■
1.4 LPG (69) (B 14 NET)		Gasol./G as (LPG)	FWD	1364	103	140	07.12-03.17	■
2.0 Turbo E85 (69) (A 20 NFT)		Gasol./Et anol	FWD	1998	162	220	07.08-03.17	■
2.0 Turbo E85 (69) (A 20 NFT)		Gasol./Et anol	FWD	1998	162	220	07.08-03.17	■
1.6 CDTi (69) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (69) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (69) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
1.6 CDTi (69) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTI (69) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DTC)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DTL)		Diesel	FWD	1956	81	110	07.08-03.17	■
2.0 CDTI (69) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DT)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DTJ)		Diesel	FWD	1956	96	131	07.08-03.17	■
2.0 CDTI (69) (A 20 DTE)		Diesel	FWD	1956	103	140	06.13-03.17	■
2.0 CDTI (69) (A 20 DTE)		Diesel	FWD	1956	103	140	06.13-03.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-03.17	■
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-03.17	■
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-03.17	■
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-03.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-03.17	■
2.0 CDTI (69) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTI (69) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTI 4x4 (69) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 CDTI 4x4 (69) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	140	190	07.08-12.11	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-03.17	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-03.17	■
INSIGNIA A Country Tourer (G09) 07.08-03.17					Estate (Executive car-E Segment)			
1.6 SIDI (47) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.14-03.17	■
1.6 SIDI (47) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.14-03.17	■
1.6 SIDI (47) (B 16 SHL)		Gasolina	FWD	1598	125	170	07.14-03.17	■
1.6 SIDI (47) (B 16 SHL)		Gasolina	FWD	1598	125	170	07.14-03.17	■
2.0 Turbo 4x4 (47) (A 20 NFT)		Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (A 20 NFT)		Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (A 20 NHT)		Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (A 20 NHT)		Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (B 20 NHT)		Gasolina	4WD	1998	184	250	09.13-03.17	■
2.0 Turbo 4x4 (47) (B 20 NHT)		Gasolina	4WD	1998	184	250	09.13-03.17	■
1.6 CDTi (47) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (47) (B 16 DTJ)		Diesel	FWD	1598	88	120	07.15-03.17	■
1.6 CDTi (47) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
1.6 CDTi (47) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-03.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	FWD	1956	120	163	07.14-03.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	FWD	1956	120	163	07.14-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTH)		Diesel	4WD	1956	120	163	09.13-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTH)		Diesel	4WD	1956	120	163	09.13-03.17	■
2.0 CDTi (47) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTi (47) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (47) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (47) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTR)		Diesel	4WD	1956	143	194	09.13-03.17	■
2.0 CDTi 4x4 (47) (A 20 DTR)		Diesel	4WD	1956	143	194	09.13-03.17	■
INSIGNIA A Sports Tourer (G09) 07.08-					Estate (Executive car-E Segment)			
1.4 (35) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (35) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (35) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.4 (35) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-03.17	■
1.6 (35) (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-06.12	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.6 (35) (A 16 XER)	Gasolina	FWD	1598	85	116	07.08-06.12	■
1.6 SIDI (35) (A 16 XHT)	Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 SIDI (35) (A 16 XHT)	Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 SIDI (35) (B 16 SHL)	Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 SIDI (35) (B 16 SHL)	Gasolina	FWD	1598	125	170	06.13-03.17	■
1.6 Turbo (35) (A 16 LET)	Gasolina	FWD	1598	132	180	01.09-06.13	■
1.6 Turbo (35) (A 16 LET)	Gasolina	FWD	1598	132	180	01.09-06.13	■
1.8 (35) (A 18 XER)	Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (35) (A 18 XER)	Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (35) (B 18 XER)	Gasolina	FWD	1796	103	140	07.08-03.17	■
1.8 (35) (B 18 XER)	Gasolina	FWD	1796	103	140	07.08-03.17	■
2.0 Turbo (35) (A 20 NFT)	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo (35) (A 20 NFT)	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo (35) (A 20 NHT)	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo (35) (A 20 NHT)	Gasolina	FWD	1998	162	220	07.08-06.13	■
2.0 Turbo 4x4 (35) (A 20 NHT)	Gasolina	4WD	1998	162	220	07.08-06.11	■
2.0 Turbo 4x4 (35) (A 20 NHT)	Gasolina	4WD	1998	162	220	07.08-06.11	■
2.0 Turbo (35) (A 20 NHT)	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (35) (A 20 NHT)	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (35) (B 20 NHT)	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo (35) (B 20 NHT)	Gasolina	FWD	1998	184	250	04.14-03.17	■
2.0 Turbo 4x4 (35) (A 20 NFT)	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (A 20 NFT)	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (A 20 NHT)	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (A 20 NHT)	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (B 20 NHT)	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.0 Turbo 4x4 (35) (B 20 NHT)	Gasolina	4WD	1998	184	250	09.11-03.17	■
2.8 V6 Turbo 4x4 (35) (A 28 NET)	Gasolina	4WD	2792	191	260	10.08-06.13	■
2.8 V6 Turbo 4x4 (35) (A 28 NET)	Gasolina	4WD	2792	191	260	10.08-06.13	■
1.4 LPG (35) (A 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■
1.4 LPG (35) (A 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■
1.4 LPG (35) (B 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■
1.4 LPG (35) (B 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	09.12-03.17	■
2.0 E85 Turbo (35) (A 20 NFT)	Gasol./Etanol	FWD	1998	162	220	09.10-11.11	■
2.0 E85 Turbo (35) (A 20 NFT)	Gasol./Etanol	FWD	1998	162	220	09.10-11.11	■
1.6 CDTi (35) (B 16 DTJ)	Diesel	FWD	1598	88	120	07.15-01.17	■
1.6 CDTi (35) (B 16 DTJ)	Diesel	FWD	1598	88	120	07.15-01.17	■
1.6 CDTi (35) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-12.16	■
1.6 CDTi (35) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-12.16	■
2.0 CDTI (35) (A 20 DTC)	Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DTC)	Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DTL)	Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DTL)	Diesel	FWD	1956	81	110	07.08-06.13	■
2.0 CDTI (35) (A 20 DT)	Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DT)	Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DTJ)	Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DTJ)	Diesel	FWD	1956	96	131	07.08-06.15	■
2.0 CDTI (35) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-06.15	■
2.0 CDTI (35) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-06.15	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTI (35) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-06.15	■
2.0 CDTI (35) (A 20 DTH)		Diesel	FWD	1956	118	160	07.08-06.15	■
2.0 CDTI 4x4 (35) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-06.15	■
2.0 CDTI 4x4 (35) (A 20 DTH)		Diesel	4WD	1956	118	160	06.10-06.15	■
2.0 CDTI (35) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-06.15	■
2.0 CDTI (35) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-06.15	■
2.0 CDTI 4x4 (35) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-06.15	■
2.0 CDTI 4x4 (35) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-06.15	■
2.0 CDTI (35) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-12.16	■
2.0 CDTI (35) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-12.16	■
2.0 CDTI 4x4 (35) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-12.16	■
2.0 CDTI 4x4 (35) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-12.16	■
2.0 Biturbo CDTI (35) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI (35) (A 20 DTR)		Diesel	FWD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	140	190	07.08-03.17	■
2.0 Biturbo CDTI (35) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-06.15	■
2.0 Biturbo CDTI (35) (A 20 DTR)		Diesel	FWD	1956	143	195	01.12-06.15	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-06.15	■
2.0 Biturbo CDTI 4x4 (35) (A 20 DTR)		Diesel	4WD	1956	143	195	01.12-06.15	■
SAAB								
9-5 II (YS3G) 01.10-01.12					Saloon (Executive car-E Segment)			
1.6 Turbo (A 16 LET)		Gasolina	FWD	1598	132	180	05.10-01.12	■
1.6 Turbo (A 16 LET)		Gasolina	FWD	1598	132	180	05.10-01.12	■
2.0 Turbo (A 20 NHT)		Gasolina	FWD	1998	162	220	05.10-01.12	■
2.0 Turbo (A 20 NHT)		Gasolina	FWD	1998	162	220	05.10-01.12	■
2.0 Turbo XWD (A 20 NHT)		Gasolina	4WD	1998	162	220	05.10-01.12	■
2.0 Turbo XWD (A 20 NHT)		Gasolina	4WD	1998	162	220	05.10-01.12	■
2.0 (A 20 NFT)		Gasolina	FWD	1998	164	223	09.10-01.12	■
2.0 (A 20 NFT)		Gasolina	FWD	1998	164	223	09.10-01.12	■
2.8 Turbo V6 XWD (A 28 NER)		Gasolina	4WD	2792	221	301	05.10-01.12	■
2.8 Turbo V6 XWD (A 28 NER)		Gasolina	4WD	2792	221	301	05.10-01.12	■
2.8 AWD (A28 NER)		Gasolina	4WD	2792	224	305	05.10-01.12	■
2.8 AWD (A28 NER)		Gasolina	4WD	2792	224	305	05.10-01.12	■
2.0 t Biopower (A 20 NFT)		Gasol./Etanol	FWD	1998	162	220	05.10-01.12	■
2.0 t Biopower (A 20 NFT)		Gasol./Etanol	FWD	1998	162	220	05.10-01.12	■
2.0 t BioPower XWD (A 20 NHT)		Gasol./Etanol	4WD	1998	162	220	05.10-01.12	■
2.0 t BioPower XWD (A 20 NHT)		Gasol./Etanol	4WD	1998	162	220	05.10-01.12	■
2.0 TiD (A 20 DTH)		Diesel	FWD	1956	118	160	05.10-01.12	■
2.0 TiD (A 20 DTH)		Diesel	FWD	1956	118	160	05.10-01.12	■
2.0 TTiD (A 20 DTR)		Diesel	FWD	1956	140	190	05.10-01.12	■
2.0 TTiD (A 20 DTR)		Diesel	FWD	1956	140	190	05.10-01.12	■
2.0 TTiD XWD (A 20 DTR)		Diesel	4WD	1956	140	190	05.10-01.12	■
2.0 TTiD XWD (A 20 DTR)		Diesel	4WD	1956	140	190	05.10-01.12	■
VAUXHALL								
INSIGNIA Mk I (A) (G09) 07.08-05.17					Hatchback (Executive car-E Segment)			
1.4 (68) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (68) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

1.4 (68) (B 14 NET)	Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (68) (B 14 NET)	Gasolina	FWD	1364	103	140	04.11-05.17	■
1.6 (A 16 XER)	Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 (A 16 XER)	Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 Turbo (68) (A 16 XHT)	Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (68) (A 16 XHT)	Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (68) (A 16 LET)	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.6 Turbo (68) (A 16 LET)	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.8 (68) (A 18 XER)	Gasolina	FWD	1796	103	140	07.08-05.17	■
1.8 (68) (A 18 XER)	Gasolina	FWD	1796	103	140	07.08-05.17	■
1.8 (68) (B 18 XER)	Gasolina	FWD	1796	103	140	07.08-05.17	■
1.8 (68) (B 18 XER)	Gasolina	FWD	1796	103	140	07.08-05.17	■
2.0 Turbo (68) (A 20 NFT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NFT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NHT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NHT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (68) (A 20 NHT)	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo (68) (A 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo (68) (A 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo (68) (B 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo (68) (B 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.8 V6 Turbo 4x4 (68) (A 28 NET)	Gasolina	4WD	2792	191	260	07.08-05.17	■
2.8 V6 Turbo 4x4 (68) (A 28 NET)	Gasolina	4WD	2792	191	260	07.08-05.17	■
1.4 LPG (68) (A 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■
1.4 LPG (68) (A 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■
1.6 CDTi (68) (B 16 DTJ)	Diesel	FWD	1598	88	120	07.15-05.17	■
1.6 CDTi (68) (B 16 DTJ)	Diesel	FWD	1598	88	120	07.15-05.17	■
1.6 CDTi (68) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-05.17	■
1.6 CDTi (68) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTi (68) (A 20 DTC)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTi (68) (A 20 DTC)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTi (68) (A 20 DTL)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTi (68) (A 20 DTL)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTi (68) (A 20 DT)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (68) (A 20 DT)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (68) (A 20 DTJ)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (68) (A 20 DTJ)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (68) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTi (68) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTi (68) (A 20 DTH)	Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTi (68) (A 20 DTH)	Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTi 4x4 (68) (A 20 DTH)	Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTi 4x4 (68) (A 20 DTH)	Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTi (68) (A 20 DTH)	Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (68) (A 20 DTH)	Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (68) (B 20 DTH)	Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi (68) (B 20 DTH)	Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (68) (B 20 DTH)	Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (68) (B 20 DTH)	Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTi (68) (A 20 DTR)	Diesel	FWD	1956	140	190	10.08-05.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTI (68) (A 20 DTR)	Diesel	FWD	1956	140	190	10.08-05.17	■
2.0 CDTI 4x4 (68) (A 20 DTR)	Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 CDTI 4x4 (68) (A 20 DTR)	Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 Biturbo CDTI (68) (A 20 DTR)	Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI (68) (A 20 DTR)	Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)	Diesel	4WD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI 4x4 (68) (A 20 DTR)	Diesel	4WD	1956	143	195	03.12-05.17	■
INSIGNIA Mk I (A) (G09) 07.08-05.17				Saloon (Executive car-E Segment)			
1.4 (69) (A 14 NET)	Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (69) (A 14 NET)	Gasolina	FWD	1364	103	140	04.11-05.17	■
1.6	Gasolina	FWD	1598	85	116	07.08-05.17	■
1.6	Gasolina	FWD	1598	85	116	07.08-05.17	■
1.6 (A 16 XER)	Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 (A 16 XER)	Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 Turbo (69) (A 16 LET)	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.6 Turbo (69) (A 16 LET)	Gasolina	FWD	1598	132	180	01.09-05.17	■
1.8 (69) (A 18 XER)	Gasolina	FWD	1796	103	140	07.08-05.17	■
1.8 (69) (A 18 XER)	Gasolina	FWD	1796	103	140	07.08-05.17	■
2.0 Turbo (69) (A 20 NFT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (69) (A 20 NFT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (69) (A 20 NHT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (69) (A 20 NHT)	Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo (69) (A 20 NHT)	Gasolina	FWD	1998	184	250	09.11-05.17	■
2.0 Turbo (69) (A 20 NHT)	Gasolina	FWD	1998	184	250	09.11-05.17	■
2.0 Turbo (69) (B 20 NHT)	Gasolina	FWD	1998	184	250	09.11-05.17	■
2.0 Turbo (69) (B 20 NHT)	Gasolina	FWD	1998	184	250	09.11-05.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	Gasolina	4WD	1998	184	250	09.11-05.17	■
2.0 Turbo 4x4 (69) (A 20 NHT)	Gasolina	4WD	1998	184	250	09.11-05.17	■
2.0 Turbo 4x4 (69) (B 20 NHT)	Gasolina	4WD	1998	184	250	09.11-05.17	■
2.0 Turbo 4x4 (69) (B 20 NHT)	Gasolina	4WD	1998	184	250	09.11-05.17	■
2.8 V6 Turbo 4x4 (69) (A 28 NET)	Gasolina	4WD	2792	191	260	07.08-05.17	■
2.8 V6 Turbo 4x4 (69) (A 28 NET)	Gasolina	4WD	2792	191	260	07.08-05.17	■
1.4 LPG (69) (A 14 NET)	Gasol./G as (LPG)	FWD	1364	103	140	07.12-05.17	■
1.4 LPG (69) (A 14 NET)	Gasol./G as (LPG)	FWD	1364	103	140	07.12-05.17	■
1.6 CDTi (69) (B 16 DTJ)	Diesel	FWD	1598	88	120	07.15-05.17	■
1.6 CDTi (69) (B 16 DTJ)	Diesel	FWD	1598	88	120	07.15-05.17	■
1.6 CDTi (69) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-05.17	■
1.6 CDTi (69) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTI (69)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTI (69)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTI (69) (A 20 DT)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (69) (A 20 DT)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (69) (A 20 DTJ)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (69) (A 20 DTJ)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTI (69) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTI (69) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTI (69) (A 20 DTH)	Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTI (69) (A 20 DTH)	Diesel	FWD	1956	118	160	07.08-05.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTI 4x4 (69) (A 20 DTH)		Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTI (69) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTI (69) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTI (69) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTI 4x4 (69) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTI 4x4 (69) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTI (69) (A 20 DTR)		Diesel	FWD	1956	140	190	11.08-05.17	■
2.0 CDTI (69) (A 20 DTR)		Diesel	FWD	1956	140	190	11.08-05.17	■
2.0 CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI (69) (A 20 DTR)		Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTI 4x4 (69) (A 20 DTR)		Diesel	4WD	1956	143	195	03.12-05.17	■
INSIGNIA Mk I (A) Country Tourer (G09) 07.08-05.17					Estate (Executive car-E Segment)			
1.6 Turbo (47) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (47) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (47) (B 16 SHL)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (47) (B 16 SHL)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 CDTi (47) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-05.17	■
1.6 CDTi (47) (B 16 DTH)		Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-05.17	■
2.0 CDTi (47) (A 20 DTH)		Diesel	4WD	1956	120	163	07.13-05.17	■
2.0 CDTi (47) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi (47) (B 20 DTH)		Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (47) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (47) (B 20 DTH)		Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 Biturbo CDTI 4x4 (47) (A 20 DTR)		Diesel	4WD	1956	143	195	09.13-05.17	■
2.0 Biturbo CDTI 4x4 (47) (A 20 DTR)		Diesel	4WD	1956	143	195	09.13-05.17	■
INSIGNIA Mk I (A) Sports Tourer (G09) 07.08-05.17					Estate (Executive car-E Segment)			
1.4 (35) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (35) (A 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (35) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.4 (35) (B 14 NET)		Gasolina	FWD	1364	103	140	04.11-05.17	■
1.6 (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 (A 16 XER)		Gasolina	FWD	1598	85	116	07.08-07.12	■
1.6 Turbo (35) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (35) (A 16 XHT)		Gasolina	FWD	1598	125	170	07.13-05.17	■
1.6 Turbo (35) (A 16 LET)		Gasolina	FWD	1598	132	180	01.09-05.17	■
1.6 Turbo (35) (A 16 LET)		Gasolina	FWD	1598	132	180	01.09-05.17	■
1.8 (35) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-05.17	■
1.8 (35) (A 18 XER)		Gasolina	FWD	1796	103	140	07.08-05.17	■
2.0 Turbo (35) (A 20 NFT)		Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (35) (A 20 NFT)		Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (35) (A 20 NHT)		Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo (35) (A 20 NHT)		Gasolina	FWD	1998	162	220	07.08-05.17	■
2.0 Turbo 4x4 (35) (A 20 NHT)		Gasolina	4WD	1998	162	220	07.08-05.17	■

LISTA DE APLICACIONES - BUYERS GUIDE

2.0 Turbo 4x4 (35) (A 20 NHT)	Gasolina	4WD	1998	162	220	07.08-05.17	■
2.0 Turbo (35) (A 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo (35) (A 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo (35) (B 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.0 Turbo (35) (B 20 NHT)	Gasolina	FWD	1998	184	250	07.11-05.17	■
2.8 V6 Turbo (35) (A 28 NET)	Gasolina	4WD	2792	191	260	08.08-05.17	■
2.8 V6 Turbo (35) (A 28 NET)	Gasolina	4WD	2792	191	260	08.08-05.17	■
1.4 LPG (35) (A 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■
1.4 LPG (35) (A 14 NET)	Gasol./Gas (LPG)	FWD	1364	103	140	07.12-05.17	■
1.6 CDTi (35) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-05.17	■
1.6 CDTi (35) (B 16 DTH)	Diesel	FWD	1598	100	136	07.15-05.17	■
2.0 CDTi (35) (A 20 DTC)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTi (35) (A 20 DTC)	Diesel	FWD	1956	81	110	07.08-05.17	■
2.0 CDTi (35) (A 20 DTE)	Diesel	FWD	1956	88	120	03.12-03.16	■
2.0 CDTi (35) (A 20 DTE)	Diesel	FWD	1956	88	120	03.12-03.16	■
2.0 CDTi (35) (A 20 DT)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (35) (A 20 DT)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (35) (A 20 DTJ)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (35) (A 20 DTJ)	Diesel	FWD	1956	96	130	07.08-12.14	■
2.0 CDTi (35) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTi (35) (A 20 DTE)	Diesel	FWD	1956	103	140	07.13-05.17	■
2.0 CDTi (35) (A 20 DTH)	Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTi (35) (A 20 DTH)	Diesel	FWD	1956	118	160	07.08-05.17	■
2.0 CDTi 4x4 (35) (A 20 DTH)	Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTi 4x4 (35) (A 20 DTH)	Diesel	4WD	1956	118	160	07.08-05.17	■
2.0 CDTi (35) (A 20 DTH)	Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (35) (A 20 DTH)	Diesel	FWD	1956	120	163	07.13-05.17	■
2.0 CDTi (35) (B 20 DTH)	Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi (35) (B 20 DTH)	Diesel	FWD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (35) (B 20 DTH)	Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTi 4x4 (35) (B 20 DTH)	Diesel	4WD	1956	125	170	11.14-05.17	■
2.0 CDTi (35) (A 20 DTR)	Diesel	FWD	1956	140	190	11.08-05.17	■
2.0 CDTi (35) (A 20 DTR)	Diesel	FWD	1956	140	190	11.08-05.17	■
2.0 CDTi 4x4 (35) (A 20 DTR)	Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 CDTi 4x4 (35) (A 20 DTR)	Diesel	4WD	1956	140	190	05.09-05.17	■
2.0 Biturbo CDTi (35) (A 20 DTR)	Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTi (35) (A 20 DTR)	Diesel	FWD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTi 4x4 (35) (A 20 DTR)	Diesel	4WD	1956	143	195	03.12-05.17	■
2.0 Biturbo CDTi 4x4 (35) (A 20 DTR)	Diesel	4WD	1956	143	195	03.12-05.17	■