


LISTA DE APLICACIONES - BUYERS GUIDE

610098 E C



Weight: 94

O.E.M.	MAKE
6832 0874	RENAULT TRUCKS
6832 0909	RENAULT TRUCKS



610098 E C



885 mm.

WVA

29065

29067

MAKE

RENAULT TRUCKS



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

RENAULT TRUCKS

Midliner 10.82-01.00							Dump Truck	
S 120.06/A,S 120.07/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.07/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.08/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 135.08/A (T 4.40 B/3)	Diesel		3990	102	139	02.94-05.96	■	
S 140.08/A,S 140.08/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 140.09/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 150.08/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	■	
S 150.09/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	■	
S 180.08/A,S 180.08/B (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	
S 180.09/B (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	
Midliner 10.82-01.00							Municipal Vehicle	
S 120.08/A (T 4.40)	Diesel		3990	82	112	09.92-11.92	■	
S 120.09/B BOM (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.09/A (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	■	
S 120.09/A (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	■	
S 120.09/A (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	■	
S 120.09/A (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	■	
S 120.09/B BOM (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	■	
S 120.09/B BOM (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	■	
S 160.09/B SP (MIDS 06.02.12 B)	Diesel		5490	117	159	01.90-09.93	■	
S 180.09/B SP (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	

LISTA DE APLICACIONES - BUYERS GUIDE

Midliner 10.82-01.00					Platform/Chassis			
S 120.06/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.07/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.07/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.08/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.08/A (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.09/B CIT (T 4.40)	Diesel		3990	82	112	09.90-11.92	■	
S 120.06/A,S 120.07/A (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	■	
S 120.06/A,S 120.07/A (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	■	
S 120.07/A (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	■	
S 120.07/A (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	■	
S 120.08/A (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	■	
S 120.08/A (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	■	
S 120.09/B (T 4.40 A/3)	Diesel		3990	88	120	11.92-10.94	■	
S 120.09/B (T 4.40 CC)	Diesel		3990	88	120	11.92-10.94	■	
S 135.08/A,S 150.08/A (MIDR 04.02.26 A/41)	Diesel		4118	100	136	05.96-01.00	■	
S 135.08/A,S 150.08/A (MIDR 04.02.26 B/41)	Diesel		4118	100	136	05.96-01.00	■	
S 135.08/A,S 150.08/A (MIDR 04.02.26 A/41)	Diesel		4118	100	136	05.96-01.00	■	
S 135.08/A,S 150.08/A (MIDR 04.02.26 B/41)	Diesel		4118	100	136	05.96-01.00	■	
S 135.09/B,S 150.09/B (MIDR 04.02.26 A/41)	Diesel		4118	100	136	05.96-01.00	■	
S 135.09/B,S 150.09/B (MIDR 04.02.26 B/41)	Diesel		4118	100	136	05.96-01.00	■	
S 150.09/B,S 135.09/B (MIDR 04.02.26 A/41)	Diesel		4118	100	136	05.96-01.00	■	
S 150.09/B,S 135.09/B (MIDR 04.02.26 B/41)	Diesel		4118	100	136	05.96-01.00	■	
S 140.07/A (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 140.07/A (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 140.08/A,S 140.08/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 140.08/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 140.09/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 140.09/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 140.09/B (MIDS 06.02.12 C)	Diesel		5490	103	140	01.90-09.93	■	
S 150.08/A,S 150.08/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	■	
S 150.09/B (MIDS 06.02.12 D/3)	Diesel		5490	110	150	01.94-05.96	■	
S 160.08/A,S 160.08/B (MIDS 06.02.12 B)	Diesel		5490	117	159	01.90-09.93	■	
S 160.08/B (MIDS 06.02.12 B)	Diesel		5490	117	159	01.90-09.93	■	
S 160.09/B (MIDS 06.02.12 B)	Diesel		5490	117	159	01.90-09.93	■	
S 160.09/B (MIDS 06.02.12 B)	Diesel		5490	117	159	01.90-09.93	■	
S 150.08/A (MIDR 06.02.26 U)	Diesel		6174	110	150	11.92-01.94	■	
S 150.09/B (MIDR 06.02.26 U)	Diesel		6174	110	150	11.92-01.94	■	
S 150.09/B (MIDR 06.02.26 U)	Diesel		6174	110	150	11.92-01.94	■	
S 150.08/A (MIDR 06.02.26 U/4)	Diesel		6177	110	150	05.96-01.00	■	
S 150.08/A (MIDR 06.02.26 U/4)	Diesel		6177	110	150	05.96-01.00	■	
S 150.08/B (MIDR 06.02.26 U)	Diesel		6177	110	150	11.92-01.94	■	
S 150.09/B (MIDR 06.02.26 U/4)	Diesel		6177	110	150	05.96-01.00	■	
S 150.09/B (MIDR 06.02.26 U/4)	Diesel		6177	110	150	05.96-01.00	■	
S 180.08/A (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	
S 180.08/A,S 180.08/B (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	
S 180.09/B (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	
S 180.09/B (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	
S 180.09/B (MIDR 06.02.26 V)	Diesel		6177	129	175	11.92-10.96	■	
S 180.08/A (MIDR 06.02.26 V/41)	Diesel		6177	132	180	05.96-01.00	■	
S 180.08/A (MIDR 06.02.26 V/41)	Diesel		6177	132	180	05.96-01.00	■	

LISTA DE APLICACIONES - BUYERS GUIDE

S 180.09/B (MIDR 06.02.26 V/41)	Diesel		6177	132	180	05.96-01.00	■
S 180.09/B (MIDR 06.02.26 V/41)	Diesel		6177	132	180	05.96-01.00	■
S 210.08/A (MIDR 06.02.26 W)	Diesel		6177	151	205	04.95-01.00	■
S 210.08/A (MIDR 06.02.26 W/41)	Diesel		6177	151	205	04.95-01.00	■
S 210.08/A (MIDR 06.02.26 W)	Diesel		6177	151	205	04.95-01.00	■
S 210.08/A (MIDR 06.02.26 W/41)	Diesel		6177	151	205	04.95-01.00	■
S 210.09/B (MIDR 06.02.26 W)	Diesel		6177	151	205	04.95-01.00	■
S 210.09/B (MIDR 06.02.26 W/41)	Diesel		6177	151	205	04.95-01.00	■
S 210.09/B (MIDR 06.02.26 W)	Diesel		6177	151	205	04.95-01.00	■
S 210.09/B (MIDR 06.02.26 W/41)	Diesel		6177	151	205	04.95-01.00	■