



LISTA DE APLICACIONES - BUYERS GUIDE

78BD3417-2



Weight: 20.192

O.E.M.	MAKE
34 11 6 792 221	BMW



78BD3417-2



Ø330x24x73

MAKE
BMW



Trac.	CC	Kw	CV	
				Front / Rear

BMW

					Convertible (Compact car-C Segment)			
2 Serie (F23) 03.14-								
228 i (N20 B20 A)	not M technique	Gasolina	RWD	1997	180	245	11.14-06.16	■
M 235 i (N55 B30 A)		Gasolina	RWD	2979	240	326	11.14-06.16	■
2 Serie (F22, F87) 10.12-					Coupe (Compact car-C Segment)			
228 i (N20 B20 A)	not M technique	Gasolina	RWD	1997	180	245	07.14-06.16	■
228 i (N26 B20 A)	not M technique	Gasolina	RWD	1997	180	245	07.14-06.16	■
3 Serie VI (F30, F80) 11.11-10.18					Saloon (Compact executive car-D Segment)			
328i (N20 B20 A)		Gasolina	RWD	1997	160	218	11.11-06.15	■
328i (N20 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	11.11-10.18	■
328i (N20 B20 C)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	11.11-10.18	■
328i (N26 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	11.11-10.18	■
328 i xDrive (N20 B20 A)	not M technique, not Performance brak	Gasolina	4WD	1997	180	245	07.12-08.16	■
328 i xDrive (N26 B20 A)	not M technique, not Performance brak	Gasolina	4WD	1997	180	245	07.12-08.16	■
330i (B46 B20 B)	not M technique	Gasolina	RWD	1998	185	252	07.15-10.18	■
330i (B48 B20 B)	not M technique	Gasolina	RWD	1998	185	252	07.15-10.18	■
330 i xDrive (B46 B20 B)	not M technique	Gasolina	4WD	1998	185	252	07.15-10.18	■
330 i xDrive (B48 B20 A)	not M technique	Gasolina	4WD	1998	185	252	07.15-10.18	■
330 i xDrive (B48 B20 B)	not M technique	Gasolina	4WD	1998	185	252	07.15-10.18	■
325 d (N47 D20 D)	not M technique, not Performance brak	Diesel	RWD	1995	160	218	03.13-02.16	■
325 d (B47 D20 B)	not M technique	Diesel	RWD	1995	165	224	03.16-02.18	■

LISTA DE APLICACIONES - BUYERS GUIDE

330 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	190	258	07.12-10.18	■
330 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	190	258	03.13-10.18	■
330 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	210	286	07.12-10.18	■
330 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	210	286	03.13-10.18	■
3 Serie VI GRAN TURISMO (F34) 07.12-					Hatchback (Compact executive car-D Segment)			
328i (N20 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	03.13-06.16	■
328i (N26 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	03.13-06.16	■
328 i xDrive (N20 B20 A)	not M technique	Gasolina	4WD	1997	180	245	07.13-06.16	■
328 i xDrive (N26 B20 A)	not M technique	Gasolina	4WD	1997	180	245	07.13-06.16	■
330 i xDrive (B48 B20 B)		Gasolina	4WD	1998	183	249	07.16-	■
330i (B48 B20 B)		Gasolina	RWD	1998	185	252	07.16-	■
330 i xDrive (B46 B20 B)		Gasolina	4WD	1998	185	252	07.16-	■
330 i xDrive (B48 B20 B)		Gasolina	4WD	1998	185	252	07.16-	■
335 i (N55 B30 A)		Gasolina	RWD	2979	225	306	03.13-06.16	■
335 i xDrive (N55 B30 A)		Gasolina	4WD	2979	225	306	07.13-06.16	■
335 i (N55 B30 A)		Gasolina	RWD	2979	240	326	03.13-03.14	■
335 i xDrive (N55 B30 A)		Gasolina	4WD	2979	240	326	03.13-03.14	■
335 i (N55 B30 A)		Gasolina	RWD	2979	250	340	04.14-06.16	■
335 i xDrive (N55 B30 A)		Gasolina	4WD	2979	250	340	04.14-06.16	■
325 d (N47 D20 D)	not M technique	Diesel	RWD	1995	160	218	07.13-06.16	■
325 d (B47 D20 B)		Diesel	RWD	1995	165	224	07.16-02.18	■
330 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	190	258	03.14-	■
330 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	190	258	03.14-	■
330 d (N57 D30 A)	not M technique	Diesel	RWD	2993	210	286	03.14-	■
330 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	210	286	03.14-	■
335 d xDrive (N57 D30 B)	not M technique, not Performance brak	Diesel	4WD	2993	230	313	03.14-	■
3 Serie VI Touring (F31) 07.12-06.19					Estate (Compact executive car-D Segment)			
328i (N20 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	07.12-06.15	■
328 i xDrive (N20 B20 A)	not M technique, not Performance brak	Gasolina	4WD	1997	180	245	03.13-06.16	■
330 i xDrive (B48 B20 A)	not M technique	Gasolina	4WD	1998	185	252	07.15-06.19	■
330 i xDrive (B48 B20 B)	not M technique	Gasolina	4WD	1998	185	252	07.15-06.19	■
325 d (N47 D20 D)	not M technique, not Performance brak	Diesel	RWD	1995	160	218	03.13-02.16	■
325 d (B47 D20 B)	not M technique	Diesel	RWD	1995	165	224	03.16-02.18	■
330 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	190	258	07.12-06.19	■
330 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	190	258	03.13-06.19	■
330 d (N57 D30 A)	not M technique	Diesel	RWD	2993	210	286	07.12-06.19	■
330 d M Performance Power Kit xDrive (N57 D30 A)	not M technique	Diesel	4WD	2993	210	286	03.13-06.19	■
3 Serie VI Touring Van (F31) 07.12-06.19					Estate Van (Compact executive car-D Segment)			
330i (B48 B20 A)	not M technique	Gasolina	RWD	1998	185	252	07.15-06.19	■
330 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	190	258	07.12-06.19	■
330 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	190	258	03.13-06.19	■

LISTA DE APLICACIONES - BUYERS GUIDE

4 Serie (F33, F83) 10.13-					Convertible (Compact executive car-D Segment)			
428 i (N20 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	11.13-02.17	■
428 i (N26 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	11.13-02.17	■
428 i xDrive (N20 B20 A)	not M technique, not Performance brak	Gasolina	4WD	1997	180	245	03.14-02.16	■
428 i xDrive (N26 B20 A)	not M technique, not Performance brak	Gasolina	4WD	1997	180	245	03.14-02.16	■
430 i (B46 B20 B)	not M technique	Gasolina	RWD	1998	185	252	03.16-07.20	■
430 i (B48 B20 B)	not M technique	Gasolina	RWD	1998	185	252	03.16-07.20	■
430 i xDrive (B46 B20 B)	not M technique	Gasolina	4WD	1998	185	252	03.16-07.20	■
430 i xDrive (B48 B20 B)	not M technique	Gasolina	4WD	1998	185	252	03.16-07.20	■
435 i xDrive (N55 B30 A)	not M technique	Gasolina	4WD	2979	225	306	07.14-02.16	■
425 d (N47 D20 D)		Diesel	RWD	1995	155	211	07.14-02.16	■
425 d (N47 D20 D)	not M technique	Diesel	RWD	1995	160	218	07.14-02.16	■
425 d (B47 D20 B)	not M technique	Diesel	RWD	1995	165	224	03.16-02.18	■
430 d (N57 D30 A)	not M technique	Diesel	RWD	2993	190	258	07.14-07.20	■
430 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	210	286	07.14-07.20	■
4 Serie (F32, F82) 07.13-					Coupe (Compact executive car-D Segment)			
428 i (N20 B20 A)	not M technique	Gasolina	RWD	1997	180	245	07.13-02.17	■
428 i (N26 B20 A)	not M technique	Gasolina	RWD	1997	180	245	07.13-02.17	■
428 i (N20 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	03.14-06.16	■
428 i (N26 B20 A)	not M technique, not Performance brak	Gasolina	RWD	1997	180	245	03.14-06.16	■
428 i xDrive (N20 B20 A)	not M technique	Gasolina	4WD	1997	180	245	07.13-02.16	■
428 i xDrive (N26 B20 A)	not M technique	Gasolina	4WD	1997	180	245	07.13-02.16	■
428 i xDrive (N20 B20 A)	not M technique, not Performance brak	Gasolina	4WD	1997	180	245	03.14-02.16	■
428 i xDrive (N26 B20 A)	not M technique, not Performance brak	Gasolina	4WD	1997	180	245	03.14-02.16	■
430 i (B48 B20 B)		Gasolina	RWD	1998	183	249	03.16-06.20	■
430 i xDrive (B48 B20 B)		Gasolina	4WD	1998	183	249	03.16-06.20	■
430 i xDrive (B48 B20 B)		Gasolina	4WD	1998	183	249	03.16-05.21	■
430 i (B46 B20 B)	not M technique	Gasolina	RWD	1998	185	252	03.16-06.20	■
430 i (B48 B20 B)	not M technique	Gasolina	RWD	1998	185	252	03.16-06.20	■
430 i (B46 B20 B)	not M technique, not Performance brak	Gasolina	RWD	1998	185	252	03.16-05.21	■
430 i (B48 B20 B)	not M technique, not Performance brak	Gasolina	RWD	1998	185	252	03.16-05.21	■
430 i xDrive (B46 B20 B)	not M technique, not Performance brak	Gasolina	4WD	1998	185	252	03.16-06.20	■
430 i xDrive (B48 B20 B)	not M technique, not Performance brak	Gasolina	4WD	1998	185	252	03.16-06.20	■
425 d (B47 D20 B)		Diesel	RWD	1995	155	211	03.16-02.18	■
425 d (N47 D20 D)	not M technique, not Performance brak	Diesel	RWD	1995	160	218	03.14-02.16	■
425 d (B47 D20 B)	not M technique	Diesel	RWD	1995	165	224	03.16-10.17	■
425 d (B47 D20 B)	not M technique, not Performance brak	Diesel	RWD	1995	165	224	03.16-02.18	■
430 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	190	258	11.13-06.20	■
430 d (N57 D30 A)	not M technique	Diesel	RWD	2993	190	258	07.14-12.20	■
430 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	190	258	03.14-06.20	■
430 d xDrive (N57 D30 A)	not M technique	Diesel	4WD	2993	190	258	07.14-12.20	■
430 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	210	286	11.13-06.20	■

LISTA DE APLICACIONES - BUYERS GUIDE

430 d (N57 D30 A)	not M technique, not Performance brak	Diesel	RWD	2993	210	286	07.14-12.20	■
430 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	210	286	03.14-06.20	■
430 d xDrive (N57 D30 A)	not M technique, not Performance brak	Diesel	4WD	2993	210	286	07.14-12.20	■