


# LISTA DE APLICACIONES - BUYERS GUIDE

## 78BD5500-1



Weight: 4.550

| O.E.M.        | MAKE          |
|---------------|---------------|
| 115 420 00 72 | MERCEDES-BENZ |
| 115 423 02 12 | MERCEDES-BENZ |
| 115 423 04 12 | MERCEDES-BENZ |
| 126 423 00 12 | MERCEDES-BENZ |



## 78BD5500-1

E1 90R-02C0241/0160



Ø279x10x69.5

| MAKE          |
|---------------|
| MERCEDES-BENZ |



| Trac. | CC | Kw | CV |
|-------|----|----|----|
|-------|----|----|----|



Front / Rear

### MERCEDES-BENZ

#### /8 (W114) 04.69-02.77

#### Coupe (Executive car-E Segment)

|                                 |          |     |      |     |     |             |   |
|---------------------------------|----------|-----|------|-----|-----|-------------|---|
| 250 C (114.021) (M 114.920)     | Gasolina | RWD | 2496 | 96  | 130 | 04.69-06.72 | ■ |
| 250 CE (114.022) (M 114.980)    | Gasolina | RWD | 2496 | 110 | 150 | 04.69-04.72 | ■ |
| 280 C (114.073) (M 110.921)     | Gasolina | RWD | 2746 | 118 | 160 | 06.72-02.77 | ■ |
| 280 CE (114.072) (M 110.981)    | Gasolina | RWD | 2746 | 136 | 185 | 06.72-01.77 | ■ |
| 250 C 2.8 (114.023) (M 130.923) | Gasolina | RWD | 2778 | 96  | 130 | 06.72-11.76 | ■ |

#### /8 (W114) 01.68-11.76

#### Saloon (Executive car-E Segment)

|                                                                  |          |     |      |     |     |             |   |
|------------------------------------------------------------------|----------|-----|------|-----|-----|-------------|---|
| 200 (115.015) (M 115.923)                                        | Gasolina | RWD | 1988 | 63  | 86  | 01.68-01.77 | ■ |
| 200 (115.015) (M 115.926)                                        | Gasolina | RWD | 1988 | 63  | 86  | 01.68-01.77 | ■ |
| 200 (115.020) (M 115.923)                                        | Gasolina | RWD | 1988 | 70  | 95  | 01.68-01.77 | ■ |
| 200 (115.020) (M 115.926)                                        | Gasolina | RWD | 1988 | 70  | 95  | 01.68-01.77 | ■ |
| 220 (115.010) (M 115.924)                                        | Gasolina | RWD | 2200 | 66  | 90  | 01.68-07.73 | ■ |
| 220 (115.010) (M 115.920)                                        | Gasolina | RWD | 2200 | 77  | 105 | 01.68-07.73 | ■ |
| 230.6 (114.015) (M 180.954)                                      | Gasolina | RWD | 2292 | 88  | 120 | 01.68-11.76 | ■ |
| 230.4 (115.017) (M 115.951)                                      | Gasolina | RWD | 2307 | 81  | 110 | 08.73-12.76 | ■ |
| 250 (114.010) (M 114.920)                                        | Gasolina | RWD | 2496 | 85  | 116 | 01.68-08.72 | ■ |
| 250 (114.024, 114.010) (M 114.920)                               | Gasolina | RWD | 2496 | 96  | 130 | 07.68-08.72 | ■ |
| 280 (114.060) (M 110.921)                                        | Gasolina | RWD | 2746 | 118 | 160 | 06.72-11.76 | ■ |
| 280 E (114.062) (M 110.981)                                      | Gasolina | RWD | 2746 | 136 | 185 | 06.72-11.76 | ■ |
| 250 2.8 (114.011, 114.023) (M 130.923)                           | Gasolina | RWD | 2778 | 96  | 130 | 06.72-11.76 | ■ |
| 200 D (115.115) (OM 615.913)                                     | Diesel   | RWD | 1988 | 40  | 55  | 01.68-01.77 | ■ |
| 220 D (115.110) (OM 615.912)                                     | Diesel   | RWD | 2197 | 44  | 60  | 01.68-01.77 | ■ |
| 240 D (115.117, 115.105, 115.107, 115.108, 115.119) (OM 616.916) | Diesel   | RWD | 2404 | 48  | 65  | 08.73-01.77 | ■ |

# LISTA DE APLICACIONES - BUYERS GUIDE

|                                           |          |     |      |                                           |     |             |   |
|-------------------------------------------|----------|-----|------|-------------------------------------------|-----|-------------|---|
| 240 D 3.0 (115.114) (OM 617.910)          | Diesel   | RWD | 2998 | 59                                        | 80  | 08.74-11.76 | ■ |
| <b>123 (C123) 03.77-12.85</b>             |          |     |      | <b>Coupe (Executive car-E Segment)</b>    |     |             |   |
| 230 CE (123.243) (M 102.980)              | Gasolina | RWD | 2299 | 100                                       | 136 | 04.80-12.85 | ■ |
| 230 C (123.043) (M 115.954)               | Gasolina | RWD | 2307 | 80                                        | 109 | 05.77-04.80 | ■ |
| 280 C (123.050) (M 110.923)               | Gasolina | RWD | 2746 | 115                                       | 156 | 03.77-03.80 | ■ |
| 280 CE (123.053) (M 110.988)              | Gasolina | RWD | 2746 | 130                                       | 177 | 09.77-08.79 | ■ |
| 280 CE (123.053) (M 110.988)              | Gasolina | RWD | 2746 | 136                                       | 185 | 03.77-11.85 | ■ |
| 300 C Turbo-D (123.153) (OM 617.952)      | Diesel   | RWD | 2998 | 92                                        | 125 | 09.81-07.85 | ■ |
| <b>123 (W123) 01.76-12.85</b>             |          |     |      | <b>Saloon (Executive car-E Segment)</b>   |     |             |   |
| 200 (123.020) (M 115.938)                 | Gasolina | RWD | 1988 | 62                                        | 84  | 02.76-08.80 | ■ |
| 200 (123.020) (M 115.939)                 | Gasolina | RWD | 1988 | 62                                        | 84  | 02.76-08.80 | ■ |
| 200 (123.020) (M 115.938)                 | Gasolina | RWD | 1988 | 69                                        | 94  | 02.76-08.80 | ■ |
| 200 (123.020) (M 115.939)                 | Gasolina | RWD | 1988 | 69                                        | 94  | 02.76-08.80 | ■ |
| 200 (123.220) (M 102.939)                 | Gasolina | RWD | 1996 | 74                                        | 101 | 06.80-11.85 | ■ |
| 200 (123.220) (M 102.920)                 | Gasolina | RWD | 1996 | 80                                        | 109 | 06.80-11.85 | ■ |
| 230 E (123.223) (M 102.980)               | Gasolina | RWD | 2299 | 100                                       | 136 | 04.80-12.85 | ■ |
| 230 (123.023) (M 115.954)                 | Gasolina | RWD | 2307 | 80                                        | 109 | 02.76-03.81 | ■ |
| 250 (123.026) (M 123.921)                 | Gasolina | RWD | 2525 | 95                                        | 129 | 02.76-10.79 | ■ |
| 250 (123.026) (M 123.921)                 | Gasolina | RWD | 2525 | 103                                       | 140 | 10.79-07.85 | ■ |
| 280 (123.030) (M 110.923)                 | Gasolina | RWD | 2746 | 115                                       | 156 | 02.76-08.81 | ■ |
| 280 E (123.033) (M 110.988)               | Gasolina | RWD | 2746 | 130                                       | 177 | 08.76-08.81 | ■ |
| 280 E (123.033) (M 110.984)               | Gasolina | RWD | 2746 | 136                                       | 185 | 02.76-11.85 | ■ |
| 280 E (123.033) (M 110.988)               | Gasolina | RWD | 2746 | 136                                       | 185 | 02.76-11.85 | ■ |
| 200 D (123.120) (OM 615.940)              | Diesel   | RWD | 1988 | 40                                        | 55  | 07.76-02.79 | ■ |
| 200 D (123.120) (OM 615.940)              | Diesel   | RWD | 1988 | 44                                        | 60  | 03.79-11.85 | ■ |
| 220 D (123.126) (OM 615.941)              | Diesel   | RWD | 2197 | 44                                        | 60  | 01.76-02.79 | ■ |
| 220 D (123.126) (OM 615.941)              | Diesel   | RWD | 2197 | 49                                        | 67  | 01.77-03.79 | ■ |
| 240 D (123.123) (OM 616.912)              | Diesel   | RWD | 2399 | 48                                        | 65  | 02.76-02.79 | ■ |
| 240 D (123.123) (OM 616.912)              | Diesel   | RWD | 2399 | 53                                        | 72  | 03.79-11.85 | ■ |
| 300 D (123.130) (OM 617.912)              | Diesel   | RWD | 2998 | 59                                        | 80  | 02.76-07.80 | ■ |
| 300 D (123.130) (OM 617.912)              | Diesel   | RWD | 2998 | 65                                        | 88  | 03.79-11.85 | ■ |
| 300 Turbo-D (123.133) (OM 617.952)        | Diesel   | RWD | 2998 | 92                                        | 125 | 08.81-07.85 | ■ |
| <b>123 T-Model (S123) 09.77-12.86</b>     |          |     |      | <b>Estate (Executive car-E Segment)</b>   |     |             |   |
| 200 T (123.280) (M 102.939)               | Gasolina | RWD | 1997 | 74                                        | 101 | 11.80-11.85 | ■ |
| 200 T (123.280) (M 102.920)               | Gasolina | RWD | 1997 | 80                                        | 109 | 11.80-11.85 | ■ |
| 230 TE (123.283) (M 102.980)              | Gasolina | RWD | 2299 | 100                                       | 136 | 04.80-11.85 | ■ |
| 230 T (123.083) (M 115.954)               | Gasolina | RWD | 2307 | 80                                        | 109 | 09.77-03.80 | ■ |
| 250 T (123.086) (M 123.921)               | Gasolina | RWD | 2525 | 95                                        | 129 | 05.78-10.79 | ■ |
| 250 T (123.086) (M 123.921)               | Gasolina | RWD | 2525 | 103                                       | 140 | 05.78-08.82 | ■ |
| 280 TE (123.093) (M 110.988)              | Gasolina | RWD | 2746 | 136                                       | 185 | 09.77-11.85 | ■ |
| 240 T D (123.183) (OM 616.912)            | Diesel   | RWD | 2399 | 48                                        | 65  | 09.77-02.79 | ■ |
| 240 T D (123.183) (OM 616.912)            | Diesel   | RWD | 2399 | 53                                        | 72  | 03.79-12.85 | ■ |
| 300 T D (123.190) (OM 617.912)            | Diesel   | RWD | 2998 | 59                                        | 80  | 09.77-10.85 | ■ |
| 300 T D (123.190) (OM 617.912)            | Diesel   | RWD | 2998 | 65                                        | 88  | 03.79-11.85 | ■ |
| 300 T Turbo-D (123.193) (OM 617.952)      | Diesel   | RWD | 2998 | 92                                        | 125 | 10.80-11.85 | ■ |
| <b>CABRIOLET (W111, W112) 09.61-12.71</b> |          |     |      | <b>Convertible (Luxury car-F Segment)</b> |     |             |   |
| 280 SE 3.5 (111.025) (M 116.980)          | Gasolina | RWD | 3499 | 147                                       | 200 | 04.68-12.71 | ■ |
| <b>COUPE II (W111, W112) 01.61-12.71</b>  |          |     |      | <b>Coupe (Executive car-E Segment)</b>    |     |             |   |
| 250 SE (111.021) (M 129.980)              | Gasolina | RWD | 2496 | 110                                       | 150 | 01.65-12.67 | ■ |
| 250 SE (111.021) (M 129.981)              | Gasolina | RWD | 2496 | 110                                       | 150 | 01.65-12.67 | ■ |

# LISTA DE APLICACIONES - BUYERS GUIDE

|                                                |        |          |     |      |                                                 |     |             |   |
|------------------------------------------------|--------|----------|-----|------|-------------------------------------------------|-----|-------------|---|
| 280 SE (111.024) (M 130.980)                   |        | Gasolina | RWD | 2778 | 118                                             | 160 | 01.67-12.71 | ■ |
| 280 SE (111.024) (M 130.984)                   |        | Gasolina | RWD | 2778 | 118                                             | 160 | 01.67-12.71 | ■ |
| 280 SE 3.5 (111.026) (M 116.980)               |        | Gasolina | RWD | 3499 | 147                                             | 200 | 01.69-12.71 | ■ |
| <b>HECKFLOSSE (W110) 08.59-02.68</b>           |        |          |     |      | <b>Saloon (Compact executive car-D Segment)</b> |     |             |   |
| 200 (110.010) (M 121.940)                      |        | Gasolina | RWD | 1988 | 61                                              | 83  | 07.65-02.68 | ■ |
| 200 D (110.110) (OM 621.918)                   |        | Diesel   | RWD | 1971 | 40                                              | 55  | 07.65-02.68 | ■ |
| <b>PAGODE (W113) 01.63-12.71</b>               |        |          |     |      | <b>Convertible (Luxury car-F Segment)</b>       |     |             |   |
| 230 SL (113.042) (M 127.981)                   | 06/65- | Gasolina | RWD | 2306 | 110                                             | 150 | 01.63-01.67 | ■ |
| 250 SL (113.043) (M 129.982)                   |        | Gasolina | RWD | 2496 | 110                                             | 150 | 01.66-01.68 | ■ |
| 280 SL (113.044) (M 130.983)                   |        | Gasolina | RWD | 2780 | 125                                             | 170 | 01.68-03.71 | ■ |
| <b>S-Class (W108, W109) 01.66-08.72</b>        |        |          |     |      | <b>Saloon (Luxury car-F Segment)</b>            |     |             |   |
| 250 S (108.012) (M 108.920)                    |        | Gasolina | RWD | 2496 | 96                                              | 130 | 01.66-12.69 | ■ |
| 250 SE (108.014) (M 129.980)                   |        | Gasolina | RWD | 2496 | 110                                             | 150 | 01.66-12.67 | ■ |
| 280 S (116.020) (M 110.922)                    |        | Gasolina | RWD | 2746 | 115                                             | 156 | 08.72-07.80 | ■ |
| 280 S (116.020) (M 110.922)                    |        | Gasolina | RWD | 2746 | 118                                             | 160 | 08.72-07.80 | ■ |
| 280 SE, SEL (116.024, 116.025) (M 110.985)     |        | Gasolina | RWD | 2746 | 130                                             | 177 | 08.72-07.80 | ■ |
| 280 SE, SEL (116.024, 116.025) (M 110.983)     |        | Gasolina | RWD | 2746 | 136                                             | 185 | 08.72-07.80 | ■ |
| 280 SE, SEL (116.024, 116.025) (M 110.985)     |        | Gasolina | RWD | 2746 | 136                                             | 185 | 08.72-07.80 | ■ |
| 280 SE, SEL (108.018, 108.019) (M 130.980)     |        | Gasolina | RWD | 2778 | 118                                             | 160 | 01.68-08.72 | ■ |
| 300 SEL (109.016) (M 130.981)                  |        | Gasolina | RWD | 2778 | 125                                             | 170 | 01.68-08.72 | ■ |
| 280 S (108.016) (M 130.920)                    |        | Gasolina | RWD | 2780 | 103                                             | 140 | 10.67-07.72 | ■ |
| 350 SE, SEL (116.028, 116.029) (M 116.985)     |        | Gasolina | RWD | 3499 | 143                                             | 194 | 03.76-03.80 | ■ |
| 280 SE, SEL 3.5 (108.057, 108.058) (M 116.980) |        | Gasolina | RWD | 3499 | 147                                             | 200 | 03.71-08.72 | ■ |
| 300 SEL 3.5 (109.056) (M 116.981)              |        | Gasolina | RWD | 3499 | 147                                             | 200 | 01.70-07.72 | ■ |
| 350 SE, SEL (116.028, 116.029) (M 116.983)     | -07/75 | Gasolina | RWD | 3499 | 147                                             | 200 | 08.72-02.76 | ■ |
| 350 SE, SEL (116.028, 116.029) (M 116.985)     |        | Gasolina | RWD | 3499 | 151                                             | 205 | 03.76-03.80 | ■ |
| 450 SE (M 117.983)                             |        | Gasolina | RWD | 4520 | 143                                             | 194 | 08.72-12.76 | ■ |
| 450 SE,SEL (116.033) (M 117.983)               |        | Gasolina | RWD | 4520 | 160                                             | 218 | 12.75-04.80 | ■ |
| 450 SE,SEL (116.033) (M 117.986)               |        | Gasolina | RWD | 4520 | 160                                             | 218 | 12.75-04.80 | ■ |
| 450 SE, SEL (116.032) (M 117.983)              | 01/76- | Gasolina | RWD | 4520 | 165                                             | 224 | 01.73-04.80 | ■ |
| 450 SE, SEL (116.032) (M 117.986)              | 01/76- | Gasolina | RWD | 4520 | 165                                             | 224 | 01.73-04.80 | ■ |
| 300 SEL 6.3 (109.018) (M 100.981)              |        | Gasolina | RWD | 6332 | 184                                             | 250 | 03.68-08.72 | ■ |
| 450 SEL 6.9 (116.036) (M 100.985)              |        | Gasolina | RWD | 6834 | 210                                             | 286 | 07.75-03.80 | ■ |
| <b>S-Class II (C126) 08.80-06.91</b>           |        |          |     |      | <b>Coupe (Luxury car-F Segment)</b>             |     |             |   |
| 380 SEC (126.043) (M 116.963)                  |        | Gasolina | RWD | 3839 | 150                                             | 204 | 10.81-07.85 | ■ |
| 420 SEC (126.046) (M 116.965)                  |        | Gasolina | RWD | 4196 | 150                                             | 204 | 10.85-06.91 | ■ |
| 420 SEC (126.046) (M 116.965)                  |        | Gasolina | RWD | 4196 | 160                                             | 218 | 10.85-12.87 | ■ |
| 420 SEC (126.046) (M 116.965)                  |        | Gasolina | RWD | 4196 | 165                                             | 224 | 10.85-06.91 | ■ |
| 420 SEC (126.046) (M 116.965)                  |        | Gasolina | RWD | 4196 | 170                                             | 231 | 09.86-06.91 | ■ |
| 500 SEC (126.044) (M 117.965)                  |        | Gasolina | RWD | 4973 | 164                                             | 223 | 10.85-06.91 | ■ |
| 500 SEC (126.044) (M 117.963)                  |        | Gasolina | RWD | 4973 | 170                                             | 231 | 10.81-08.85 | ■ |
| 500 SEC (126.044) (M 117.963)                  |        | Gasolina | RWD | 4973 | 177                                             | 241 | 08.80-08.85 | ■ |
| 500 SEC (126.044) (M 117.965)                  |        | Gasolina | RWD | 4973 | 180                                             | 245 | 09.85-06.91 | ■ |
| 500 SEC (126.044) (M 117.965)                  |        | Gasolina | RWD | 4973 | 185                                             | 252 | 08.87-06.91 | ■ |
| 500 SEC Cat (126.044) (M 117.965)              |        | Gasolina | RWD | 4973 | 185                                             | 252 | 06.89-06.91 | ■ |
| 500 SEC (126.044) (M 117.965)                  |        | Gasolina | RWD | 4973 | 195                                             | 265 | 09.85-06.91 | ■ |
| 560 SEC (126.045) (M 117.968)                  |        | Gasolina | RWD | 5547 | 178                                             | 242 | 10.85-06.91 | ■ |
| 560 SEC (126.045) (M 117.968)                  |        | Gasolina | RWD | 5547 | 200                                             | 272 | 10.85-12.87 | ■ |
| 560 SEC (126.045) (M 117.968)                  |        | Gasolina | RWD | 5547 | 205                                             | 279 | 10.85-06.91 | ■ |

# LISTA DE APLICACIONES - BUYERS GUIDE

|                                                |        |          |     |      |                                              |     |             |   |
|------------------------------------------------|--------|----------|-----|------|----------------------------------------------|-----|-------------|---|
| 560 SEC (126.045) (M 117.968)                  |        | Gasolina | RWD | 5547 | 220                                          | 300 | 10.85-12.89 | ■ |
| <b>S-Class II (W126) 10.79-06.91</b>           |        |          |     |      | <b>Saloon (Luxury car-F Segment)</b>         |     |             |   |
| 260 SE (126.020) (M 103.941)                   |        | Gasolina | RWD | 2599 | 118                                          | 160 | 09.85-06.91 | ■ |
| 260 SE (126.020) (M 103.941)                   |        | Gasolina | RWD | 2599 | 122                                          | 166 | 09.85-06.91 | ■ |
| 280 S (126.021) (M 110.924)                    |        | Gasolina | RWD | 2746 | 115                                          | 156 | 12.79-07.85 | ■ |
| 280 S (126.021) (M 110.926)                    |        | Gasolina | RWD | 2746 | 115                                          | 156 | 12.79-07.85 | ■ |
| 280 SE, SEL (126.022, 126.023) (M 110.987)     |        | Gasolina | RWD | 2746 | 136                                          | 185 | 10.79-07.85 | ■ |
| 280 SE, SEL (126.022, 126.023) (M 110.989)     |        | Gasolina | RWD | 2746 | 136                                          | 185 | 10.79-07.85 | ■ |
| 300 SE, SEL (126.024, 126.025) (M 103.981)     |        | Gasolina | RWD | 2960 | 132                                          | 180 | 01.86-06.91 | ■ |
| 300 SE, SEL (126.024, 126.025) (M 103.981)     |        | Gasolina | RWD | 2960 | 138                                          | 188 | 09.85-12.89 | ■ |
| 3.8 (126.035, 126.034) (M 116.961)             |        | Gasolina | RWD | 3818 | 160                                          | 218 | 08.80-08.84 | ■ |
| 380 SE, SEL (126.032, 126.033) (M 116.961)     |        | Gasolina | RWD | 3818 | 160                                          | 218 | 09.80-10.81 | ■ |
| 380 SE,SEL (126.032) (M 116.963)               |        | Gasolina | RWD | 3839 | 150                                          | 204 | 10.81-08.85 | ■ |
| 420 SE, SEL (126.034, 126.035) (M 116.965)     |        | Gasolina | RWD | 4196 | 150                                          | 204 | 10.85-06.91 | ■ |
| 420 SE, SEL (126.034) (M 116.965)              |        | Gasolina | RWD | 4196 | 160                                          | 218 | 10.85-12.87 | ■ |
| 420 SE, SEL (126.035, 126.034) (M 116.965)     |        | Gasolina | RWD | 4196 | 165                                          | 224 | 10.85-06.91 | ■ |
| 420 SE, SEL (126.035, 126.034) (M 116.965)     |        | Gasolina | RWD | 4196 | 170                                          | 231 | 10.85-12.87 | ■ |
| 500 SE, SEL (126.036) (M 117.965)              |        | Gasolina | RWD | 4973 | 164                                          | 223 | 09.85-06.91 | ■ |
| 500 SE, SEL (126.036) (M 117.961)              |        | Gasolina | RWD | 4973 | 170                                          | 231 | 12.79-08.85 | ■ |
| 500 SE, SEL (126.036) (M 117.963)              |        | Gasolina | RWD | 4973 | 170                                          | 231 | 12.79-08.85 | ■ |
| 500 SE, SEL (126.036) (M 117.961)              |        | Gasolina | RWD | 4973 | 177                                          | 241 | 12.79-08.85 | ■ |
| 500 SE, SEL (126.036) (M 117.963)              |        | Gasolina | RWD | 4973 | 177                                          | 241 | 12.79-08.85 | ■ |
| 500 SE, SEL (126.036) (M 117.965)              |        | Gasolina | RWD | 4973 | 180                                          | 245 | 09.85-06.91 | ■ |
| 500 SE, SEL (126.037, 126.036) (M 117.965)     |        | Gasolina | RWD | 4973 | 185                                          | 252 | 09.87-06.91 | ■ |
| 500 SE, SEL Cat (126.037, 126.036) (M 117.965) |        | Gasolina | RWD | 4973 | 185                                          | 252 | 06.89-06.91 | ■ |
| 500 SE, SEL (126.037, 126.036) (M 117.965)     |        | Gasolina | RWD | 4973 | 195                                          | 265 | 09.87-06.91 | ■ |
| 560 SE, SEL (126.038, 126.039) (M 117.968)     |        | Gasolina | RWD | 5547 | 178                                          | 242 | 10.85-06.91 | ■ |
| 560 SE, SEL (126.038) (M 117.968)              |        | Gasolina | RWD | 5547 | 200                                          | 272 | 10.85-12.87 | ■ |
| 560 SE, SEL (126.038) (M 117.968)              |        | Gasolina | RWD | 5547 | 205                                          | 279 | 08.87-06.91 | ■ |
| 560 SE, SEL (126.039, 126.038) (M 117.968)     |        | Gasolina | RWD | 5547 | 220                                          | 300 | 10.85-06.91 | ■ |
| 300 SDL (126.125) (OM 603.961)                 |        | Diesel   | RWD | 2996 | 107                                          | 146 | 09.86-12.87 | ■ |
| 300 SDL (126.125)                              |        | Diesel   | RWD | 2996 | 110                                          | 150 | 09.85-12.86 | ■ |
| 300 SD (126.120) (OM 617.951)                  |        | Diesel   | RWD | 2998 | 92                                           | 125 | 09.80-12.85 | ■ |
| 350 SD, SDL (126.134, 126.135)                 |        | Diesel   | RWD | 3449 | 100                                          | 136 | 09.89-06.91 | ■ |
| <b>SL-Class III (R107) 05.71-12.89</b>         |        |          |     |      | <b>Convertible (Executive car-E Segment)</b> |     |             |   |
| 280 SL (107.042) (M 110.982)                   | -08/78 | Gasolina | RWD | 2746 | 130                                          | 177 | 06.76-09.81 | ■ |
| 280 SL (107.042) (M 110.986)                   | -08/78 | Gasolina | RWD | 2746 | 130                                          | 177 | 06.76-09.81 | ■ |
| 280 SL (107.042) (M 110.990)                   | -08/78 | Gasolina | RWD | 2746 | 130                                          | 177 | 06.76-09.81 | ■ |
| 280 SL (107.042) (M 110.982)                   |        | Gasolina | RWD | 2746 | 136                                          | 185 | 08.74-07.85 | ■ |
| 280 SL (107.042) (M 110.986)                   |        | Gasolina | RWD | 2746 | 136                                          | 185 | 08.74-07.85 | ■ |
| 280 SL (107.042) (M 110.990)                   |        | Gasolina | RWD | 2746 | 136                                          | 185 | 08.74-07.85 | ■ |
| 300 SL (107.041) (M 103.982)                   |        | Gasolina | RWD | 2960 | 132                                          | 180 | 09.85-08.89 | ■ |
| 300 SL (107.041) (M 103.982)                   |        | Gasolina | RWD | 2960 | 138                                          | 188 | 09.85-08.89 | ■ |
| 350 SL (107.043) (M 116.982)                   |        | Gasolina | RWD | 3499 | 143                                          | 195 | 05.71-02.80 | ■ |
| 350 SL (107.043) (M 116.984)                   |        | Gasolina | RWD | 3499 | 143                                          | 195 | 05.71-02.80 | ■ |
| 350 SL (107.043) (M 116.982)                   |        | Gasolina | RWD | 3499 | 147                                          | 200 | 05.71-12.76 | ■ |
| 380 SL (107.045) (M 116.960)                   |        | Gasolina | RWD | 3818 | 160                                          | 218 | 09.80-08.81 | ■ |
| 380 SL (107.045)                               |        | Gasolina | RWD | 3839 | 116                                          | 158 | 09.80-12.85 | ■ |
| 380 SL (107.045) (M 116.962)                   |        | Gasolina | RWD | 3839 | 150                                          | 204 | 09.80-08.85 | ■ |
| 420 SL (107.047) (M 116.964)                   |        | Gasolina | RWD | 4196 | 150                                          | 204 | 01.86-08.89 | ■ |

# LISTA DE APLICACIONES - BUYERS GUIDE

|                                        |          |     |      |                                        |     |             |   |
|----------------------------------------|----------|-----|------|----------------------------------------|-----|-------------|---|
| 420 SL (107.047) (M 116.964)           | Gasolina | RWD | 4196 | 160                                    | 218 | 01.86-08.89 | ■ |
| 450 SL (107.044) (M 117.982)           | Gasolina | RWD | 4520 | 160                                    | 218 | 09.75-10.80 | ■ |
| 450 SL (107.044) (M 117.985)           | Gasolina | RWD | 4520 | 160                                    | 218 | 09.75-10.80 | ■ |
| 450 SL (107.044) (M 117.982)           | Gasolina | RWD | 4520 | 165                                    | 224 | 10.72-10.80 | ■ |
| 450 SL (107.044) (M 117.985)           | Gasolina | RWD | 4520 | 165                                    | 224 | 10.72-10.80 | ■ |
| 500 SL (107.046) (M 117.964)           | Gasolina | RWD | 4973 | 164                                    | 223 | 01.86-08.89 | ■ |
| 500 SL (107.046) (M 117.960)           | Gasolina | RWD | 4973 | 170                                    | 231 | 05.80-12.85 | ■ |
| 500 SL (107.046) (M 117.962)           | Gasolina | RWD | 4973 | 170                                    | 231 | 05.80-12.85 | ■ |
| 500 SL (107.046) (M 117.960)           | Gasolina | RWD | 4973 | 177                                    | 241 | 05.80-12.81 | ■ |
| 500 SL (107.046) (M 117.960)           | Gasolina | RWD | 4973 | 180                                    | 245 | 01.86-08.89 | ■ |
| 500 SL (107.046) (M 117.964)           | Gasolina | RWD | 4973 | 180                                    | 245 | 01.86-08.89 | ■ |
| 5.0 500 SL                             | Gasolina | FWD | 4973 | 195                                    | 265 | 10.87-09.89 | ■ |
| 560 SL (107.048) (M 117.967)           | Gasolina | RWD | 5547 | 169                                    | 230 | 09.85-12.89 | ■ |
| 560 SL (107.048)                       | Gasolina | RWD | 5547 | 178                                    | 242 | 01.86-12.89 | ■ |
| <b>SL-Class III (C107) 01.72-08.85</b> |          |     |      | <b>Coupe (Executive car-E Segment)</b> |     |             |   |
| 280 SLC (107.022) (M 110.982)          | Gasolina | RWD | 2746 | 130                                    | 177 | 06.76-09.81 | ■ |
| 280 SLC (107.022) (M 110.986)          | Gasolina | RWD | 2746 | 130                                    | 177 | 06.76-09.81 | ■ |
| 280 SLC (107.022) (M 110.990)          | Gasolina | RWD | 2746 | 130                                    | 177 | 06.76-09.81 | ■ |
| 280 SLC (107.022) (M 110.982)          | Gasolina | RWD | 2746 | 136                                    | 185 | 08.74-09.81 | ■ |
| 280 SLC (107.022) (M 110.986)          | Gasolina | RWD | 2746 | 136                                    | 185 | 08.74-09.81 | ■ |
| 280 SLC (107.022) (M 110.990)          | Gasolina | RWD | 2746 | 136                                    | 185 | 08.74-09.81 | ■ |
| 350 SLC (107.023) (M 116.982)          | Gasolina | RWD | 3499 | 143                                    | 195 | 03.76-02.80 | ■ |
| 350 SLC (107.023) (M 116.984)          | Gasolina | RWD | 3499 | 143                                    | 195 | 03.76-02.80 | ■ |
| 350 SLC (107.023) (M 116.982)          | Gasolina | RWD | 3499 | 147                                    | 200 | 01.72-02.76 | ■ |
| 350 SLC (107.023) (M 116.984)          | Gasolina | RWD | 3499 | 147                                    | 200 | 01.72-02.76 | ■ |
| 380 SLC (107.025) (M 116.960)          | Gasolina | RWD | 3818 | 160                                    | 218 | 07.80-08.81 | ■ |
| 450 SLC (107.024) (M 117.982)          | Gasolina | RWD | 4520 | 160                                    | 218 | 09.75-08.79 | ■ |
| 450 SLC (107.024) (M 117.985)          | Gasolina | RWD | 4520 | 160                                    | 218 | 09.75-08.79 | ■ |
| 450 SLC (107.024) (M 117.982)          | Gasolina | RWD | 4520 | 165                                    | 225 | 01.73-11.75 | ■ |
| 450 SLC (107.024) (M 117.985)          | Gasolina | RWD | 4520 | 165                                    | 225 | 01.73-11.75 | ■ |
| 450 SLC 5.0 (107.026) (M 117.960)      | Gasolina | RWD | 4973 | 177                                    | 241 | 06.78-02.80 | ■ |