

LISTA DE APLICACIONES - BUYERS GUIDE


78BD8759-2



8 424073 193650

Weight: 15.396

O.E.M.	MAKE
2996027	IVECO
46393181	IVECO
7186309	IVECO



78BD8759-2



Ø296x16x69.5

MAKE
IVECO



Trac.	CC	Kw	CV		
					Front / Rear

IVECO

09.11-02.14

35S17, 40C17, 45C17, 50C17	Diesel	RWD	2998	125	170	09.11-02.14	Bus ()
----------------------------	--------	-----	------	-----	-----	-------------	--------

DAILY IV 05.06-12.16

35S14, 35S14 /P (F1AE0481H)	vehicles with ABS	Diesel	RWD	2287	100	136	05.06-08.11	Bus (Minibus-M2-Segment)
-----------------------------	-------------------	--------	-----	------	-----	-----	-------------	--------------------------

DAILY IV 05.06-08.11

35C10 K (F1AE0481F)		Diesel	RWD	2287	70	95	05.06-08.11		■
35C11 K, 35C11 DK, 35S11 K, 35S11 DK (F1AE0481U)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	78	106	07.07-08.11		■
35C12 (F1AE0481G)		Diesel	RWD	2287	85	116	05.06-08.11		■
35C13 K, 35C13 DK, 35S13 K, 35S13 DK (F1AE0481V)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	93	126	07.07-08.11		■
35S14 K, 35S14 DK (F1AE0481H)	vehicles with ABS	Diesel	RWD	2287	100	136	07.07-08.11		■
35C14 K, 35C14 DK, 35S14 K, 35S14 DK (F1CE3481L)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	103	140	09.09-08.11		■
35C17 K, 35C17 DK, 35S17 K, 35S17 DK (F1CE3481C)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	125	170	07.07-08.11		■
35C18 (F1CE0481H)		Diesel	RWD	2998	130	176	05.06-08.11		■

DAILY IV 05.06-03.12

29L10 (F1AE0481F)	vehicles with ABS	Diesel	RWD	2287	70	95	05.06-08.11	■ ■ ■ ■ ■ ■
35C10, 35S10 (F1AE0481F)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	70	95	05.06-08.11	
40C10 (F1AE0481F)		Diesel	RWD	2287	70	95	05.06-08.11	
35C11, 35S11, 35S11 D, 35S11 /P (F1AE0481U)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	78	106	07.07-08.11	
29L12 (F1AE0481G)	vehicles with ABS	Diesel	RWD	2287	85	116	05.06-08.11	
35C12, 35S12 (F1AE0481G)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	85	116	05.06-08.11	

LISTA DE APLICACIONES - BUYERS GUIDE

35C12, 35S12 (F1AE0481R)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	85	116	05.06-08.11	■
35C13, 35C13 /P, 35S13 D, 35S13, 35S13 /P (F1AE0481V)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	93	126	07.07-08.11	■
29L14 (F1AE0481H)	vehicles with ABS	Diesel	RWD	2287	100	136	05.06-08.11	■
35C14, 35S14, 35S14 /P (F1AE0481H)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	100	136	05.06-08.11	■
35C14, 35C14 /P, 35S14, 35S14 /P, 35S14 D, 35S14 D/P (F1CE3481L)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	103	140	09.09-08.11	■
35C17, 35C17 /P, 35S17, 35S17 /P, 35S17 D (F1CE3481C)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	125	170	07.07-08.11	■
35S17 W, 35S17 WD (F1CE3481C)	vehicles with ABS	Diesel	4WD	2998	125	170	07.07-08.11	■
55S17 W, 55S17 WD (F1CE3481C)	vehicles with ABS	Diesel	4WD	2998	125	170	07.07-08.11	■
35C18, 35S18 (F1CE0481H)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	130	176	05.06-08.11	■
35S18W (F1CE0481H)		Diesel	4WD	2998	130	177	06.06-08.11	■
55S18W (F1CE0481H)		Diesel	4WD	2998	130	177	06.06-08.11	■
35C14 G, 35C14 G/P, 35S14 G, 35S14 G/P, 35C14 GD,... (F1CE0441A)	vehicles with ABS, Eq.V_ S Model	CNG	RWD	2998	100	136	07.07-08.11	■
DAILY IV 05.06-03.12					Van (LCVs-N1 Segment)			
29L10 V (F1AE0481F)	vehicles with ABS	Diesel	RWD	2287	70	95	05.06-08.11	■
35C10, 35S10 (F1AE0481F)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	70	95	05.06-08.11	■
40C10 V (F1AE0481F)		Diesel	RWD	2287	70	95	05.06-08.11	■
35C11 V, 35S11 V (F1AE0481U)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	78	106	07.07-08.11	■
29L12 V, 29L12 V/P (F1AE0481G)	vehicles with ABS	Diesel	RWD	2287	85	116	05.06-08.11	■
35C12 V, 35C12 V/P, 35S12 V, 35S12 V/P (F1AE0481G)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	85	116	05.06-08.11	■
35C12 V, 35C12 V/P, 35S12 V, 35S12 V/P (F1AE0481R)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	85	116	05.06-08.11	■
35C13 V, 35C13 V/P, 35S13 V, 35S13 V/P (F1AE0481V)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	93	126	07.07-08.11	■
29L14 C, 29L14 C/P, 29L14 V, 29L14 V/P (F1AE0481H)	vehicles with ABS	Diesel	RWD	2287	100	136	05.06-08.11	■
35S14 C, 35S14 C/P, 35S14 V, 35S14 V/P, 35C14 V,... (F1AE0481H)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	100	136	05.06-08.11	■
35S14	vehicles with ABS	Diesel	RWD	2998	100	136	08.07-03.12	■
35C14 V, 35C14 V/P, 35S14 V, 35S14 V/P (F1CE3481L)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	103	140	09.09-08.11	■
35S15 (F1CE0481L)	vehicles with ABS	Diesel	RWD	2998	107	145	06.06-08.11	■
35C17 V, 35C17 V/P, 35S17 V, 35S17 V/P (F1CE3481C)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	125	170	07.07-08.11	■
35C18 V, 35C18 V/P, 35S18 V, 35S18 V/P (F1CE0481H)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	130	176	05.06-08.11	■
35C14 GV, 35C14 GV/P, 35S14 GV, 35S14 GV/P (F1CE0441A)	vehicles with ABS, Eq.V_ S Model	CNG	RWD	2998	100	136	07.07-08.11	■
DAILY V 09.11-02.14					Dump Truck (Volquete-N2 Segment)			
35C11K, 35S11DKP (F1AE3481A)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	78	106	09.11-02.14	■
35C17K, 35S17DKP, 50C17K, 65C17DK 70C17K (F1CE3481C)	Eq.V_ S Model	Diesel	RWD	2998	125	170	09.11-02.14	■
35C17K, 35S17DKP, 50C17K, 65C17DK 70C17K (F1CE3481K)	Eq.V_ S Model	Diesel	RWD	2998	125	170	09.11-02.14	■
DAILY V 09.11-02.14					Platform/Chassis (LCVs-N1 Segment)			
35S60E Electric		Eléctrico	RWD		60	82	09.11-02.14	■
26L11, 29L11, 29S11, 35C11D, 35S11, 40C11 (F1AE3481A)	Eq.V_ L+S Model	Diesel	RWD	2287	78	106	09.11-02.14	■
29S13, 29L13, 29L13D, 35S13, 35C13D, 40C13 (F1AE3481B)	Eq.V_ L+S Model	Diesel	RWD	2287	93	126	09.11-02.14	■
29L15, 35S15, 35C15, 40C15, 50C15 (F1AE3481C)	Eq.V_ L+S Model	Diesel	RWD	2287	107	146	09.11-02.14	■
35C15, 35S15, 40C15, 45C15, 50C15, 60C15, 65C15, 70C15 (F1CE3481B)		Diesel	RWD	2998	107	146	09.11-02.14	■

LISTA DE APLICACIONES - BUYERS GUIDE

35C15, 35S15, 40C15, 45C15, 50C15, 60C15, 65C15, 70C15 (F1CE3481J)		Diesel	RWD	2998	107	146	09.11-02.14	■
35C17, 35S17, 40C17, 45C17, 50C17, 60C17, 65C17, 70C17 (F1CE3481C)	Eq.V_ S Model	Diesel	RWD	2998	125	170	09.11-02.14	■
35C17, 35S17, 40C17, 45C17, 50C17, 60C17, 65C17, 70C17 (F1CE3481K)	Eq.V_ S Model	Diesel	RWD	2998	125	170	09.11-02.14	■
35C21, 35S21, 40C21, 45C21, 50C21, 60C21, 65C21, 70C21 (F1CE3481D)	Eq.V_ L+S Model	Diesel	RWD	2998	150	205	09.11-02.14	■
NaturalPower 35S14, 35C14, 40C14, 50C14, 65C14, 70C14 (F1CE0441A)	Eq.V_ S Model	CNG	RWD	2998	100	136	09.11-02.14	■
DAILY V 09.11-02.14					Van (LCVs-N1 Segment)			
35S60E Electric	vehicles with ABS, Eq.V_ S Model	Eléctrico	RWD		60	82	09.11-02.14	■
29S11, 29L11, 35C11, 35S11, 40C11 (F1AE3481A)	Eq.V_ L+S Model	Diesel	RWD	2287	78	106	09.11-02.14	■
29S13, 29L13, 35C13, 35S13, 40C13, 40S13 (F1AE3481B)	Eq.V_ L+S Model	Diesel	RWD	2287	93	126	09.11-02.14	■
29L15 V, 35S15 V, 35C15L V, 40C15L V, 50C15L V (F1AE3481C)	Eq.V_ L+S Model	Diesel	RWD	2287	107	146	09.11-02.14	■
35C15 V, 40C15 V, 45C15 V, 50C15 V, 60C15 V, 65C15 V (F1CE3481B)		Diesel	RWD	2998	107	146	09.11-02.14	■
35C15 V, 40C15 V, 45C15 V, 50C15 V, 60C15 V, 65C15 V (F1CE3481J)		Diesel	RWD	2998	107	146	09.11-02.14	■
35S14 (F1CE3481L)	vehicles with ABS	Diesel	RWD	2998	110	150	04.12-02.14	■
35C17, 35S17, 40C17, 45C17, 50C17, 60C17, 65C17, 70C17 (F1CE3481C)	Eq.V_ S Model	Diesel	RWD	2998	125	170	09.11-02.14	■
35C17, 35S17, 40C17, 45C17, 50C17, 60C17, 65C17, 70C17 (F1CE3481K)	Eq.V_ S Model	Diesel	RWD	2998	125	170	09.11-02.14	■
35C21 V, 35S21 V, 40C21 V, 45C21 V, 50C21 V (F1CE3481D)	Eq.V_ L+S Model	Diesel	RWD	2998	150	204	09.11-02.14	■
NaturalPower 35S14, 35C14, 40C14, 50C14, 65C14, 70C14 (F1CE0441A)	Eq.V_ S Model	CNG	RWD	2998	100	136	09.11-02.14	■
DAILY VI (40C_, 65C_, 70C_, 35C_, 35S_, 50C_, 33S_) 03.14-					Platform/Chassis (LCVs-N1 Segment)			
35S60E, 35C60E		Eléctrico	RWD		60	82	10.15-	■
33S11, 35S11, 35C11 (F1AFL411A)	Eq.V_ S Model	Diesel	RWD	2287	78	106	03.14-07.21	■
33S12, 35S12, 35C12 (F1AGL411H)		Diesel	RWD	2287	85	116	04.16-	■
33S13, 35S13, 35C13 (F1AFL411B)	Eq.V_ S Model	Diesel	RWD	2287	93	126	03.14-	■
33S14, 35S14, 35C14, 38S14 (F1AGL411J)	Eq.V_ S Model	Diesel	RWD	2287	100	136	04.16-	■
33S15, 35S15, 35C15 (F1AFL411C)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	107	146	03.14-	■
33S16, 35S16, 35C16, 40C16, 42S16, 50C16 (F1AGL411G)		Diesel	RWD	2287	115	156	04.16-	■
35S14, 35S15, 35C15, 40S14, 40C15, 50C15, 60C5, 65C15,... (F1CE3481J)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
35S14, 35S15, 35C15, 40S14, 40C15, 50C15, 60C5, 65C15,... (F1CFL411E)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
35S14, 35S15, 35C15, 40S14, 40C15, 50C15, 60C5, 65C15,... (F1CFL411J)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
35S15, 35C15, 40C15, 50C15, 60C15, 65C15, 70C15	Eq.V_ S Model	Diesel	RWD	2998	110	150	04.16-	■
35S16, 35C16, 40C16, 42S16, 50C16, 60C16, 65C16, 70C16		Diesel	RWD	2998	118	160	04.19-	■
35S17, 35C17, 40C17, 45S17, 45C17, 50C17, 60C17, 65C17,... (F1CFL411F)	Eq.V_ S Model	Diesel	RWD	2998	125	170	03.14-	■
35S17, 35C17, 40C17, 45S17, 45C17, 50C17, 60C17, 65C17,... (F1CFL411H)	Eq.V_ S Model	Diesel	RWD	2998	125	170	03.14-	■
35S17, 55S17 4x4 (F1CFL411F)	vehicles with ABS	Diesel	4WD	2998	125	170	03.14-	■
35S18, 35C18, 55C18, 55S18, 70C18, 70S18		Diesel	4WD	2998	129	175	06.22-	■
35S18, 35C18, 40C18, 45C18, 50C18, 60C18, 65C18, 70C18 (F1CFL411W)	Eq.V_ S Model	Diesel	RWD	2998	132	180	04.16-	■
35S18, 35C18, 40C18, 45C18, 50C18, 60C18, 65C18, 70C18 (F1CGL411B)	Eq.V_ S Model	Diesel	RWD	2998	132	180	04.16-	■
35S18, 55S18, 55C18, 70S18, 70C18 4x4 (F1CFL411W)	Eq.V_ S Model	Diesel	4WD	2998	132	180	04.16-	■
35S18, 55S18, 55C18, 70S18, 70C18 4x4 (F1CGL411B)	Eq.V_ S Model	Diesel	4WD	2998	132	180	04.16-	■

LISTA DE APLICACIONES - BUYERS GUIDE

35S21, 35C21, 40C21, 45C21, 50C21, 60C21, 65C21, 70C21 (F1CFL411G)	Eq.V_ S Model	Diesel	RWD	2998	150	204	03.14-	■
35S21, 35C21, 40C21, 45C21, 50C21, 60C21, 65C21, 70C21 (F1CGL411C)	Eq.V_ S Model	Diesel	RWD	2998	150	204	03.14-	■
NaturalPower 35S14, 35C14, 40C14, 50C14, 65C14, 70C14 (F1CFA401A)	Eq.V_ S Model	CNG	RWD	2998	100	136	03.14-	■
DAILY VI 03.14-					Van (LCVs-N1 Segment)			
35S/E		Eléctrico	RWD		60	82	09.16-	■
35S60E		Eléctrico	RWD		60	82	10.15-	■
33S11, 35S11, 35C11 (F1AFL411A)	Eq.V_ S Model	Diesel	RWD	2287	78	106	03.14-07.21	■
33S12, 35S12 (F1AGL411H)		Diesel	RWD	2287	85	116	04.16-	■
33S12, 35S12, 35C12 (F1AGL411H)		Diesel	RWD	2287	85	116	04.16-	■
33S13, 35S13, 35C13 (F1AFL411B)	Eq.V_ S Model	Diesel	RWD	2287	93	126	03.14-	■
33S14, 35S14 (F1AGL411J)	Eq.V_ S Model	Diesel	RWD	2287	100	136	04.16-	■
33S14, 35S14, 35C14, 42S14 (F1AGL411J)	Eq.V_ S Model	Diesel	RWD	2287	100	136	04.16-	■
33S15, 35S15, 35C15 (F1AFL411C)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2287	107	146	03.14-	■
33S16, 35S16 (F1AGL411G)		Diesel	RWD	2287	115	156	04.16-	■
33S16, 35S16, 35C16, 38S16, 40C16, 42S16, 50C16 (F1AGL411G)		Diesel	RWD	2287	115	156	04.16-	■
35S15, 35C15, 40C15, 45C15, 50C15, 65C15, 70C15 (F1CE3481J)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
35S15, 35C15, 40C15, 45C15, 50C15, 65C15, 70C15 (F1CFL411E)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
35S15, 35C15, 40C15, 45C15, 50C15, 65C15, 70C15 (F1CFL411J)	vehicles with ABS, Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
40C15, 50C15, 65C15	Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-04.16	■
35S15, 35C15, 40C15, 50C15, 60C15, 65C15, 70C15	Eq.V_ S Model	Diesel	RWD	2998	110	150	04.16-	■
35S15, 35C15, 40C15, 50C15, 60C15, 65C15, 70C15	Eq.V_ S Model	Diesel	RWD	2998	110	150	04.16-	■
50C16	Eq.V_ S Model	Diesel	RWD	2998	114	155	03.14-	■
35S17, 35C17, 40C17, 50C17, 55C17, 60C17, 65C17, 70C17 (F1CFL411F)	Eq.V_ S Model	Diesel	RWD	2998	125	170	03.14-	■
35S17, 35C17, 40C17, 50C17, 55C17, 60C17, 65C17, 70C17 (F1CFL411H)	Eq.V_ S Model	Diesel	RWD	2998	125	170	03.14-	■
40C17, 50C17, 65C17	Eq.V_ S Model	Diesel	RWD	2998	125	170	03.14-04.16	■
35S18, 35C18, 40C18, 50C18, 60C18, 65C18, 70C18	Eq.V_ S Model	Diesel	RWD	2998	132	180	04.16-	■
35S18, 35C18, 40C18, 50C18, 60C18, 65C18, 70C18	Eq.V_ S Model	Diesel	RWD	2998	132	180	04.16-	■
55S18, 55C18, 70S18, 70C18		Diesel	4WD	2998	132	180	01.18-	■
35S21, 35C21, 40C21, 50C21, 60C21, 65C21, 70C21 (F1CFL411G)	Eq.V_ S Model	Diesel	RWD	2998	150	204	03.14-	■
35S21, 35C21, 40C21, 50C21, 60C21, 65C21, 70C21 (F1CGL411C)	Eq.V_ S Model	Diesel	RWD	2998	150	204	03.14-	■
35S21, 35C21, 40C21, 42S21, 50C21, 60C21, 65C21, 70C21		Diesel	RWD	2998	152	207	07.21-	■
35S21, 35C21, 40C21, 50C21, 60C21, 65C21, 70C21		Diesel	RWD	2998	155	211	04.19-	■
NaturalPower 35S14, 35C14, 40C14, 50C14, 65C14, 70C14 (F1CFA401A)	Eq.V_ S Model	CNG	RWD	2998	100	136	03.14-	■
NaturalPower 35S14, 35C14, 40C14, 50C14, 65C14, 70C14 (F1CFA401B)	Eq.V_ S Model	CNG	RWD	2998	100	136	03.14-	■
NaturalPower 35S14, 35C14, 40C14, 50C14, 65C14, 70C14	Eq.V_ S Model	CNG	RWD	2998	100	136	04.16-	■
DAILY VI CITYS 03.14-					Bus (Minibus-M2-Segment)			
50C80E	Eq.V_ S Model	Eléctrico	RWD		80	109	04.16-	■
40C15, 50C15, 60C15 (F1CE3481J)	Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
40C15, 50C15, 60C15 (F1CFL411E)	Eq.V_ S Model	Diesel	RWD	2998	107	146	03.14-	■
40C17, 50C17, 60C17 (F1CFL411F)	Eq.V_ S Model	Diesel	RWD	2998	125	170	03.14-	■
NaturalPower 40C14, 50C14, 60C14	Eq.V_ S Model	CNG	RWD	2998	100	136	03.14-	■

LISTA DE APLICACIONES - BUYERS GUIDE

DAILY VI LINE 06.14-					Bus (Minibus-M2-Segment)			
50C80E		Eléctrico	RWD		80	109	10.15-	■
50C14 Natural Power (F1CFA401A)		CNG	RWD	2998	100	136	06.14-	■