

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0011-1



8 424073 293947

Qty: 998

Weight: 27.000

O.E.M.	MAKE
1387439	DAF
1542600	DAF
1640561	DAF
1726138	DAF
1739542	DAF
1783346	DAF
1812563	SCANIA
1812582	DAF



78CV0011-1



Ø432x45x45

MAKE
DAF



Trac.	CC	Kw	CV
-------	----	----	----



Front / Rear

DAF

09.22-								Concrete Mixer	
FAD 370		Diesel		10837	270	367	09.22-	■	■
FAD 370		Diesel		10837	270	367	04.23-	■	■
FAD 410		Diesel		10837	300	408	09.22-	■	■
FAD 410		Diesel		10837	300	408	04.23-	■	■
FAD 410		Diesel		10837	300	408	04.23-	■	■
FAD 450		Diesel		10837	330	449	09.22-	■	■
FAD 450		Diesel		10837	330	449	04.23-	■	■
FAD 450		Diesel		10837	330	449	04.23-	■	■
09.22-								Platform/Chassis	
FA 230		Diesel		6691	167	227	08.23-	■	■
FA 260		Diesel		6691	189	257	08.23-	■	■
FA 290		Diesel		6691	212	288	08.23-	■	■
FA 310		Diesel		6691	227	309	08.23-	■	■
FA 300		Diesel		10837	220	299	09.22-	■	■
FA 300		Diesel		10837	220	299	09.22-	■	■
FA 300		Diesel		10837	220	299	09.22-	■	■
FA 300		Diesel		10837	220	299	04.23-	■	■
FAG 300		Diesel		10837	220	299	09.22-	■	■
FAN 300		Diesel		10837	220	299	09.22-	■	■
FAN 300		Diesel		10837	220	299	09.22-	■	■
FAR 300		Diesel		10837	220	299	09.22-	■	■
FAR 300		Diesel		10837	220	299	09.22-	■	■
FAR 300		Diesel		10837	220	299	09.22-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAS 300	Diesel	10837	220	299	09.22-	■	■
FAS 300	Diesel	10837	220	299	09.22-	■	■
FAT 300	Diesel	10837	220	299	09.22-	■	■
FAT 300	Diesel	10837	220	299	04.23-	■	■
FA 340	Diesel	10837	251	341	09.22-	■	■
FA 340	Diesel	10837	251	341	09.22-	■	■
FA 340	Diesel	10837	251	341	09.22-	■	■
FA 340	Diesel	10837	251	341	04.23-	■	■
FAG 340	Diesel	10837	251	341	09.22-	■	■
FAN 340	Diesel	10837	251	341	09.22-	■	■
FAN 340	Diesel	10837	251	341	09.22-	■	■
FAR 340	Diesel	10837	251	341	09.22-	■	■
FAR 340	Diesel	10837	251	341	09.22-	■	■
FAR 340	Diesel	10837	251	341	09.22-	■	■
FAS 340	Diesel	10837	251	341	09.22-	■	■
FAS 340	Diesel	10837	251	341	09.22-	■	■
FAT 340	Diesel	10837	251	341	09.22-	■	■
FAT 340	Diesel	10837	251	341	04.23-	■	■
FA 370	Diesel	10837	270	367	09.22-	■	■
FA 370	Diesel	10837	270	367	09.22-	■	■
FA 370	Diesel	10837	270	367	09.22-	■	■
FA 370	Diesel	10837	270	367	04.23-	■	■
FA 370	Diesel	10837	270	367	04.23-	■	■
FAC 370	Diesel	10837	270	367	09.22-	■	■
FAD 370	Diesel	10837	270	367	09.22-	■	■
FAD 370	Diesel	10837	270	367	04.23-	■	■
FAD 370	Diesel	10837	270	367	04.23-	■	■
FAG 370	Diesel	10837	270	367	09.22-	■	■
FAK 370	Diesel	10837	270	367	09.22-	■	■
FAN 370	Diesel	10837	270	367	09.22-	■	■
FAN 370	Diesel	10837	270	367	09.22-	■	■
FAN 370	Diesel	10837	270	367	09.22-	■	■
FAQ 370	Diesel	10837	270	367	09.22-	■	■
FAR 370	Diesel	10837	270	367	09.22-	■	■
FAR 370	Diesel	10837	270	367	09.22-	■	■
FAR 370	Diesel	10837	270	367	09.22-	■	■
FAR 370	Diesel	10837	270	367	09.22-	■	■
FAS 370	Diesel	10837	270	367	09.22-	■	■
FAS 370	Diesel	10837	270	367	09.22-	■	■
FAS 370	Diesel	10837	270	367	09.22-	■	■
FAT 370	Diesel	10837	270	367	09.22-	■	■
FAT 370	Diesel	10837	270	367	04.23-	■	■
FAT 370	Diesel	10837	270	367	04.23-	■	■
FAW 370	Diesel	10837	270	367	09.22-	■	■
FAX 370	Diesel	10837	270	367	09.22-	■	■
FA 410	Diesel	10837	300	408	09.22-	■	■
FA 410	Diesel	10837	300	408	09.22-	■	■
FA 410	Diesel	10837	300	408	09.22-	■	■
FA 410	Diesel	10837	300	408	04.23-	■	■
FA 410	Diesel	10837	300	408	04.23-	■	■
FAC 410	Diesel	10837	300	408	09.22-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAD 410		Diesel		10837	300	408	09.22-	■	■
FAD 410		Diesel		10837	300	408	04.23-	■	■
FAD 410		Diesel		10837	300	408	04.23-	■	■
FAG 410		Diesel		10837	300	408	09.22-	■	■
FAK 410		Diesel		10837	300	408	09.22-	■	■
FAN 410		Diesel		10837	300	408	09.22-	■	■
FAN 410		Diesel		10837	300	408	09.22-	■	■
FAN 410		Diesel		10837	300	408	09.22-	■	■
FAQ 410		Diesel		10837	300	408	09.22-	■	■
FAR 410		Diesel		10837	300	408	09.22-	■	■
FAR 410		Diesel		10837	300	408	09.22-	■	■
FAR 410		Diesel		10837	300	408	09.22-	■	■
FAR 410		Diesel		10837	300	408	09.22-	■	■
FAS 410		Diesel		10837	300	408	09.22-	■	■
FAS 410		Diesel		10837	300	408	09.22-	■	■
FAS 410		Diesel		10837	300	408	09.22-	■	■
FAT 410		Diesel		10837	300	408	09.22-	■	■
FAT 410		Diesel		10837	300	408	04.23-	■	■
FAT 410		Diesel		10837	300	408	04.23-	■	■
FAW 410		Diesel		10837	300	408	09.22-	■	■
FAX 410		Diesel		10837	300	408	09.22-	■	■
FA 450		Diesel		10837	330	449	09.22-	■	■
FA 450		Diesel		10837	330	449	09.22-	■	■
FA 450		Diesel		10837	330	449	09.22-	■	■
FA 450		Diesel		10837	330	449	04.23-	■	■
FA 450		Diesel		10837	330	449	04.23-	■	■
FAC 450		Diesel		10837	330	449	09.22-	■	■
FAD 450		Diesel		10837	330	449	09.22-	■	■
FAD 450		Diesel		10837	330	449	04.23-	■	■
FAD 450		Diesel		10837	330	449	04.23-	■	■
FAG 450		Diesel		10837	330	449	09.22-	■	■
FAK 450		Diesel		10837	330	449	09.22-	■	■
FAN 450		Diesel		10837	330	449	09.22-	■	■
FAN 450		Diesel		10837	330	449	09.22-	■	■
FAN 450		Diesel		10837	330	449	09.22-	■	■
FAQ 450		Diesel		10837	330	449	09.22-	■	■
FAR 450		Diesel		10837	330	449	09.22-	■	■
FAR 450		Diesel		10837	330	449	09.22-	■	■
FAR 450		Diesel		10837	330	449	09.22-	■	■
FAR 450		Diesel		10837	330	449	09.22-	■	■
FAS 450		Diesel		10837	330	449	09.22-	■	■
FAS 450		Diesel		10837	330	449	09.22-	■	■
FAS 450		Diesel		10837	330	449	09.22-	■	■
FAT 450		Diesel		10837	330	449	09.22-	■	■
FAT 450		Diesel		10837	330	449	04.23-	■	■
FAT 450		Diesel		10837	330	449	04.23-	■	■
FAW 450		Diesel		10837	330	449	09.22-	■	■
FAX 450		Diesel		10837	330	449	09.22-	■	■
FA 430		Diesel		12903	315	428	04.23-	■	■
FAD 430		Diesel		12903	315	428	04.23-	■	■
FAT 430		Diesel		12903	315	428	04.23-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FA 480	Diesel		12903	355	483	04.23-	■	■
FAD 480	Diesel		12903	355	483	04.23-	■	■
FAT 480	Diesel		12903	355	483	04.23-	■	■
FA 530	Diesel		12903	390	530	04.23-	■	■
FAD 530	Diesel		12903	390	530	04.23-	■	■
FAT 530	Diesel		12903	390	530	04.23-	■	■
09.22-				Platform/Chassis				
FA 170E	Mixto		0	170	231	04.23-	■	■
FAG 170E	Mixto		0	170	231	04.23-	■	■
FAN 170E	Mixto		0	170	231	04.23-	■	■
FA 220E	Mixto		0	220	299	04.23-	■	■
FAG 220E	Mixto		0	220	299	04.23-	■	■
FAN 220E	Mixto		0	220	299	04.23-	■	■
FA 270E	Mixto		0	270	367	04.23-	■	■
FAG 270E	Mixto		0	270	367	04.23-	■	■
FAN 270E	Mixto		0	270	367	04.23-	■	■
FA 310E	Mixto		0	310	421	04.23-	■	■
FAN 310E	Mixto		0	310	421	04.23-	■	■
FA 350E	Mixto		0	350	476	04.23-	■	■
FAN 350E	Mixto		0	350	476	04.23-	■	■
09.22-				Truck Tractor				
FT 300	Diesel		10837	220	299	09.22-	■	■
FT 300	Diesel		10837	220	299	09.22-	■	■
FT 300	Diesel		10837	220	299	04.23-	■	■
FT 340	Diesel		10837	251	341	09.22-	■	■
FT 340	Diesel		10837	251	341	09.22-	■	■
FT 340	Diesel		10837	251	341	04.23-	■	■
FT 370	Diesel		10837	270	367	09.22-	■	■
FT 370	Diesel		10837	270	367	09.22-	■	■
FT 370	Diesel		10837	270	367	04.23-	■	■
FT 370	Diesel		10837	270	367	04.23-	■	■
FTG 370	Diesel		10837	270	367	09.22-	■	■
FTG 370	Diesel		10837	270	367	09.22-	■	■
FTN 370	Diesel		10837	270	367	09.22-	■	■
FTN 370	Diesel		10837	270	367	09.22-	■	■
FTP 370	Diesel		10837	270	367	09.22-	■	■
FTP 370	Diesel		10837	270	367	09.22-	■	■
FTP 370	Diesel		10837	270	367	09.22-	■	■
FTR 370	Diesel		10837	270	367	09.22-	■	■
FTR 370	Diesel		10837	270	367	09.22-	■	■
FTS 370	Diesel		10837	270	367	09.22-	■	■
FTS 370	Diesel		10837	270	367	09.22-	■	■
FTT 370	Diesel		10837	270	367	09.22-	■	■
FTT 370	Diesel		10837	270	367	04.23-	■	■
FTT 370	Diesel		10837	270	367	04.23-	■	■
FT 410	Diesel		10837	300	408	09.22-	■	■
FT 410	Diesel		10837	300	408	09.22-	■	■
FT 410	Diesel		10837	300	408	04.23-	■	■
FT 410	Diesel		10837	300	408	04.23-	■	■
FTG 410	Diesel		10837	300	408	09.22-	■	■
FTG 410	Diesel		10837	300	408	09.22-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTN 410	Diesel		10837	300	408	09.22-	■	■
FTN 410	Diesel		10837	300	408	09.22-	■	■
FTP 410	Diesel		10837	300	408	09.22-	■	■
FTP 410	Diesel		10837	300	408	09.22-	■	■
FTP 410	Diesel		10837	300	408	09.22-	■	■
FTR 410	Diesel		10837	300	408	09.22-	■	■
FTR 410	Diesel		10837	300	408	09.22-	■	■
FTS 410	Diesel		10837	300	408	09.22-	■	■
FTS 410	Diesel		10837	300	408	09.22-	■	■
FTT 410	Diesel		10837	300	408	09.22-	■	■
FTT 410	Diesel		10837	300	408	04.23-	■	■
FTT 410	Diesel		10837	300	408	04.23-	■	■
FT 450	Diesel		10837	330	449	09.22-	■	■
FT 450	Diesel		10837	330	449	09.22-	■	■
FT 450	Diesel		10837	330	449	04.23-	■	■
FT 450	Diesel		10837	330	449	04.23-	■	■
FTG 450	Diesel		10837	330	449	09.22-	■	■
FTG 450	Diesel		10837	330	449	09.22-	■	■
FTN 450	Diesel		10837	330	449	09.22-	■	■
FTN 450	Diesel		10837	330	449	09.22-	■	■
FTP 450	Diesel		10837	330	449	09.22-	■	■
FTP 450	Diesel		10837	330	449	09.22-	■	■
FTP 450	Diesel		10837	330	449	09.22-	■	■
FTR 450	Diesel		10837	330	449	09.22-	■	■
FTR 450	Diesel		10837	330	449	09.22-	■	■
FTS 450	Diesel		10837	330	449	09.22-	■	■
FTS 450	Diesel		10837	330	449	09.22-	■	■
FTT 450	Diesel		10837	330	449	09.22-	■	■
FTT 450	Diesel		10837	330	449	04.23-	■	■
FTT 450	Diesel		10837	330	449	04.23-	■	■
FT 430	Diesel		12903	315	428	04.23-	■	■
FTT 430	Diesel		12903	315	428	04.23-	■	■
FT 480	Diesel		12903	355	483	04.23-	■	■
FTT 480	Diesel		12903	355	483	04.23-	■	■
FT 530	Diesel		12903	390	530	04.23-	■	■
FTT 530	Diesel		12903	390	530	04.23-	■	■
09.22-				Truck Tractor				
FT 270E	Mixto		0	270	367	04.23-	■	■
FT 310E	Mixto		0	310	421	04.23-	■	■
FT 350E	Mixto		0	350	476	04.23-	■	■
CF 05.13-				Dump Truck				
FAD 290	Diesel		10837	210	286	05.13-	■	■
FAT 290 (MX-11 210)	Diesel		10837	210	286	05.13-	■	■
FAD 330	Diesel		10837	240	326	05.13-	■	■
FAT 330 (MX-11 240)	Diesel		10837	240	326	05.13-	■	■
FAD 370	Diesel		10837	271	370	05.13-	■	■
FAT 370 (MX-11 271)	Diesel		10837	271	370	05.13-	■	■
FAD 400 (MX-11 291)	Diesel		10837	291	396	05.13-	■	■
FAT 400 (MX-11 291)	Diesel		10837	291	396	05.13-	■	■
FAD 440 (MX-11 320)	Diesel		10837	320	435	05.13-	■	■
FAT 440 (MX-11 320)	Diesel		10837	320	435	05.13-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAD 410 (MX-13 303)	Diesel		12903	303	412	05.13-	■	■
FAT 410 (MX-13 303)	Diesel		12903	303	412	05.13-	■	■
FAD 460 (MX-13 340)	Diesel		12903	340	462	05.13-	■	■
FAT 460 (MX-13 340)	Diesel		12903	340	462	05.13-	■	■
FAD 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FAT 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
CF 05.13-				Platform/Chassis				
FAN 280	Diesel		6690	208	283	11.15-	■	■
FAR 280	Diesel		6690	208	283	11.15-	■	■
FAN 310	Diesel		6690	231	314	11.15-	■	■
FAR 310	Diesel		6690	231	314	11.15-	■	■
FA 230	Diesel		6691	172	234	08.17-	■	■
FA 260	Diesel		6691	194	264	08.17-	■	■
FA 290	Diesel		6691	217	295	08.17-	■	■
FAN 290	Diesel		6691	217	295	08.17-	■	■
FAR 290	Diesel		6691	217	295	08.17-	■	■
FAS 290	Diesel		6691	217	295	08.17-	■	■
FA 320	Diesel		6691	239	325	08.17-	■	■
FAN 320	Diesel		6691	239	325	08.17-	■	■
FAR 320	Diesel		6691	239	325	08.17-	■	■
FAS 320	Diesel		6691	239	325	08.17-	■	■
FA 290 (MX-11 210)	Diesel		10837	210	286	05.13-	■	■
FAD 290	Diesel		10837	210	286	05.13-	■	■
FAN 290, FAG 290 (MX-11 210)	Diesel		10837	210	286	05.13-	■	■
FAR 290, FAS 290 (MX-11 210)	Diesel		10837	210	286	05.13-	■	■
FAT 290 (MX-11 210)	Diesel		10837	210	286	05.13-	■	■
FA 300	Diesel		10837	220	299	05.17-	■	■
FAG 300	Diesel		10837	220	299	05.17-	■	■
FAN 300	Diesel		10837	220	299	05.17-	■	■
FAR 300	Diesel		10837	220	299	05.17-	■	■
FAS 300	Diesel		10837	220	299	05.17-	■	■
FAT 300	Diesel		10837	220	299	05.17-	■	■
FAT 300	Diesel		10837	220	299	05.17-	■	■
FA 330 (MX-11 240)	Diesel		10837	240	326	05.13-	■	■
FAD 330	Diesel		10837	240	326	05.13-	■	■
FAN 330, FAG 330 (MX-11 240)	Diesel		10837	240	326	05.13-	■	■
FAR 330, FAS 330 (MX-11 240)	Diesel		10837	240	326	05.13-	■	■
FAT 330 (MX-11 240)	Diesel		10837	240	326	05.13-	■	■
FA 340	Diesel		10837	251	341	05.17-	■	■
FAG 340	Diesel		10837	251	341	05.17-	■	■
FAN 340	Diesel		10837	251	341	05.17-	■	■
FAR 340	Diesel		10837	251	341	05.17-	■	■
FAS 340	Diesel		10837	251	341	05.17-	■	■
FAT 340	Diesel		10837	251	341	05.17-	■	■
FAT 340	Diesel		10837	251	341	05.17-	■	■
FA 370	Diesel		10837	270	367	05.17-	■	■
FAC 370	Diesel		10837	270	367	05.17-	■	■
FAD 370	Diesel		10837	270	367	05.17-	■	■
FAD 370	Diesel		10837	270	367	05.17-	■	■
FAG 370	Diesel		10837	270	367	05.17-	■	■
FAK 370	Diesel		10837	270	367	05.17-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAN 370	Diesel	10837	270	367	05.17-	■	■
FAN 370	Diesel	10837	270	367	05.17-	■	■
FAQ 370	Diesel	10837	270	367	05.17-	■	■
FAR 370	Diesel	10837	270	367	05.17-	■	■
FAR 370	Diesel	10837	270	367	05.17-	■	■
FAS 370	Diesel	10837	270	367	05.17-	■	■
FAT 370	Diesel	10837	270	367	05.17-	■	■
FAT 370	Diesel	10837	270	367	05.17-	■	■
FAW 370	Diesel	10837	270	367	10.17-	■	■
FAW 370	Diesel	10837	270	367	10.17-	■	■
FAX 370	Diesel	10837	270	367	05.17-	■	■
FA 370 (MX-11 271)	Diesel	10837	271	370	05.13-	■	■
FAD 370	Diesel	10837	271	370	05.13-	■	■
FAN 370, FAG 370 (MX-11 271)	Diesel	10837	271	370	05.13-	■	■
FAR 370, FAS 370 (MX-11 271)	Diesel	10837	271	370	05.13-	■	■
FAT 370 (MX-11 271)	Diesel	10837	271	370	05.13-	■	■
FA 400 (MX-11 291)	Diesel	10837	291	396	05.13-	■	■
FA 400 (MX-11 291)	Diesel	10837	291	396	05.13-	■	■
FAC 400	Diesel	10837	291	396	12.15-	■	■
FAD 400 (MX-11 291)	Diesel	10837	291	396	05.13-	■	■
FAN 400, FAG 400 (MX-11 291)	Diesel	10837	291	396	05.13-	■	■
FAQ 400, FAX 400 (MX-11 291)	Diesel	10837	291	396	12.15-	■	■
FAR 400, FAS 400 (MX-11 291)	Diesel	10837	291	396	05.13-	■	■
FAT 400 (MX-11 291)	Diesel	10837	291	396	05.13-	■	■
FA 410	Diesel	10837	300	408	10.17-	■	■
FAC 410	Diesel	10837	300	408	10.17-	■	■
FAD 410	Diesel	10837	300	408	10.17-	■	■
FAD 410	Diesel	10837	300	408	10.17-	■	■
FAG 410	Diesel	10837	300	408	05.17-	■	■
FAK 410	Diesel	10837	300	408	10.17-	■	■
FAN 410	Diesel	10837	300	408	05.17-	■	■
FAN 410	Diesel	10837	300	408	05.17-	■	■
FAQ 410	Diesel	10837	300	408	10.17-	■	■
FAR 410	Diesel	10837	300	408	05.17-	■	■
FAR 410	Diesel	10837	300	408	05.17-	■	■
FAS 410	Diesel	10837	300	408	10.17-	■	■
FAT 410	Diesel	10837	300	408	05.17-	■	■
FAT 410	Diesel	10837	300	408	05.17-	■	■
FAW 410	Diesel	10837	300	408	10.17-	■	■
FAW 410	Diesel	10837	300	408	10.17-	■	■
FAX 410	Diesel	10837	300	408	10.17-	■	■
FA 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FA 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FAC 440	Diesel	10837	320	435	12.15-	■	■
FAD 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FAN 440, FAG 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FAQ 440, FAX 440 (MX-11 320)	Diesel	10837	320	435	12.15-	■	■
FAR 440, FAS 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FAT 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FA 450	Diesel	10837	330	449	05.17-	■	■
FAC 450	Diesel	10837	330	449	05.17-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAD 450	Diesel	10837	330	449	05.17-	■	■
FAD 450	Diesel	10837	330	449	05.17-	■	■
FAG 450	Diesel	10837	330	449	05.17-	■	■
FAK 450	Diesel	10837	330	449	05.17-	■	■
FAN 450	Diesel	10837	330	449	05.17-	■	■
FAN 450	Diesel	10837	330	449	05.17-	■	■
FAQ 450	Diesel	10837	330	449	05.17-	■	■
FAR 450	Diesel	10837	330	449	05.17-	■	■
FAR 450	Diesel	10837	330	449	05.17-	■	■
FAS 450	Diesel	10837	330	449	05.17-	■	■
FAT 450	Diesel	10837	330	449	05.17-	■	■
FAT 450	Diesel	10837	330	449	05.17-	■	■
FAW 450	Diesel	10837	330	449	10.17-	■	■
FAW 450	Diesel	10837	330	449	10.17-	■	■
FAX 450	Diesel	10837	330	449	05.17-	■	■
FA 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FA 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FAC 410	Diesel	12903	303	412	12.15-	■	■
FAD 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FAN 410, FAG 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FAQ 410, FAX 410 (MX-13 303)	Diesel	12903	303	412	12.15-	■	■
FAR 410, FAS 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FAT 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FA 430	Diesel	12903	315	428	10.17-	■	■
FAC 430	Diesel	12903	315	428	05.17-	■	■
FAD 430	Diesel	12903	315	428	05.17-	■	■
FAD 430	Diesel	12903	315	428	05.17-	■	■
FAK 430	Diesel	12903	315	428	05.17-	■	■
FAN 430	Diesel	12903	315	428	05.17-	■	■
FAN 430	Diesel	12903	315	428	05.17-	■	■
FAQ 430	Diesel	12903	315	428	05.17-	■	■
FAR 430	Diesel	12903	315	428	05.17-	■	■
FAR 430	Diesel	12903	315	428	05.17-	■	■
FAS 430	Diesel	12903	315	428	05.17-	■	■
FAT 430	Diesel	12903	315	428	05.17-	■	■
FAT 430	Diesel	12903	315	428	05.17-	■	■
FAW 430	Diesel	12903	315	428	10.17-	■	■
FAW 430	Diesel	12903	315	428	10.17-	■	■
FAX 430	Diesel	12903	315	428	05.17-	■	■
FA 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FA 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FAC 460	Diesel	12903	340	462	12.15-	■	■
FAD 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FAN 460, FAG 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FAQ 460, FAX 460 (MX-13 340)	Diesel	12903	340	462	12.15-	■	■
FAR 460, FAS 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FAT 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FA 480	Diesel	12903	355	483	05.17-	■	■
FAC 480	Diesel	12903	355	483	05.17-	■	■
FAD 480	Diesel	12903	355	483	05.17-	■	■
FAD 480	Diesel	12903	355	483	05.17-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAK 480	Diesel		12903	355	483	05.17-	■	■
FAN 480	Diesel		12903	355	483	05.17-	■	■
FAN 480	Diesel		12903	355	483	05.17-	■	■
FAQ 480	Diesel		12903	355	483	05.17-	■	■
FAR 480	Diesel		12903	355	483	05.17-	■	■
FAR 480	Diesel		12903	355	483	05.17-	■	■
FAS 480	Diesel		12903	355	483	05.17-	■	■
FAT 480	Diesel		12903	355	483	05.17-	■	■
FAT 480	Diesel		12903	355	483	05.17-	■	■
FAW 480	Diesel		12903	355	483	10.17-	■	■
FAW 480	Diesel		12903	355	483	10.17-	■	■
FAX 480	Diesel		12903	355	483	05.17-	■	■
FA 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FA 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FAC 510	Diesel		12903	375	510	12.15-	■	■
FAD 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FAN 510, FAG 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FAQ 510, FAX 510 (MX-13 375)	Diesel		12903	375	510	12.15-	■	■
FAR 510, FAS 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FAT 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FA 530	Diesel		12903	390	530	05.17-	■	■
FAC 530	Diesel		12903	390	530	05.17-	■	■
FAD 530	Diesel		12903	390	530	05.17-	■	■
FAD 530	Diesel		12903	390	530	05.17-	■	■
FAK 530	Diesel		12903	390	530	05.17-	■	■
FAN 530	Diesel		12903	390	530	05.17-	■	■
FAN 530	Diesel		12903	390	530	05.17-	■	■
FAQ 530	Diesel		12903	390	530	05.17-	■	■
FAR 530	Diesel		12903	390	530	05.17-	■	■
FAR 530	Diesel		12903	390	530	05.17-	■	■
FAS 530	Diesel		12903	390	530	05.17-	■	■
FAT 530	Diesel		12903	390	530	05.17-	■	■
FAT 530	Diesel		12903	390	530	05.17-	■	■
FAW 530	Diesel		12903	390	530	10.17-	■	■
FAW 530	Diesel		12903	390	530	10.17-	■	■
FAX 530	Diesel		12903	390	530	05.17-	■	■
CF 05.13-				Truck Tractor				
FT 290 (MX-11 210)	Diesel		10837	210	286	05.13-	■	■
FT 300	Diesel		10837	220	299	05.17-	■	■
FT 330 (MX-11 240)	Diesel		10837	240	326	05.13-	■	■
FT 340	Diesel		10837	251	341	05.17-	■	■
FT 370	Diesel		10837	270	367	05.17-	■	■
FTT 370	Diesel		10837	270	367	05.17-	■	■
FT 370 (MX-11 271)	Diesel		10837	271	370	05.13-	■	■
FT 400 (MX-11 291)	Diesel		10837	291	396	05.13-	■	■
FT 400 (MX-11 291)	Diesel		10837	291	396	05.13-	■	■
FTG 400 (MX-11 291)	Diesel		10837	291	396	05.13-	■	■
FTP 400 (MX-11 291)	Diesel		10837	291	396	05.13-	■	■
FTT 400 (MX-11 291)	Diesel		10837	291	396	05.13-	■	■
FT 410	Diesel		10837	300	408	10.17-	■	■
FTG 410	Diesel		10837	300	408	10.17-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTN 410	Diesel	10837	300	408	10.17-	■	■
FTP 410	Diesel	10837	300	408	10.17-	■	■
FTR 410	Diesel	10837	300	408	10.17-	■	■
FTS 410	Diesel	10837	300	408	10.17-	■	■
FTT 410	Diesel	10837	300	408	10.17-	■	■
FT 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FT 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FTG 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FTP 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FTT 440 (MX-11 320)	Diesel	10837	320	435	05.13-	■	■
FT 450	Diesel	10837	330	449	05.17-	■	■
FTG 450	Diesel	10837	330	449	05.17-	■	■
FTN 450	Diesel	10837	330	449	05.17-	■	■
FTP 450	Diesel	10837	330	449	05.17-	■	■
FTR 450	Diesel	10837	330	449	05.17-	■	■
FTS 450	Diesel	10837	330	449	05.17-	■	■
FTT 450	Diesel	10837	330	449	05.17-	■	■
FT 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FT 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FTG 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FTP 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FTR 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FTS 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FTT 410 (MX-13 303)	Diesel	12903	303	412	05.13-	■	■
FT 430	Diesel	12903	315	428	10.17-	■	■
FTG 430	Diesel	12903	315	428	05.17-	■	■
FTN 430	Diesel	12903	315	428	05.17-	■	■
FTP 430	Diesel	12903	315	428	05.17-	■	■
FTR 430	Diesel	12903	315	428	05.17-	■	■
FTS 430	Diesel	12903	315	428	10.17-	■	■
FTT 430	Diesel	12903	315	428	05.17-	■	■
FT 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FT 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FTG 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FTP 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FTR 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FTS 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FTT 460 (MX-13 340)	Diesel	12903	340	462	05.13-	■	■
FT 480	Diesel	12903	355	483	05.17-	■	■
FTG 480	Diesel	12903	355	483	05.17-	■	■
FTN 480	Diesel	12903	355	483	05.17-	■	■
FTP 480	Diesel	12903	355	483	05.17-	■	■
FTR 480	Diesel	12903	355	483	05.17-	■	■
FTS 480	Diesel	12903	355	483	05.17-	■	■
FTT 480	Diesel	12903	355	483	05.17-	■	■
FT 510 (MX-13 375)	Diesel	12903	375	510	05.13-	■	■
FT 510 (MX-13 375)	Diesel	12903	375	510	05.13-	■	■
FTG 510 (MX-13 375)	Diesel	12903	375	510	05.13-	■	■
FTP 510 (MX-13 375)	Diesel	12903	375	510	05.13-	■	■
FTR 510 (MX-13 375)	Diesel	12903	375	510	05.13-	■	■
FTS 510 (MX-13 375)	Diesel	12903	375	510	05.13-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTT 510 (MX-13 375)	Diesel		12903	375	510	05.13-	■	■
FT 530	Diesel		12903	390	530	05.17-	■	■
FTG 530	Diesel		12903	390	530	05.17-	■	■
FTN 530	Diesel		12903	390	530	05.17-	■	■
FTP 530	Diesel		12903	390	530	05.17-	■	■
FTR 530	Diesel		12903	390	530	05.17-	■	■
FTS 530	Diesel		12903	390	530	05.17-	■	■
FTT 530	Diesel		12903	390	530	05.17-	■	■
CF 65 01.01-05.13				Platform/Chassis				
FA 65.180 (CE 136 C)	Diesel		5880	136	185	01.01-05.13	■	■
FA 65.220 (CE 162 C)	Diesel		5880	162	220	01.01-05.13	■	■
FA 65.250 (CE 184 C)	Diesel		5880	184	250	01.01-05.13	■	■
FA 65.220 (GR 165 S1)	Diesel		6691	165	224	05.06-05.13	■	■
FA 65.250 (GR 184 S1)	Diesel		6691	184	250	05.06-05.13	■	■
FA 65.280 (GR 210 S1)	Diesel		6691	210	286	05.06-05.13	■	■
CF 75 01.01-12.19				Dump Truck				
FA 75.250	Diesel		9186	183	249	10.06-05.13	■	■
FA 75.310 (PR 228 S)	Diesel		9186	228	310	10.06-05.13	■	■
FA 75.360 (PR 265 S)	Diesel		9186	265	360	10.06-05.13	■	■
CF 75 01.01-12.19				Platform/Chassis				
FA 75.250 (PE 183 C)	Diesel		9186	183	249	01.01-05.13	■	■
FA 75.250 (PR 183 S)	Diesel		9186	183	249	01.01-05.13	■	■
FA 75.250	Diesel		9186	183	249	10.06-05.13	■	■
FAD 75.250 (PR 183 S)	Diesel		9186	183	249	01.01-05.13	■	■
FAG 75.250, FAN 75.250 (PE 183 C)	Diesel		9186	183	249	01.01-05.13	■	■
FAG 75.250, FAN 75.250 (PR 183 S)	Diesel		9186	183	249	01.01-05.13	■	■
FAG 75.250, FAN 75.250	Diesel		9186	183	249	01.01-05.13	■	■
FAR 75.250, FAS 75.250 (PE 183 C)	Diesel		9186	183	249	01.01-05.13	■	■
FAR 75.250, FAS 75.250 (PR 183 S)	Diesel		9186	183	249	01.01-05.13	■	■
FAR 75.250, FAS 75.250 (PR 183 S)	Diesel		9186	183	249	10.06-05.13	■	■
FAT 75.250 (PE 183 C)	Diesel		9186	183	249	01.01-05.13	■	■
FAT 75.250 (PR 183 S)	Diesel		9186	183	249	01.01-05.13	■	■
FAT 75.250	Diesel		9186	183	249	10.06-05.13	■	■
FA 75.310 (PE 228 C)	Diesel		9186	228	310	01.01-05.13	■	■
FA 75.310 (PR 228 S)	Diesel		9186	228	310	01.01-05.13	■	■
FA 75.310 (PR 228 S)	Diesel		9186	228	310	10.06-05.13	■	■
FAD 75.310 (PR 228 S)	Diesel		9186	228	310	01.01-05.13	■	■
FAG 75.310, FAN 75.310 (PE 228 C)	Diesel		9186	228	310	01.01-05.13	■	■
FAG 75.310, FAN 75.310 (PR 228 S)	Diesel		9186	228	310	01.01-05.13	■	■
FAG 75.310, FAN 75.310	Diesel		9186	228	310	01.01-05.13	■	■
FAR 75.310, FAS 75.310 (PE 228 C)	Diesel		9186	228	310	01.01-05.13	■	■
FAR 75.310, FAS 75.310 (PR 228 S)	Diesel		9186	228	310	01.01-05.13	■	■
FAR 75.310, FAS 75.310	Diesel		9186	228	310	01.01-05.13	■	■
FAT 75.310 (PE 228 C)	Diesel		9186	228	310	01.01-05.13	■	■
FAT 75.310 (PR 228 S)	Diesel		9186	228	310	01.01-05.13	■	■
FAT 75.310	Diesel		9186	228	310	10.06-05.13	■	■
FA 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FA 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
FA 75.360 (PR 265 S)	Diesel		9186	265	360	10.06-05.13	■	■
FAD 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAG 75.360, FAN 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FAG 75.360, FAN 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
FAG 75.360, FAN 75.360	Diesel		9186	265	360	01.01-05.13	■	■
FAR 75.360, FAS 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FAR 75.360, FAS 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
FAR 75.360, FAS 75.360	Diesel		9186	265	360	10.06-05.13	■	■
FAT 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FAT 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
FAT 75.360	Diesel		9186	265	360	10.06-05.13	■	■
CF 75 01.01-12.19				Truck Tractor				
FT 75.250 (PE 183 C)	Diesel		9186	183	249	01.01-05.13	■	■
FT 75.250 (PR 183 S)	Diesel		9186	183	249	01.01-05.13	■	■
FT 75.250	Diesel		9186	183	249	10.06-05.13	■	■
FT 75.310 (PE 228 C)	Diesel		9186	228	310	01.01-05.13	■	■
FT 75.310 (PR 228 S)	Diesel		9186	228	310	01.01-05.13	■	■
FT 75.310	Diesel		9186	228	310	10.06-05.13	■	■
FT 75.360 (PE 265 C)	Diesel		9186	265	360	01.01-05.13	■	■
FT 75.360 (PR 265 S)	Diesel		9186	265	360	01.01-05.13	■	■
FT 75.360	Diesel		9186	265	360	10.06-05.13	■	■
CF 85 01.01-05.13				Concrete Mixer				
FAD 85.360	Diesel		12903	265	360	10.06-05.13	■	■
FAD 85.410 (MX-13 303)	Diesel		12903	300	408	10.06-05.13	■	■
FAD 85.460 (MX-13 340)	Diesel		12903	340	462	10.06-05.13	■	■
FAD 85.510 (MX-13 375)	Diesel		12903	375	510	10.06-05.13	■	■
CF 85 01.01-05.13				Dump Truck				
FA 85.360	Diesel		12903	265	360	10.06-05.13	■	■
FAD 85.360	Diesel		12903	265	360	10.06-05.13	■	■
FAN 85.360	Diesel		12903	265	360	10.06-05.13	■	■
FAR 85.360	Diesel		12903	265	360	10.06-05.13	■	■
FAR 85.360, FAS 85.360	Diesel		12903	265	360	10.06-05.13	■	■
FAT 85.360 (MX 265)	Diesel		12903	265	360	10.06-05.13	■	■
FA 85.410	Diesel		12903	300	408	10.06-05.13	■	■
FAD 85.410 (MX-13 303)	Diesel		12903	300	408	10.06-05.13	■	■
FAN 85.410	Diesel		12903	300	408	10.06-05.13	■	■
FAR 85.410, FAS 85.410	Diesel		12903	300	408	10.05-05.13	■	■
FAT 85.410 (MX 300)	Diesel		12903	300	408	10.05-05.13	■	■
FA 85.460	Diesel		12903	340	462	10.06-05.13	■	■
FAD 85.460 (MX-13 340)	Diesel		12903	340	462	10.06-05.13	■	■
FAN 85.460	Diesel		12903	340	462	10.06-05.13	■	■
FAR 85.460, FAS 85.460	Diesel		12903	340	462	10.05-05.13	■	■
FAT 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■
FA 85.510	Diesel		12903	375	510	10.06-05.13	■	■
FAD 85.510 (MX-13 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAN 85.510 (MX-13 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAR 85.510, FAS 85.510	Diesel		12903	375	510	10.05-05.13	■	■
FAT 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
CF 85 01.01-05.13				Platform/Chassis				
FA 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FAC 85.340 (XE 250 C)	Diesel		12580	250	340	12.05-05.13	■	■
FAD 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAG 85.340, FAN 85.340 (XE 250 C)	Diesel	12580	250	340	01.01-05.13	■	■
FAR 85.340, FAS 85.340 (XE 250 C)	Diesel	12580	250	340	01.01-05.13	■	■
FAT 85.340 (XE 250 C)	Diesel	12580	250	340	01.01-05.13	■	■
FAX 85.340 (XE 250 C)	Diesel	12580	250	340	01.01-05.13	■	■
FAX 85.380 (XE 280 C)	Diesel	12580	279	380	01.01-05.13	■	■
FA 85.380 (XE 280 C)	Diesel	12580	280	381	01.01-05.13	■	■
FAC 85.380 (XE 280 C)	Diesel	12580	280	380	12.05-05.13	■	■
FAD 85.380 (XE 280 C)	Diesel	12580	280	381	01.01-05.13	■	■
FAG 85.380, FAN 85.380 (XE 280 C)	Diesel	12580	280	381	01.01-05.13	■	■
FAR 85.380, FAS 85.380 (XE 280 C)	Diesel	12580	280	381	01.01-05.13	■	■
FAT 85.380 (XE 280 C)	Diesel	12580	280	381	01.01-05.13	■	■
FA 85.430 (XE 315 C)	Diesel	12580	315	428	01.01-05.13	■	■
FAC 85.430 (XE 315 C)	Diesel	12580	315	428	12.05-05.13	■	■
FAD 85.430 (XE 315 C)	Diesel	12580	315	428	01.01-05.13	■	■
FAG 85.430, FAN 85.430 (XE 315 C)	Diesel	12580	315	428	01.01-05.13	■	■
FAR 85.430, FAS 85.430 (XE 315 C)	Diesel	12580	315	428	01.01-05.13	■	■
FAT 85.430 (XE 315 C)	Diesel	12580	315	428	01.01-05.13	■	■
FAX 85.430 (XE 315 C)	Diesel	12580	315	430	01.01-05.13	■	■
FAX 85.480 (XE 355 C)	Diesel	12580	351	477	01.01-05.13	■	■
FA 85.480 (XE 355 C)	Diesel	12580	355	483	01.01-05.13	■	■
FAC 85.480 (XE 355 C)	Diesel	12580	355	483	12.05-05.13	■	■
FAD 85.480 (XE 355 C)	Diesel	12580	355	483	01.01-05.13	■	■
FAG 85.480, FAN 85.480 (XE 355 C)	Diesel	12580	355	483	01.01-05.13	■	■
FAR 85.480, FAS 85.480 (XE 355 C)	Diesel	12580	355	483	01.01-05.13	■	■
FAT 85.480 (XE 355 C)	Diesel	12580	355	483	01.01-05.13	■	■
FA 85.360 (MX 265)	Diesel	12903	265	360	10.06-05.13	■	■
FAC 85.360 (MX 265)	Diesel	12903	265	360	10.06-05.13	■	■
FAD 85.360	Diesel	12903	265	360	10.06-05.13	■	■
FAG 85.360, FAN 85.360 (MX 265)	Diesel	12903	265	360	10.06-05.13	■	■
FAG 85.360, FAN 85.360	Diesel	12903	265	360	10.06-05.13	■	■
FAQ 85.360 (MX 265)	Diesel	12903	265	360	10.06-05.13	■	■
FAQ 85.360 (MX-13 265)	Diesel	12903	265	360	10.06-05.13	■	■
FAR 85.360, FAS 85.360 (MX 265)	Diesel	12903	265	360	10.06-05.13	■	■
FAT 85.360 (MX 265)	Diesel	12903	265	360	10.06-05.13	■	■
FAX 85.360	Diesel	12903	265	360	10.06-05.13	■	■
FA 85.410 (MX 300)	Diesel	12903	300	408	10.06-05.13	■	■
FAC 85.410 (MX 300)	Diesel	12903	300	408	10.05-05.13	■	■
FAD 85.410 (MX 300)	Diesel	12903	300	408	10.06-05.13	■	■
FAD 85.410 (MX-13 303)	Diesel	12903	300	408	10.06-05.13	■	■
FAG 85.410, FAN 85.410 (MX 300)	Diesel	12903	300	408	10.05-05.13	■	■
FAG 85.410, FAN 85.410	Diesel	12903	300	408	10.06-05.13	■	■
FAQ 85.410 (MX 300)	Diesel	12903	300	408	10.06-05.13	■	■
FAQ 85.410 (MX-13 303)	Diesel	12903	300	408	10.06-05.13	■	■
FAR 85.410	Diesel	12903	300	408	10.05-05.13	■	■
FAR 85.410, FAS 85.410 (MX 300)	Diesel	12903	300	408	10.05-05.13	■	■
FAT 85.410 (MX 300)	Diesel	12903	300	408	10.05-05.13	■	■
FAX 85.410	Diesel	12903	300	408	10.05-05.13	■	■
FA 85.460 (MX 340)	Diesel	12903	340	462	10.06-05.13	■	■
FAC 85.460 (MX 340)	Diesel	12903	340	462	10.05-05.13	■	■
FAD 85.460 (MX 340)	Diesel	12903	340	462	10.06-05.13	■	■
FAD 85.460 (MX-13 340)	Diesel	12903	340	462	10.06-05.13	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAG 85.460, FAN 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■
FAG 85.460, FAN 85.460	Diesel		12903	340	462	10.06-05.13	■	■
FAQ 85.460 (MX 340)	Diesel		12903	340	462	10.06-05.13	■	■
FAQ 85.460 (MX-13 340)	Diesel		12903	340	462	10.06-05.13	■	■
FAR 85.460	Diesel		12903	340	462	10.05-05.13	■	■
FAR 85.460, FAS 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■
FAT 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■
FAX 85.460	Diesel		12903	340	462	10.05-05.13	■	■
FA 85.510 (MX 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAC 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
FAD 85.510 (MX 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAD 85.510 (MX-13 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAG 85.510, FAN 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
FAG 85.510, FAN 85.510 (MX 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAG 85.510, FAN 85.510 (MX-13 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAQ 85.510 (MX 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAQ 85.510 (MX-13 375)	Diesel		12903	375	510	10.06-05.13	■	■
FAR 85.510	Diesel		12903	375	510	10.05-05.13	■	■
FAR 85.510, FAS 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
FAT 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
FAX 85.510	Diesel		12903	375	510	10.05-05.13	■	■
CF 85 01.01-05.13				Truck Tractor				
FT 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FTG 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FTP 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FTS 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FTT 85.340 (XE 250 C)	Diesel		12580	250	340	01.01-05.13	■	■
FT 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FTG 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FTP 85.380 (XE 280 C)	Diesel		12580	280	380	01.01-05.13	■	■
FTS 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FTT 85.380 (XE 280 C)	Diesel		12580	280	381	01.01-05.13	■	■
FT 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FTG 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FTP 85.430 (XE 315 C)	Diesel		12580	315	430	01.01-05.13	■	■
FTS 85.430 (XE 315 C)	Diesel		12580	315	428	01.01-05.13	■	■
FTT 85.430 (XE 315 C)	Diesel		12580	315	430	01.01-05.13	■	■
FT 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FTG 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FTP 85.480 (XF 355 M)	Diesel		12580	355	480	01.01-05.13	■	■
FTS 85.480 (XE 355 C)	Diesel		12580	355	480	01.01-05.13	■	■
FTT 85.480 (XE 355 C)	Diesel		12580	355	483	01.01-05.13	■	■
FT 85.410 (MX 300)	Diesel		12902	300	408	10.05-05.13	■	■
FT 85.360 (MX 265)	Diesel		12903	265	360	10.06-05.13	■	■
FTG 85.360 (MX 265)	Diesel		12903	265	360	10.06-05.13	■	■
FTR 85.360, FTS 85.360, FTP 85.360 (MX 265)	Diesel		12903	265	360	10.06-12.20	■	■
FTT 85.360 (MX 265)	Diesel		12903	265	360	10.06-05.13	■	■
FTG 85.410 (MX 300)	Diesel		12903	300	408	10.05-05.13	■	■
FTR 85.410, FTS 85.410, FTP 85.410 (MX 300)	Diesel		12903	300	408	10.05-05.13	■	■
FTT 85.410	Diesel		12903	300	408	10.05-05.13	■	■
FT 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTG 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■
FTR 85.460, FTS 85.460, FTP 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■
FTT 85.460 (MX 340)	Diesel		12903	340	462	10.05-05.13	■	■
FT 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
FTG 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
FTG 85.510	Diesel		12903	375	510	10.05-05.13	■	■
FTR 85.510, FTS 85.510, FTP 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
FTT 85.510 (MX 375)	Diesel		12903	375	510	10.05-05.13	■	■
LF 55 01.01-				Municipal Vehicle				
FA 55.160	Diesel		4461	118	160	05.06-	■	■
LF 55 01.01-				Platform/Chassis				
FA 55.170 (BE 123 C)	Diesel		3920	123	167	01.01-	■	■
FA 55.160 (FR 118 S1)	Diesel		4461	118	160	05.06-	■	■
FA 55.210 (FR 152)	Diesel		4461	152	207	01.09-	■	■
FA 55.180 (CE 136 C)	Diesel		5880	136	185	01.01-	■	■
FAN 55.180 (CE 136 C)	Diesel		5880	136	180	05.06-	■	■
FA 55.220 (CE 162 C)	Diesel		5880	162	220	01.01-	■	■
FAN 55.220 (CE 162 C)	Diesel		5880	162	220	05.06-	■	■
FA 55.250 (CE 184 C)	Diesel		5880	184	250	01.01-	■	■
FAN 55.250 (CE 184 C)	Diesel		5880	184	250	05.06-	■	■
FA 55.220 (GR 165 S1)	Diesel		6691	165	224	05.06-	■	■
FAN 55.220 (GR 165 S1)	Diesel		6691	165	224	05.06-	■	■
FA 55.250 (GR 184 S1)	Diesel		6691	184	250	05.06-	■	■
FAN 55.250 (GR 184 S1)	Diesel		6691	184	250	05.06-	■	■
FA 55.290 (GR 210 S1)	Diesel		6691	210	286	05.06-	■	■
FAN 55.290 (GR 210 S1)	Diesel		6691	210	286	05.06-	■	■
FA 55.300 (GR 220)	Diesel		6691	220	300	01.09-	■	■
SB 01.74-				Bus				
SB 3000 (DKV 1160)	Diesel		11627	212	288	01.84-12.03	■	■
SB 3000 (DKSB 1160)	Diesel		11627	228	310	01.84-12.03	■	■
SB 3000 (WS 242)	Diesel		11627	242	330	05.95-12.03	■	■
SB 3000 (WS 268)	Diesel		11627	268	364	05.95-12.03	■	■
SB 3000 (WS 315)	Diesel		11627	315	428	05.95-12.03	■	■
XF 10.12-				Platform/Chassis				
FA 440 (MX-11 320)	Diesel		10837	320	435	10.12-	■	■
FA 440	Diesel		10837	320	435	10.12-	■	■
FA 440	Diesel		10837	320	435	10.12-	■	■
FAK 440	Diesel		10837	320	435	10.12-	■	■
FAN 440	Diesel		10837	320	435	10.12-	■	■
FAR 440	Diesel		10837	320	435	10.12-	■	■
FAR 440, FAS 440 (MX-11 320)	Diesel		10837	320	435	10.12-	■	■
FA 450	Diesel		10837	330	449	05.17-	■	■
FAK 450	Diesel		10837	330	449	05.17-	■	■
FAN 450	Diesel		10837	330	449	05.17-	■	■
FAR 450	Diesel		10837	330	449	05.17-	■	■
FAR 450	Diesel		10837	330	449	05.17-	■	■
FAS 450	Diesel		10837	330	449	05.17-	■	■
FAS 450	Diesel		10837	330	449	05.17-	■	■
FA 410 (MX-13 303)	Diesel		12903	303	412	10.12-	■	■
FA 410	Diesel		12903	303	412	10.12-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FA 410	Diesel	12903	303	412	10.12-	■	■
FAK 410	Diesel	12903	303	412	10.12-	■	■
FAN 410	Diesel	12903	303	412	10.12-	■	■
FAR 410	Diesel	12903	303	412	10.12-	■	■
FAR 410, FAS 410 (MX-13 303)	Diesel	12903	303	412	10.12-	■	■
FA 430	Diesel	12903	315	428	05.17-	■	■
FAD 430	Diesel	12903	315	428	05.17-	■	■
FAK 430	Diesel	12903	315	428	05.17-	■	■
FAN 430	Diesel	12903	315	428	05.17-	■	■
FAR 430	Diesel	12903	315	428	05.17-	■	■
FAR 430	Diesel	12903	315	428	05.17-	■	■
FAS 430	Diesel	12903	315	428	05.17-	■	■
FAS 430	Diesel	12903	315	428	05.17-	■	■
FAT 430	Diesel	12903	315	428	05.17-	■	■
FA 460 (MX-13 340)	Diesel	12903	340	462	10.12-	■	■
FA 460	Diesel	12903	340	462	10.12-	■	■
FA 460	Diesel	12903	340	462	10.12-	■	■
FAD 460 (MX-13 340)	Diesel	12903	340	462	10.12-	■	■
FAK 460	Diesel	12903	340	462	10.12-	■	■
FAN 460 (MX-13 340)	Diesel	12903	340	462	10.12-	■	■
FAR 460 (MX-13 340)	Diesel	12903	340	462	10.12-	■	■
FAR 460, FAS 460 (MX-13 340)	Diesel	12903	340	462	10.12-	■	■
FAT 460	Diesel	12903	340	462	06.15-	■	■
FA 480	Diesel	12903	355	483	05.17-	■	■
FAD 480	Diesel	12903	355	483	05.17-	■	■
FAK 480	Diesel	12903	355	483	05.17-	■	■
FAN 480	Diesel	12903	355	483	05.17-	■	■
FAR 480	Diesel	12903	355	483	05.17-	■	■
FAR 480	Diesel	12903	355	483	05.17-	■	■
FAS 480	Diesel	12903	355	483	05.17-	■	■
FAS 480	Diesel	12903	355	483	05.17-	■	■
FAT 480	Diesel	12903	355	483	05.17-	■	■
FA 510 (MX-13 375)	Diesel	12903	375	510	10.12-	■	■
FA 510	Diesel	12903	375	510	10.12-	■	■
FA 510	Diesel	12903	375	510	10.12-	■	■
FAD 510	Diesel	12903	375	510	10.12-	■	■
FAK 510	Diesel	12903	375	510	12.12-	■	■
FAN 510	Diesel	12903	375	510	10.12-	■	■
FAR 510	Diesel	12903	375	510	10.12-	■	■
FAR 510, FAS 510 (MX-13 375)	Diesel	12903	375	510	10.12-	■	■
FAT 510	Diesel	12903	375	510	06.15-	■	■
FA 530	Diesel	12903	390	530	05.17-	■	■
FAD 530	Diesel	12903	390	530	05.17-	■	■
FAK 530	Diesel	12903	390	530	05.17-	■	■
FAN 530	Diesel	12903	390	530	05.17-	■	■
FAR 530	Diesel	12903	390	530	05.17-	■	■
FAR 530	Diesel	12903	390	530	05.17-	■	■
FAS 530	Diesel	12903	390	530	05.17-	■	■
FAS 530	Diesel	12903	390	530	05.17-	■	■
FAT 530	Diesel	12903	390	530	05.17-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

XF 10.12-					Truck Tractor				
FT 440 (MX-11 320)	Diesel		10837	320	435	10.12-	■	■	
FTG 440, FTN 440	Diesel		10837	320	435	10.12-	■	■	
FTP 440	Diesel		10837	320	435	10.12-	■	■	
FTP 440, FTR 440, FTS 440 (MX-11 320)	Diesel		10837	320	435	10.12-	■	■	
FT 450	Diesel		10837	330	449	05.17-	■	■	
FTG 450	Diesel		10837	330	449	05.17-	■	■	
FTN 450	Diesel		10837	330	449	05.17-	■	■	
FTP 450	Diesel		10837	330	449	05.17-	■	■	
FTR 450	Diesel		10837	330	449	05.17-	■	■	
FTS 450	Diesel		10837	330	449	05.17-	■	■	
FT 410 (MX-13 303)	Diesel		12903	303	412	10.12-	■	■	
FTG 410, FTN 410	Diesel		12903	303	412	10.12-	■	■	
FTP 410	Diesel		12903	303	412	10.12-	■	■	
FTP 410, FTR 410, FTS 410 (MX-13 303)	Diesel		12903	303	412	10.12-	■	■	
FT 430	Diesel		12903	315	428	05.17-	■	■	
FTG 430	Diesel		12903	315	428	05.17-	■	■	
FTM 430	Diesel		12903	315	428	05.17-	■	■	
FTN 430	Diesel		12903	315	428	05.17-	■	■	
FTP 430	Diesel		12903	315	428	05.17-	■	■	
FTR 430	Diesel		12903	315	428	05.17-	■	■	
FTS 430	Diesel		12903	315	428	05.17-	■	■	
FTT 430	Diesel		12903	315	428	05.17-	■	■	
FT 460 (MX-13 340)	Diesel		12903	340	462	10.12-	■	■	
FTG 460, FTN 460 (MX-13 340)	Diesel		12903	340	462	10.12-	■	■	
FTM 460	Diesel		12903	340	462	10.12-	■	■	
FTP 460	Diesel		12903	340	462	10.12-	■	■	
FTP 460, FTR 460, FTS 460 (MX-13 340)	Diesel		12903	340	462	10.12-	■	■	
FTT 460	Diesel		12903	340	462	10.12-	■	■	
FT 480	Diesel		12903	355	483	05.17-	■	■	
FTG 480	Diesel		12903	355	483	05.17-	■	■	
FTM 480	Diesel		12903	355	483	05.17-	■	■	
FTN 480	Diesel		12903	355	483	05.17-	■	■	
FTP 480	Diesel		12903	355	483	05.17-	■	■	
FTR 480	Diesel		12903	355	483	05.17-	■	■	
FTS 480	Diesel		12903	355	483	05.17-	■	■	
FTT 480	Diesel		12903	355	483	05.17-	■	■	
FT 510 (MX-13 375)	Diesel		12903	375	510	10.12-	■	■	
FTG 510, FTN 510	Diesel		12903	375	510	10.12-	■	■	
FTM 510	Diesel		12903	375	510	10.12-	■	■	
FTP 510	Diesel		12903	375	510	10.12-	■	■	
FTP 510, FTR 510, FTS 510 (MX-13 375)	Diesel		12903	375	510	10.12-	■	■	
FTT 510	Diesel		12903	375	510	10.12-	■	■	
FT 530	Diesel		12903	390	530	05.17-	■	■	
FTG 530	Diesel		12903	390	530	05.17-	■	■	
FTM 530	Diesel		12903	390	530	05.17-	■	■	
FTN 530	Diesel		12903	390	530	05.17-	■	■	
FTP 530	Diesel		12903	390	530	05.17-	■	■	
FTR 530	Diesel		12903	390	530	05.17-	■	■	
FTS 530	Diesel		12903	390	530	05.17-	■	■	
FTT 530	Diesel		12903	390	530	05.17-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

XF 105 10.05-					Platform/Chassis				
FA 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FAD 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FAK 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FAN 105.410	Diesel		12903	300	408	10.05-	■	■	
FAR 105.410	Diesel		12903	300	408	10.05-	■	■	
FAS 105.410, FAR 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FAT 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FA 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FAD 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FAK 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FAN 105.460	Diesel		12903	340	462	10.05-	■	■	
FAR 105.460	Diesel		12903	340	462	10.05-	■	■	
FAS 105.460, FAR 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FAT 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FA 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FAD 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FAK 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FAN 105.510	Diesel		12903	375	510	10.05-	■	■	
FAR 105.510	Diesel		12903	375	510	10.05-	■	■	
FAS 105.510, FAR 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FAT 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
XF 105 10.05-					Truck Tractor				
FT 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FTG 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FTG 105.410	Diesel		12903	300	408	10.05-	■	■	
FTM 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FTP 105.410	Diesel		12903	300	408	10.05-	■	■	
FTS 105.410, FTR 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FTT 105.410 (MX 300)	Diesel		12903	300	408	10.05-	■	■	
FT 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FTG 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FTG 105.460	Diesel		12903	340	462	10.05-	■	■	
FTM 105.460 (MX 340)	Diesel		12903	340	460	10.05-	■	■	
FTP 105.460	Diesel		12903	340	462	10.05-	■	■	
FTS 105.460, FTR 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FTT 105.460 (MX 340)	Diesel		12903	340	462	10.05-	■	■	
FT 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FTG 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FTG 105.510	Diesel		12903	375	510	10.05-	■	■	
FTM 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FTP 105.510	Diesel		12903	375	510	09.13-	■	■	
FTS 105.510, FTR 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
FTT 105.510 (MX 375)	Diesel		12903	375	510	10.05-	■	■	
XF 95 01.02-12.06					Platform/Chassis				
FA 95.380 (XE 280 C)	Diesel		12580	280	381	09.02-12.06	■	■	
FAD 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■	
FAK 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■	
FAK 95.380 (XF 280 M)	Diesel		12580	280	381	01.02-12.06	■	■	
FAN 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

FAR 95.380 (XE 280 C)	Diesel		12580	280	381	09.02-12.06	■	■
FAS 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■
FAT 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■
FA 95.430 (XE 315 C)	Diesel		12580	315	428	09.02-12.06	■	■
FAD 95.430 (XE 315 C)	Diesel		12580	315	428	01.02-12.06	■	■
FAK 95.430 (XE 315 C)	Diesel		12580	315	430	01.02-12.06	■	■
FAK 95.430 (XF 315 M)	Diesel		12580	315	430	01.02-12.06	■	■
FAN 95.430 (XE 315 C)	Diesel		12580	315	430	01.02-12.06	■	■
FAR 95.430 (XE 315 C)	Diesel		12580	315	428	09.02-12.06	■	■
FAS 95.430 (XE 315 C)	Diesel		12580	315	430	01.02-12.06	■	■
FAT 95.430 (XE 315 C)	Diesel		12580	315	428	01.02-12.06	■	■
FA 95.480 (XE 355 C)	Diesel		12580	355	483	09.02-12.06	■	■
FAD 95.480 (XE 355 C)	Diesel		12580	355	483	01.02-12.06	■	■
FAK 95.480 (XE 355 C)	Diesel		12580	355	480	01.02-12.06	■	■
FAK 95.480 (XF 355 M)	Diesel		12580	355	480	01.02-12.06	■	■
FAN 95.480 (XE 355 C)	Diesel		12580	355	480	01.02-12.06	■	■
FAR 95.480 (XE 355 C)	Diesel		12580	355	483	09.02-12.06	■	■
FAS 95.480 (XE 355 C)	Diesel		12580	355	480	01.02-12.06	■	■
FAT 95.480 (XE 355 C)	Diesel		12580	355	480	01.02-12.06	■	■
FA 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-12.06	■	■
FAD 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
FAK 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
FAN 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
FAR 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-12.06	■	■
FAS 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
FAT 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
XF 95 01.02-12.06				Truck Tractor				
FT 95.380 (XE 280 C)	Diesel		12580	280	381	09.02-12.06	■	■
FTG 95.380 (XE 280 C)	Diesel		12580	280	381	09.02-12.06	■	■
FTM 95.380 (XE 280 C)	Diesel		12580	280	381	12.05-12.06	■	■
FTP 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■
FTP 95.380 (XF 280 M)	Diesel		12580	280	381	01.02-12.06	■	■
FTR 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■
FTS 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-12.06	■	■
FTT 95.380 (XE 280 C)	Diesel		12580	280	381	01.02-03.06	■	■
FT 95.430 (XE 315 C)	Diesel		12580	315	428	09.02-12.06	■	■
FTG 95.430 (XE 315 C)	Diesel		12580	315	428	12.05-12.06	■	■
FTM 95.430 (XE 315 C)	Diesel		12580	315	430	12.05-12.06	■	■
FTP 95.430 (XE 315 C)	Diesel		12580	315	430	01.02-12.06	■	■
FTP 95.430 (XF 315 M)	Diesel		12580	315	430	01.02-12.06	■	■
FTR 95.430 (XE 315 C)	Diesel		12580	315	430	01.02-12.06	■	■
FTS 95.430 (XE 315 C)	Diesel		12580	315	430	01.02-12.06	■	■
FTT 95.430 (XE 315 C)	Diesel		12580	315	430	01.02-03.06	■	■
FT 95.480 (XE 355 C)	Diesel		12580	355	483	09.02-12.06	■	■
FTG 95.480 (XE 355 C)	Diesel		12580	355	483	12.05-12.06	■	■
FTM 95.480 (XE 355 C)	Diesel		12580	355	483	12.05-12.06	■	■
FTP 95.480 (XE 355 C)	Diesel		12580	355	480	01.02-12.06	■	■
FTP 95.480 (XF 355 M)	Diesel		12580	355	480	01.02-12.06	■	■
FTR 95.480 (XE 355 C)	Diesel		12580	355	480	01.02-12.06	■	■
FTS 95.480 (XE 355 C)	Diesel		12580	355	480	01.02-12.06	■	■
FTT 95.480 (XE 355 C)	Diesel		12580	355	483	01.02-03.06	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FT 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-12.06	■	■
FTG 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-12.06	■	■
FTM 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-12.06	■	■
FTP 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
FTR 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
FTS 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
FTT 95.530 (XE 390 C)	Diesel		12580	390	530	09.02-03.06	■	■
XF II 06.21-				Concrete Mixer				
FAD 370	Diesel		10837	270	367	06.21-	■	■
FAD 410	Diesel		10837	300	408	06.21-	■	■
FAD 450	Diesel		10837	330	449	06.21-	■	■
XF II 06.21-				Platform/Chassis				
FA 370	Diesel		10837	270	367	06.21-	■	■
FA 370	Diesel		10837	270	367	06.21-	■	■
FA 370	Diesel		10837	270	367	06.21-	■	■
FAC 370	Diesel		10837	270	367	06.21-	■	■
FAD 370	Diesel		10837	270	367	06.21-	■	■
FAK 370	Diesel		10837	270	367	06.21-	■	■
FAN 370	Diesel		10837	270	367	06.21-	■	■
FAN 370	Diesel		10837	270	367	06.21-	■	■
FAN 370	Diesel		10837	270	367	06.21-	■	■
FAN 370	Diesel		10837	270	367	06.21-	■	■
FAQ 370	Diesel		10837	270	367	06.21-	■	■
FAR 370	Diesel		10837	270	367	06.21-	■	■
FAR 370	Diesel		10837	270	367	06.21-	■	■
FAR 370	Diesel		10837	270	367	06.21-	■	■
FAS 370	Diesel		10837	270	367	06.21-	■	■
FAS 370	Diesel		10837	270	367	06.21-	■	■
FAS 370	Diesel		10837	270	367	06.21-	■	■
FAT 370	Diesel		10837	270	367	06.21-	■	■
FAW 370	Diesel		10837	270	367	06.21-	■	■
FAX 370	Diesel		10837	270	367	06.21-	■	■
FA 410	Diesel		10837	300	408	06.21-	■	■
FA 410	Diesel		10837	300	408	06.21-	■	■
FA 410	Diesel		10837	300	408	06.21-	■	■
FAC 410	Diesel		10837	300	408	06.21-	■	■
FAD 410	Diesel		10837	300	408	06.21-	■	■
FAK 410	Diesel		10837	300	408	06.21-	■	■
FAN 410	Diesel		10837	300	408	06.21-	■	■
FAN 410	Diesel		10837	300	408	06.21-	■	■
FAN 410	Diesel		10837	300	408	06.21-	■	■
FAN 410	Diesel		10837	300	408	06.21-	■	■
FAQ 410	Diesel		10837	300	408	06.21-	■	■
FAR 410	Diesel		10837	300	408	06.21-	■	■
FAR 410	Diesel		10837	300	408	06.21-	■	■
FAR 410	Diesel		10837	300	408	06.21-	■	■
FAS 410	Diesel		10837	300	408	06.21-	■	■
FAS 410	Diesel		10837	300	408	06.21-	■	■
FAS 410	Diesel		10837	300	408	06.21-	■	■
FAT 410	Diesel		10837	300	408	06.21-	■	■
FAW 410	Diesel		10837	300	408	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAX 410	Diesel	10837	300	408	06.21-	■	■
FA 450	Diesel	10837	330	449	06.21-	■	■
FA 450	Diesel	10837	330	449	06.21-	■	■
FA 450	Diesel	10837	330	449	06.21-	■	■
FAC 450	Diesel	10837	330	449	06.21-	■	■
FAD 450	Diesel	10837	330	449	06.21-	■	■
FAK 450	Diesel	10837	330	449	06.21-	■	■
FAN 450	Diesel	10837	330	449	06.21-	■	■
FAN 450	Diesel	10837	330	449	06.21-	■	■
FAN 450	Diesel	10837	330	449	06.21-	■	■
FAN 450	Diesel	10837	330	449	06.21-	■	■
FAQ 450	Diesel	10837	330	449	06.21-	■	■
FAR 450	Diesel	10837	330	449	06.21-	■	■
FAR 450	Diesel	10837	330	449	06.21-	■	■
FAR 450	Diesel	10837	330	449	06.21-	■	■
FAS 450	Diesel	10837	330	449	06.21-	■	■
FAS 450	Diesel	10837	330	449	06.21-	■	■
FAS 450	Diesel	10837	330	449	06.21-	■	■
FAT 450	Diesel	10837	330	449	06.21-	■	■
FAW 450	Diesel	10837	330	449	06.21-	■	■
FAX 450	Diesel	10837	330	449	06.21-	■	■
FA 430	Diesel	12903	315	428	06.21-	■	■
FA 430	Diesel	12903	315	428	06.21-	■	■
FA 430	Diesel	12903	315	428	06.21-	■	■
FAC 430	Diesel	12903	315	428	06.21-	■	■
FAD 430	Diesel	12903	315	428	06.21-	■	■
FAK 430	Diesel	12903	315	428	06.21-	■	■
FAN 430	Diesel	12903	315	428	06.21-	■	■
FAN 430	Diesel	12903	315	428	06.21-	■	■
FAN 430	Diesel	12903	315	428	06.21-	■	■
FAN 430	Diesel	12903	315	428	06.21-	■	■
FAN 430	Diesel	12903	315	428	06.21-	■	■
FAQ 430	Diesel	12903	315	428	06.21-	■	■
FAR 430	Diesel	12903	315	428	06.21-	■	■
FAR 430	Diesel	12903	315	428	06.21-	■	■
FAR 430	Diesel	12903	315	428	06.21-	■	■
FAS 430	Diesel	12903	315	428	06.21-	■	■
FAS 430	Diesel	12903	315	428	06.21-	■	■
FAS 430	Diesel	12903	315	428	06.21-	■	■
FAT 430	Diesel	12903	315	428	06.21-	■	■
FAW 430	Diesel	12903	315	428	06.21-	■	■
FAX 430	Diesel	12903	315	428	06.21-	■	■
FA 480	Diesel	12903	355	483	06.21-	■	■
FA 480	Diesel	12903	355	483	06.21-	■	■
FA 480	Diesel	12903	355	483	06.21-	■	■
FAC 480	Diesel	12903	355	483	06.21-	■	■
FAD 480	Diesel	12903	355	483	06.21-	■	■
FAK 480	Diesel	12903	355	483	06.21-	■	■
FAN 480	Diesel	12903	355	483	06.21-	■	■
FAN 480	Diesel	12903	355	483	06.21-	■	■
FAN 480	Diesel	12903	355	483	06.21-	■	■
FAN 480	Diesel	12903	355	483	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAQ 480		Diesel		12903	355	483	06.21-	■	■
FAR 480		Diesel		12903	355	483	06.21-	■	■
FAR 480		Diesel		12903	355	483	06.21-	■	■
FAR 480		Diesel		12903	355	483	06.21-	■	■
FAS 480		Diesel		12903	355	483	06.21-	■	■
FAS 480		Diesel		12903	355	483	06.21-	■	■
FAS 480		Diesel		12903	355	483	06.21-	■	■
FAT 480		Diesel		12903	355	483	06.21-	■	■
FAW 480		Diesel		12903	355	483	06.21-	■	■
FAX 480		Diesel		12903	355	483	06.21-	■	■
FA 530		Diesel		12903	390	530	06.21-	■	■
FA 530		Diesel		12903	390	530	06.21-	■	■
FA 530		Diesel		12903	390	530	06.21-	■	■
FAC 530		Diesel		12903	390	530	06.21-	■	■
FAD 530		Diesel		12903	390	530	06.21-	■	■
FAK 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAQ 530		Diesel		12903	390	530	06.21-	■	■
FAR 530		Diesel		12903	390	530	06.21-	■	■
FAR 530		Diesel		12903	390	530	06.21-	■	■
FAR 530		Diesel		12903	390	530	06.21-	■	■
FAS 530		Diesel		12903	390	530	06.21-	■	■
FAS 530		Diesel		12903	390	530	06.21-	■	■
FAS 530		Diesel		12903	390	530	06.21-	■	■
FAT 530		Diesel		12903	390	530	06.21-	■	■
FAW 530		Diesel		12903	390	530	06.21-	■	■
FAX 530		Diesel		12903	390	530	06.21-	■	■
XF II 06.21-					Platform/Chassis				
FAN 270E		Mixto		0	270	367	04.23-	■	■
FAN 310E		Mixto		0	310	421	04.23-	■	■
FAN 350E		Mixto		0	350	476	04.23-	■	■
XF II 06.21-					Truck Tractor				
FT 370		Diesel		10837	270	367	06.21-	■	■
FT 370		Diesel		10837	270	367	06.21-	■	■
FT 370		Diesel		10837	270	367	06.21-	■	■
FTG 370		Diesel		10837	270	367	06.21-	■	■
FTG 370		Diesel		10837	270	367	06.21-	■	■
FTN 370		Diesel		10837	270	367	06.21-	■	■
FTN 370		Diesel		10837	270	367	06.21-	■	■
FTP 370		Diesel		10837	270	367	06.21-	■	■
FTP 370		Diesel		10837	270	367	06.21-	■	■
FTR 370		Diesel		10837	270	367	06.21-	■	■
FTR 370		Diesel		10837	270	367	06.21-	■	■
FTS 370		Diesel		10837	270	367	06.21-	■	■
FTS 370		Diesel		10837	270	367	06.21-	■	■
FTT 370		Diesel		10837	270	367	06.21-	■	■
FT 410		Diesel		10837	300	408	06.21-	■	■
FT 410		Diesel		10837	300	408	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FT 410	Diesel	10837	300	408	06.21-	■	■
FTG 410	Diesel	10837	300	408	06.21-	■	■
FTG 410	Diesel	10837	300	408	06.21-	■	■
FTN 410	Diesel	10837	300	408	06.21-	■	■
FTN 410	Diesel	10837	300	408	06.21-	■	■
FTP 410	Diesel	10837	300	408	06.21-	■	■
FTP 410	Diesel	10837	300	408	06.21-	■	■
FTR 410	Diesel	10837	300	408	06.21-	■	■
FTR 410	Diesel	10837	300	408	06.21-	■	■
FTS 410	Diesel	10837	300	408	06.21-	■	■
FTS 410	Diesel	10837	300	408	06.21-	■	■
FTT 410	Diesel	10837	300	408	06.21-	■	■
FT 450	Diesel	10837	330	449	06.21-	■	■
FT 450	Diesel	10837	330	449	06.21-	■	■
FT 450	Diesel	10837	330	449	06.21-	■	■
FTG 450	Diesel	10837	330	449	06.21-	■	■
FTG 450	Diesel	10837	330	449	06.21-	■	■
FTN 450	Diesel	10837	330	449	06.21-	■	■
FTN 450	Diesel	10837	330	449	06.21-	■	■
FTP 450	Diesel	10837	330	449	06.21-	■	■
FTP 450	Diesel	10837	330	449	06.21-	■	■
FTR 450	Diesel	10837	330	449	06.21-	■	■
FTR 450	Diesel	10837	330	449	06.21-	■	■
FTS 450	Diesel	10837	330	449	06.21-	■	■
FTS 450	Diesel	10837	330	449	06.21-	■	■
FTT 450	Diesel	10837	330	449	06.21-	■	■
FT 430	Diesel	12903	315	428	06.21-	■	■
FT 430	Diesel	12903	315	428	06.21-	■	■
FT 430	Diesel	12903	315	428	06.21-	■	■
FTG 430	Diesel	12903	315	428	06.21-	■	■
FTG 430	Diesel	12903	315	428	06.21-	■	■
FTM 430	Diesel	12903	315	428	06.21-	■	■
FTN 430	Diesel	12903	315	428	06.21-	■	■
FTN 430	Diesel	12903	315	428	06.21-	■	■
FTP 430	Diesel	12903	315	428	06.21-	■	■
FTP 430	Diesel	12903	315	428	06.21-	■	■
FTR 430	Diesel	12903	315	428	06.21-	■	■
FTR 430	Diesel	12903	315	428	06.21-	■	■
FTS 430	Diesel	12903	315	428	06.21-	■	■
FTS 430	Diesel	12903	315	428	06.21-	■	■
FTT 430	Diesel	12903	315	428	06.21-	■	■
FT 480	Diesel	12903	355	483	06.21-	■	■
FT 480	Diesel	12903	355	483	06.21-	■	■
FT 480	Diesel	12903	355	483	06.21-	■	■
FTG 480	Diesel	12903	355	483	06.21-	■	■
FTG 480	Diesel	12903	355	483	06.21-	■	■
FTM 480	Diesel	12903	355	483	06.21-	■	■
FTN 480	Diesel	12903	355	483	06.21-	■	■
FTN 480	Diesel	12903	355	483	06.21-	■	■
FTP 480	Diesel	12903	355	483	06.21-	■	■
FTP 480	Diesel	12903	355	483	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTR 480		Diesel		12903	355	483	06.21-	■	■
FTR 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTS 480		Diesel		12903	355	483	06.21-	■	■
FTT 480		Diesel		12903	355	483	06.21-	■	■
FT 530		Diesel		12903	390	530	06.21-	■	■
FT 530		Diesel		12903	390	530	06.21-	■	■
FT 530		Diesel		12903	390	530	06.21-	■	■
FTG 530		Diesel		12903	390	530	06.21-	■	■
FTG 530		Diesel		12903	390	530	06.21-	■	■
FTM 530		Diesel		12903	390	530	06.21-	■	■
FTN 530		Diesel		12903	390	530	06.21-	■	■
FTN 530		Diesel		12903	390	530	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTP 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTR 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■
FTS 530		Diesel		12903	390	530	06.21-	■	■
FTT 530		Diesel		12903	390	530	06.21-	■	■
XF II 06.21-					Truck Tractor				
FT 270E		Mixto		0	270	367	04.23-	■	■
FT 310E		Mixto		0	310	421	04.23-	■	■
FT 350E		Mixto		0	350	476	04.23-	■	■
XG+ 06.21-					Platform/Chassis				
FA 450		Diesel		10837	330	449	06.21-	■	■
FA 450		Diesel		10837	330	449	06.21-	■	■
FA 450		Diesel		10837	330	449	06.21-	■	■
FAN 450		Diesel		10837	330	449	06.21-	■	■
FAN 450		Diesel		10837	330	449	06.21-	■	■
FAN 450		Diesel		10837	330	449	06.21-	■	■
FAN 450		Diesel		10837	330	449	06.21-	■	■
FAR 450		Diesel		10837	330	449	06.21-	■	■
FAR 450		Diesel		10837	330	449	06.21-	■	■
FAR 450		Diesel		10837	330	449	06.21-	■	■
FAS 450		Diesel		10837	330	449	06.21-	■	■
FAS 450		Diesel		10837	330	449	06.21-	■	■
FAS 450		Diesel		10837	330	449	06.21-	■	■
FAW 450		Diesel		10837	330	449	06.21-	■	■
FA 430		Diesel		12903	315	428	06.21-	■	■
FA 430		Diesel		12903	315	428	06.21-	■	■
FA 430		Diesel		12903	315	428	06.21-	■	■
FAN 430		Diesel		12903	315	428	06.21-	■	■
FAN 430		Diesel		12903	315	428	06.21-	■	■
FAN 430		Diesel		12903	315	428	06.21-	■	■
FAN 430		Diesel		12903	315	428	06.21-	■	■
FAN 430		Diesel		12903	315	428	06.21-	■	■
FAR 430		Diesel		12903	315	428	06.21-	■	■
FAR 430		Diesel		12903	315	428	06.21-	■	■
FAR 430		Diesel		12903	315	428	06.21-	■	■
FAS 430		Diesel		12903	315	428	06.21-	■	■
FAS 430		Diesel		12903	315	428	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FAS 430		Diesel		12903	315	428	06.21-	■	■
FAW 430		Diesel		12903	315	428	06.21-	■	■
FA 480		Diesel		12903	355	483	06.21-	■	■
FA 480		Diesel		12903	355	483	06.21-	■	■
FA 480		Diesel		12903	355	483	06.21-	■	■
FAN 480		Diesel		12903	355	483	06.21-	■	■
FAN 480		Diesel		12903	355	483	06.21-	■	■
FAN 480		Diesel		12903	355	483	06.21-	■	■
FAN 480		Diesel		12903	355	483	06.21-	■	■
FAR 480		Diesel		12903	355	483	06.21-	■	■
FAR 480		Diesel		12903	355	483	06.21-	■	■
FAR 480		Diesel		12903	355	483	06.21-	■	■
FAS 480		Diesel		12903	355	483	06.21-	■	■
FAS 480		Diesel		12903	355	483	06.21-	■	■
FAS 480		Diesel		12903	355	483	06.21-	■	■
FAW 480		Diesel		12903	355	483	06.21-	■	■
FA 530		Diesel		12903	390	530	06.21-	■	■
FA 530		Diesel		12903	390	530	06.21-	■	■
FA 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAN 530		Diesel		12903	390	530	06.21-	■	■
FAR 530		Diesel		12903	390	530	06.21-	■	■
FAR 530		Diesel		12903	390	530	06.21-	■	■
FAR 530		Diesel		12903	390	530	06.21-	■	■
FAS 530		Diesel		12903	390	530	06.21-	■	■
FAS 530		Diesel		12903	390	530	06.21-	■	■
FAS 530		Diesel		12903	390	530	06.21-	■	■
FAW 530		Diesel		12903	390	530	06.21-	■	■
XG+ 06.21-					Truck Tractor				
FT 450		Diesel		10837	330	449	06.21-	■	■
FT 450		Diesel		10837	330	449	06.21-	■	■
FT 450		Diesel		10837	330	449	06.21-	■	■
FTG 450		Diesel		10837	330	449	06.21-	■	■
FTG 450		Diesel		10837	330	449	06.21-	■	■
FTN 450		Diesel		10837	330	449	06.21-	■	■
FTN 450		Diesel		10837	330	449	06.21-	■	■
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTP 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTR 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTS 450		Diesel		10837	330	449	06.21-	■	■
FTT 450		Diesel		10837	330	449	06.21-	■	■
FT 430		Diesel		12903	315	428	06.21-	■	■
FT 430		Diesel		12903	315	428	06.21-	■	■
FT 430		Diesel		12903	315	428	06.21-	■	■
FTG 430		Diesel		12903	315	428	06.21-	■	■
FTG 430		Diesel		12903	315	428	06.21-	■	■
FTM 430		Diesel		12903	315	428	06.21-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

FTN 430	Diesel	12903	315	428	06.21-	■	■
FTN 430	Diesel	12903	315	428	06.21-	■	■
FTP 430	Diesel	12903	315	428	06.21-	■	■
FTP 430	Diesel	12903	315	428	06.21-	■	■
FTR 430	Diesel	12903	315	428	06.21-	■	■
FTR 430	Diesel	12903	315	428	06.21-	■	■
FTS 430	Diesel	12903	315	428	06.21-	■	■
FTS 430	Diesel	12903	315	428	06.21-	■	■
FTT 430	Diesel	12903	315	428	06.21-	■	■
FT 480	Diesel	12903	355	483	06.21-	■	■
FT 480	Diesel	12903	355	483	06.21-	■	■
FT 480	Diesel	12903	355	483	06.21-	■	■
FTG 480	Diesel	12903	355	483	06.21-	■	■
FTG 480	Diesel	12903	355	483	06.21-	■	■
FTM 480	Diesel	12903	355	483	06.21-	■	■
FTN 480	Diesel	12903	355	483	06.21-	■	■
FTN 480	Diesel	12903	355	483	06.21-	■	■
FTP 480	Diesel	12903	355	483	06.21-	■	■
FTP 480	Diesel	12903	355	483	06.21-	■	■
FTR 480	Diesel	12903	355	483	06.21-	■	■
FTR 480	Diesel	12903	355	483	06.21-	■	■
FTS 480	Diesel	12903	355	483	06.21-	■	■
FTS 480	Diesel	12903	355	483	06.21-	■	■
FTT 480	Diesel	12903	355	483	06.21-	■	■
FT 530	Diesel	12903	390	530	06.21-	■	■
FT 530	Diesel	12903	390	530	06.21-	■	■
FT 530	Diesel	12903	390	530	06.21-	■	■
FTG 530	Diesel	12903	390	530	06.21-	■	■
FTG 530	Diesel	12903	390	530	06.21-	■	■
FTM 530	Diesel	12903	390	530	06.21-	■	■
FTN 530	Diesel	12903	390	530	06.21-	■	■
FTN 530	Diesel	12903	390	530	06.21-	■	■
FTP 530	Diesel	12903	390	530	06.21-	■	■
FTP 530	Diesel	12903	390	530	06.21-	■	■
FTR 530	Diesel	12903	390	530	06.21-	■	■
FTR 530	Diesel	12903	390	530	06.21-	■	■
FTS 530	Diesel	12903	390	530	06.21-	■	■
FTS 530	Diesel	12903	390	530	06.21-	■	■
FTT 530	Diesel	12903	390	530	06.21-	■	■