

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0040-1



Qty: 998

Weight: 29.000

O.E.M.	MAKE
20704423	VOLVO
5010525015	RENAULT
5010525362	RENAULT
5010598306	RENAULT TRUCKS



78CV0040-1



90R-02C0728/2853



Ø375x45x166.5

MAKE
RENAULT TRUCKS
VOLVO



Trac.

CC

Kw

CV



Front / Rear

RENAULT TRUCKS

05.06-

Municipal Vehicle

190.12 (DXI 5)	Diesel	4764	140	190	05.06-	■
240.15 (DXI 7)	Diesel	7146	177	240	05.06-	■

05.06-

Platform/Chassis

160.08 (DXI 5)		Diesel		4764	118	160	05.06-		■
160.10 (DXI 5)		Diesel		4764	118	160	05.06-		■
160.12 (DXI 5)		Diesel		4764	118	160	05.06-		■
190.08 (DXI 5)		Diesel		4764	140	190	05.06-		■
190.10 (DXI 5)		Diesel		4764	140	190	05.06-		■
190.12 (DXI 5)		Diesel		4764	140	190	05.06-		■
190.13 (DXI 5)		Diesel		4764	140	190	05.06-		■
190.14 (DXI 5)		Diesel		4764	140	190	05.06-		■
220.08 (DXI 5)		Diesel		4764	158	220	05.06-		■
220.10 (DXI 5)		Diesel		4764	158	220	05.06-		■
220.12 (DXI 5)	Restr Wabco Pan 19-2	Diesel		4764	158	220	05.06-		■
220.13 (DXI 5)		Diesel		4764	158	220	05.06-		■
220.14 (DXI 5)	Restr Wabco Pan 19-2	Diesel		4764	158	220	05.06-		■
220.16 (DXI 5)		Diesel		4764	158	220	05.06-		■
240.12 (DXI 7)		Diesel		7146	177	240	05.06-		■
240.13 (DXI 7)		Diesel		7146	177	240	05.06-		■
240.14 (DXI 7)		Diesel		7146	177	240	05.06-		■
240.16 (DXI 7)		Diesel		7146	177	240	05.06-		■
240.18 (DXI 7)		Diesel		7146	177	240	05.06-		■
280.12 (DXI 7)		Diesel		7146	206	280	05.06-		■

LISTA DE APLICACIONES - BUYERS GUIDE

280.13 (DXI 7)		Diesel		7146	206	280	05.06-	■
280.14 (DXI 7)		Diesel		7146	206	280	05.06-	■
280.16 (DXI 7)		Diesel		7146	206	280	05.06-	■
280.18 (DXI 7)		Diesel		7146	206	280	05.06-	■
D II 01.13-					Municipal Vehicle			
12 P 210		Diesel		5132	154	209	01.13-	■
12 P 240		Diesel		5132	176	239	01.13-	■
D II 01.13-					Platform/Chassis			
12 P 210 (DTI5-122HN)		Diesel		5132	154	209	01.13-	■
12 P 240 (DTI5-122HP)		Diesel		5132	176	239	01.13-	■
12 P 250 (DTI8-122HQ)		Diesel		7698	184	250	01.13-	■
12 P 280 (DTI8-122HR)		Diesel		7698	206	280	01.13-	■
Midlum 01.00-					Dump Truck			
210.13/C (MIDR 06.02.26 W/4)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-	■
250.13/C (MIDR 06.02.26 Y/41)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	184	250	01.00-	■
250.15/C (MIDR 06.02.26 Y/41)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	184	250	01.00-	■
Midlum 01.00-					Municipal Vehicle			
220.15 (DCI 6W)	Restr Wabco Pan 19-2	Diesel		6177	158	215	10.01-	■
Midlum 01.00-					Platform/Chassis			
210.13/C, 220.13/C, 220.13/D (DCI 6W)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-	■
210.13/C, 220.13/C, 220.13/D (MIDR 06.02.26 W/4)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-	■
210.14/C, 220.14/C, 220.14/D (DCI 6W)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-	■
210.14/C, 220.14/C, 220.14/D (MIDR 06.02.26 W/4)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-	■
210.16	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-12.06	■
210.16/C, 220.16/C, 22.16/D (DCI 6W)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-	■
210.16/C, 220.16/C, 22.16/D (MIDR 06.02.26 W/4)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	154	209	01.00-	■
220.14 (DCI 6W)	Restr Wabco Pan 19-2	Diesel		6177	158	215	10.01-	■
220.16 (DCI 6W)	Restr Wabco Pan 19-2	Diesel		6177	158	215	10.01-	■
220.18/D (DCI 6W)	Restr Wabco Pan 19-2	Diesel		6177	158	215	10.01-	■
220.15	Restr Wabco Pan 19-2	Diesel		6177	160	218	07.01-12.06	■
250.13/C (MIDR 06.02.26 Y/41)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	184	250	01.00-	■
250.15/C (MIDR 06.02.26 Y/41)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	184	250	01.00-	■
250.16/C (MIDR 06.02.26 Y/41)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	184	250	01.00-	■
270.13/C, 270.13/D (DCI 6A)	Restr Wabco Pan 19-2	Diesel		6177	195	265	10.01-	■
270.14/C, 270.14/D (DCI 6A)	Restr Wabco Pan 19-2	Diesel		6177	195	265	10.01-	■
270.16/C, 270.16/D (DCI 6A)	Restr Wabco Pan 19-2	Diesel		6177	195	265	10.01-	■
270.18/D (DCI 6A)	Restr Wabco Pan 19-2	Diesel		6177	195	265	10.01-	■
Midlum 01.00-					Truck Tractor			
250.16/CT (MIDR 06.02.26 Y/41)	03/01-, Restr Wabco Pan 19-2	Diesel		6177	184	250	01.00-	■
270.16/B	Restr Wabco Pan 19-2	Diesel		6177	195	265	10.01-	■
270.16/C (DCI 6A)	Restr Wabco Pan 19-2	Diesel		6177	195	265	10.01-	■
VOLVO								
FL II 05.06-					Dump Truck			
FL 240-12 (D7E240)		Diesel		7146	177	240	05.06-	■
FL 240-12 (D7F240)		Diesel		7146	177	240	05.06-	■
FL 240-14 (D7F240)		Diesel		7146	177	241	06.09-	■
FL 240-16 (D7E240)		Diesel		7146	177	240	05.06-	■

LISTA DE APLICACIONES - BUYERS GUIDE

FL 260-12 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 260-14 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 260-16 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 280-12 (D7E280)	Diesel	7146	206	280	05.06-	■
FL 280-14 (D7E280)	Diesel	7146	206	280	06.09-	■
FL 280-16 (D7E280)	Diesel	7146	206	280	05.06-	■
FL 290-12 (D7F290)	Diesel	7146	213	290	06.09-	■
FL 290-16 (D7F290)	Diesel	7146	213	290	06.09-	■
FL II 05.06-				Municipal Vehicle		
FL 240-15 (D7E240)	Diesel	7146	177	240	05.06-	■
FL 240-16 (D7E240)	Diesel	7146	177	241	06.09-	■
FL 240-16 (D7F240)	Diesel	7146	177	241	06.09-	■
FL 260-15 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 260-16 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 280-15 (D7E280)	Diesel	7146	206	280	05.06-	■
FL 290-16 (D7F290)	Diesel	7146	213	290	06.09-	■
FL II 05.06-				Platform/Chassis		
FL 240-12 (D7E240)	Diesel	7146	177	240	05.06-	■
FL 240-12 (D7F240)	Diesel	7146	177	240	05.06-	■
FL 240-14 (D7E240)	Diesel	7146	177	241	06.09-	■
FL 240-14 (D7F240)	Diesel	7146	177	241	06.09-	■
FL 240-16 (D7E240)	Diesel	7146	177	240	05.06-	■
FL 240-16 (D7F240)	Diesel	7146	177	240	05.06-	■
FL 240-18 (D7E240)	Diesel	7146	177	240	05.06-	■
FL 240-18 (D7F240)	Diesel	7146	177	240	05.06-	■
FL 260-12 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 260-14 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 260-16 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 260-18 (D7F260)	Diesel	7146	191	260	06.09-	■
FL 280-12 (D7E280)	Diesel	7146	206	280	05.06-	■
FL 280-14 (D7E280)	Diesel	7146	206	280	06.09-	■
FL 280-16 (D7E280)	Diesel	7146	206	280	05.06-	■
FL 280-18 (D7E280)	Diesel	7146	206	280	05.06-	■
FL 290-12 (D7F290)	Diesel	7146	213	290	06.09-	■
FL 290-14 (D7F290)	Diesel	7146	213	290	06.09-	■
FL 290-16 (D7F290)	Diesel	7146	213	290	06.09-	■
FL 290-18 (D7F290)	Diesel	7146	213	290	06.09-	■
FL 300-12	Diesel	7146	221	300	01.09-	■
FL 300-13	Diesel	7146	221	300	01.09-	■
FL 300-14	Diesel	7146	221	300	01.09-	■
FL 300-15	Diesel	7146	221	300	01.09-	■
FL 300-16	Diesel	7146	221	300	01.09-	■
FL 300-18	Diesel	7146	221	300	01.09-	■
FL 340-12	Diesel	7146	250	340	01.09-	■
FL 340-13	Diesel	7146	250	340	01.09-	■
FL 340-14	Diesel	7146	250	340	01.09-	■
FL 340-15	Diesel	7146	250	340	01.09-	■
FL 340-16	Diesel	7146	250	340	01.09-	■
FL 340-18	Diesel	7146	250	340	01.09-	■

LISTA DE APLICACIONES - BUYERS GUIDE

FL III 05.13-					Municipal Vehicle			
FL 210-12		Diesel		5132	155	210	05.13-	■
FL 240-12		Diesel		5132	177	240	05.13-	■
FL 240-15 (D7E240)		Diesel		7146	177	240	05.13-	■
FL 240-15 (D7F240)		Diesel		7146	177	240	05.13-	■
FL 240-16 (D7E240)		Diesel		7146	177	240	05.13-	■
FL 240-16 (D7F240)		Diesel		7146	177	240	05.13-	■
FL 260-15 (D7F260)		Diesel		7146	191	260	05.13-	■
FL 260-16 (D7F260)		Diesel		7146	191	260	05.13-	■
FL 290-16 (D7F290)		Diesel		7146	213	290	05.13-	■
FL 250-16		Diesel		7698	184	250	05.13-	■
FL III 05.13-					Platform/Chassis			
FL 210-10		Diesel		5132	155	210	05.13-	■
FL 210-12 (D5K210)		Diesel		5132	155	210	05.13-	■
FL 210-14		Diesel		5132	155	210	05.13-	■
FL 210-16		Diesel		5132	155	210	05.13-	■
FL 240-10		Diesel		5132	177	240	05.13-	■
FL 240-12 (D5K240)		Diesel		5132	177	240	05.13-	■
FL 240-14		Diesel		5132	177	240	05.13-	■
FL 240-16		Diesel		5132	177	240	05.13-	■
FL 240-12 (D7E240)		Diesel		7146	177	240	05.13-	■
FL 240-12 (D7F240)		Diesel		7146	177	240	05.13-	■
FL 240-14 (D7E240)		Diesel		7146	177	240	05.13-	■
FL 240-14 (D7F240)		Diesel		7146	177	240	05.13-	■
FL 240-16 (D7E240)		Diesel		7146	177	240	05.13-	■
FL 240-16 (D7F240)		Diesel		7146	177	240	05.13-	■
FL 240-18 (D7E240)		Diesel		7146	177	240	05.13-	■
FL 240-18 (D7F240)		Diesel		7146	177	240	05.13-	■
FL 260-12 (D7F260)		Diesel		7146	191	260	05.13-	■
FL 260-14 (D7F260)		Diesel		7146	191	260	05.13-	■
FL 260-16 (D7F260)		Diesel		7146	191	260	05.13-	■
FL 260-18 (D7F260)		Diesel		7146	191	260	05.13-	■
FL 280-12 (D7E280)		Diesel		7146	206	280	05.13-	■
FL 280-14 (D7E280)		Diesel		7146	206	280	05.13-	■
FL 280-16 (D7E280)		Diesel		7146	206	280	05.13-	■
FL 280-18 (D7E280)		Diesel		7146	206	280	05.13-	■
FL 290-12 (D7F290)		Diesel		7146	213	290	05.13-	■
FL 290-14 (D7F290)		Diesel		7146	213	290	05.13-	■
FL 290-16 (D7F290)		Diesel		7146	213	290	05.13-	■
FL 290-18 (D7F290)		Diesel		7146	213	290	05.13-	■
FL 250-12 (D8K250)		Diesel		7698	184	250	05.13-	■
FL 250-12		Diesel		7698	184	250	05.13-	■
FL 250-14 (D8K250)		Diesel		7698	184	250	05.13-	■
FL 250-14		Diesel		7698	184	250	05.13-	■
FL 250-16 (D8K250)		Diesel		7698	184	250	05.13-	■
FL 250-16		Diesel		7698	184	250	05.13-	■
FL 250-18		Diesel		7698	184	250	05.13-	■
FL 280-12 (D8K280)		Diesel		7698	206	280	05.13-	■
FL 280-12		Diesel		7698	206	280	05.13-	■
FL 280-14 (D8K280)		Diesel		7698	206	280	05.13-	■
FL 280-14		Diesel		7698	206	280	05.13-	■

LISTA DE APLICACIONES - BUYERS GUIDE

FL 280-16 (D8K280)	Diesel		7698	206	280	05.13-
FL 280-18	Diesel		7698	206	280	05.13-

