

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0055-1



Qty: 998

Weight: 36.000

O.E.M.	MAKE
000234110	NEOPLAN
0004200172	BOVA
0004200272	MERCEDES-BENZ
0004210312	MERCEDES-BENZ
011015508	NEOPLAN
0501316953	NEOPLAN
072136218	NEOPLAN
080455010	NEOPLAN
082133300	SCANIA
082135800	SCANIA
1137179	DAF
1415147	SCANIA
1521148	DAF
1525365	DAF
1962280	DAF
234110	BOVA
42541277	IVECO
657126	DENNIS
657303	DENNIS
65851737	DENNIS
8.285.000.589	EVOBUS
8285472000	BOVA
8285543000	KÄSSBOHRER
A0004210312	MERCEDES-BENZ
MBR5032	MERITOR

78CV0055-1



Ø430x45x131

MAKE
AYATS
MAN
NEOPLAN
SCANIA
SOLARIS



Trac.	CC	Kw	CV		
					Front / Rear

AYATS

Bravo 09.01-

Bus

A34 (D 2866 LUH 20)	Diesel	11967	228	310	09.01-	■	■
A34 (D 2866 LUH 25)	Diesel	11967	265	360	09.01-	■	■

MAN

LION'S CITY 03.18-

Bus

LIONS CITY EFFICIENTHYBRID	Bicombu stible	9514	206	280	04.18-	■
LIONS CITY EFFICIENTHYBRID	Bicombu stible	9514	235	320	04.18-	■
LIONS CITY EFFICIENTHYBRID	Bicombu stible	9514	235	320	04.18-	■

LION'S CITY 05.04-

Bus

Lions City	Diesel	10518	199	271	07.12-12.14	■
Lions City	Diesel	10518	199	271	01.13-12.14	■
Lions City	Diesel	10518	199	271	02.12-12.14	■
Lions City	Diesel	10518	199	271	06.11-12.14	■
Lions City	Diesel	10518	206	280	07.12-	■
Lions City	Diesel	10518	206	280	01.13-12.14	■
Lions City	Diesel	10518	206	280	02.12-	■
Lions City	Diesel	10518	206	280	06.11-	■
Lions City	Diesel	10518	228	310	07.12-12.14	■
Lions City	Diesel	10518	228	310	01.13-12.14	■
Lions City	Diesel	10518	228	310	02.12-12.14	■
Lions City	Diesel	10518	228	310	06.11-12.14	■
Lions City	Diesel	10518	235	320	07.12-12.14	■

LISTA DE APLICACIONES - BUYERS GUIDE

Lions City	Diesel		10518	235	320	01.13-	■	
Lions City	Diesel		10518	235	320	02.12-12.14	■	
Lions City	Diesel		10518	235	320	06.11-	■	
Lions City	Diesel		10518	257	349	07.12-12.14	■	
Lions City	Diesel		10518	257	349	01.13-12.14	■	
Lions City	Diesel		10518	257	349	02.12-12.14	■	
Lions City	Diesel		10518	257	349	06.11-12.14	■	
Lions City	Diesel		10518	265	360	07.12-	■	
Lions City	Diesel		10518	265	360	01.13-	■	
Lions City	Diesel		10518	265	360	02.12-	■	
Lions City	Diesel		10518	265	360	06.11-	■	
LION'S CITY 05.04-				Bus				
Lions City CNG	Gasolina		12816	228	310	07.12-12.14	■	
Lions City CNG	Gasolina		12816	228	310	01.13-12.14	■	
Lions City CNG	Gasolina		12816	228	310	02.12-12.14	■	
LION'S CITY 03.18-				Bus				
Lions City Electric	Mixto		0	240	326	06.20-	■	
Lions City Electric	Mixto		0	240	326	06.20-	■	
ND 04.93-				Bus				
323	Diesel		10518	235	320	06.13-	■	
363	Diesel		10518	265	360	06.13-	■	
NEOPLAN								
Cityliner 04.73-				Bus				
N 116 (DS 11.34)	Diesel		11020	228	310	09.90-	■	■
N 116 (DSC 11.21)	Diesel		11020	228	310	09.90-	■	■
N 116 (DSC 11.18)	Diesel		11020	267	363	09.90-09.93	■	■
N 116 (DSC 11.22)	Diesel		11020	280	381	09.92-	■	■
N 116 (WS 268 G)	Diesel		11627	268	364	09.92-	■	■
N 116 (WS 295 G)	Diesel		11627	295	401	09.92-	■	■
N 116 (D 2866 TOH)	Diesel		11967	229	311	09.90-09.92	■	■
N 116 (D 2866 KOH/373)	Diesel		11967	272	370	09.90-	■	■
N 116 (D 2866 LOH 07)	Diesel		11967	272	370	09.90-	■	■
N 116 (D 2866 LOH 06)	Diesel		11967	309	420	09.92-	■	■
N 116 (D 2866 LOH 20)	Diesel		11967	309	420	09.92-	■	■
N 116 (BF 8 L 513-225)	Diesel		12763	225	306	09.90-09.92	■	■
N 116 (BF 8 L 513-243)	Diesel		12763	243	330	09.90-09.92	■	■
N 122/3 (OM 422.951)	Diesel		14618	243	330	11.91-	■	■
N 122/3 (OM 422.952)	Diesel		14618	243	330	11.91-	■	■
N 122/3 (OM 403.933)	Diesel		15950	261	355	04.73-	■	■
Jetliner 09.73-09.93				Bus				
N 208 (D 0826 LOH 02)	Diesel		6871	140	190	09.92-09.93	■	■
N 208 (D 0826 LOH 03)	Diesel		6871	169	230	09.90-09.93	■	■
N 208 (D 0826 LOH 04)	Diesel		6871	169	230	09.90-09.93	■	■
N 214, N 216 (DS 11.34)	Diesel		11020	228	310	09.90-09.93	■	■
N 214, N 216 (DSC 11.21)	Diesel		11020	228	310	09.90-09.93	■	■
N 214, N 216 (DSC 11.18)	Diesel		11020	267	363	09.90-09.92	■	■
N 214, N 216 (DSC 11.22)	Diesel		11020	280	381	09.92-09.93	■	■
N 214, N 216 (WS 268 G)	Diesel		11627	268	364	09.92-09.93	■	■
N 214, N 216 (WS 295 G)	Diesel		11627	295	401	09.92-09.93	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

N 214, N 216 (D 2866 TOH)	Diesel	11967	229	311	09.90-09.92	■	■
N 214, N 216 (D 2866 KOH/373)	Diesel	11967	272	370	09.90-09.93	■	■
N 214, N 216 (D 2866 LOH 07)	Diesel	11967	272	370	09.90-09.93	■	■
N 214, N 216 (D 2866 LOH 03)	Diesel	11967	309	420	09.90-09.93	■	■
N 214, N 216 (D 2866 LOH 06)	Diesel	11967	309	420	09.90-09.93	■	■
N 214, N 216 (D 2866 LOH 20)	Diesel	11967	309	420	09.90-09.93	■	■
N 213 (BF 8 L 513-225)	Diesel	12763	225	306	09.90-09.92	■	■
N 214, N 216 (BF 8 L 513-225)	Diesel	12763	225	306	09.90-09.92	■	■
N 213 (BF 8 L 513-243)	Diesel	12763	243	330	09.90-09.92	■	■
N 214, N 216 (BF 8 L 513-243)	Diesel	12763	243	330	09.90-09.92	■	■
N 216 (BF 8 L 513-243)	Diesel	12763	243	330	09.90-09.92	■	■
N 216 (OM 422.909)	Diesel	14618	184	250	09.90-09.93	■	■
N 216 (OM 422.912)	Diesel	14618	184	250	09.90-09.93	■	■
N 216	Diesel	14618	206	280	09.90-09.93	■	■
Megaliner 01.93-				Bus			
N 128/4 (OM 442.998)	Diesel	14618	370	503	01.93-	■	■
Megashuttle 01.94-				Bus			
N 4032/4 (D 2865 LOH 02)	Diesel	9973	235	320	01.94-	■	■
Skyliner 09.73-				Bus			
N 122 (DS 11.34)	Diesel	11020	228	310	09.90-09.92	■	■
N 122 (DSC 11.18)	Diesel	11020	267	363	09.90-09.92	■	■
N 122/3 (DSC 11.18)	Diesel	11020	267	363	09.90-09.93	■	■
N 122/3 (DSC 11.22)	Diesel	11020	280	381	09.92-	■	■
N 122/3 (WS 268 G)	Diesel	11627	268	364	09.92-	■	■
N 122/3 (WS 295 G)	Diesel	11627	295	401	09.92-	■	■
N 122 (D 2866 TOH)	Diesel	11967	229	311	09.90-09.92	■	■
N 122/3 (D 2866 KOH/373)	Diesel	11967	272	370	09.90-	■	■
N 122/3 (D 2866 LOH 07)	Diesel	11967	272	370	09.90-	■	■
N 122 (D 2866 KOH/373)	Diesel	11967	274	373	09.90-09.93	■	■
N 122 (D 2866 LOH 03)	Diesel	11967	309	420	09.90-09.92	■	■
N 122/3 (D 2866 LOH 03)	Diesel	11967	309	420	09.90-	■	■
N 122/3 (D 2866 LOH 06)	Diesel	11967	309	420	09.90-	■	■
N 122/3 (D 2866 LOH 20)	Diesel	11967	309	420	09.90-	■	■
N 122 (BF 8 L 513-225)	Diesel	12763	225	306	09.90-09.92	■	■
N 122 (BF 8 L 513-243)	Diesel	12763	243	330	09.90-09.92	■	■
N 122/3 L (D 2876 LOH 21)	Diesel	12816	390	530	09.04-	■	■
N 122/3 (OM 422.951)	Diesel	14618	243	330	09.90-	■	■
N 122/3 (OM 422.952)	Diesel	14618	243	330	09.90-	■	■
Spaceliner 09.79-09.93				Bus			
N 117 (DS 11.34)	Diesel	11020	228	310	09.90-	■	■
N 117 (DSC 11.21)	Diesel	11020	228	310	09.90-	■	■
N 117 (DSC 11.18)	Diesel	11020	267	363	09.90-09.93	■	■
N 117/3 (DSC 11.18)	Diesel	11020	267	363	09.90-09.93	■	■
N 117 (DSC 11.22)	Diesel	11020	280	381	09.92-	■	■
N 117/3 (DSC 11.22)	Diesel	11020	280	381	09.92-	■	■
N 117 (WS 268 G)	Diesel	11627	268	364	09.92-	■	■
N 117/3 (WS 268 G)	Diesel	11627	268	364	09.92-	■	■
N 117 (WS 295 G)	Diesel	11627	295	401	09.92-	■	■
N 117/3 (WS 295 G)	Diesel	11627	295	401	09.92-	■	■
N 117 (D 2866 KOH/373)	Diesel	11967	272	370	09.90-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

N 117 (D 2866 LOH 07)	Diesel		11967	272	370	09.90-	■	■
N 117/3 (D 2866 LOH 07)	Diesel		11967	272	370	09.92-	■	■
N 117 (D 2866 LOH 03)	Diesel		11967	309	420	09.90-	■	■
N 117 (D 2866 LOH 06)	Diesel		11967	309	420	09.90-	■	■
N 117 (D 2866 LOH 20)	Diesel		11967	309	420	09.90-	■	■
N 117/3 (D 2866 LOH 06)	Diesel		11967	309	420	09.92-	■	■
N 117/3 (D 2866 LOH 20)	Diesel		11967	309	420	09.92-	■	■
N 117 (BF 8 L 513-225)	Diesel		12763	225	306	09.90-09.92	■	■
N 117 (BF 8 L 513-243)	Diesel		12763	243	330	09.90-09.92	■	■
Sportliner 01.90-				Bus				
N 208 (D 0826 LOH 15)	Diesel		6871	162	220	01.90-	■	■
Transliner 12.88-				Bus				
N 316 (OM 401.905)	Diesel		9570	141	192	12.88-	■	■
N 316 (OM 401.906)	Diesel		9570	141	192	12.88-	■	■
N 314, N 316 (D 2865 LU 05)	Diesel		9973	198	270	09.93-	■	■
N 314, N 316 (D 2865 LUH02)	Diesel		9973	198	270	09.93-	■	■
N 321/3 (D 2865 LU 05)	Diesel		9973	198	270	09.93-	■	■
N 321/3 (D 2865 LUH02)	Diesel		9973	198	270	09.93-	■	■
N 316 (D 2865 LOH 02)	Diesel		9973	235	320	09.93-	■	■
N 321/3 (D 2865 LOH 02)	Diesel		9973	235	320	09.93-	■	■
N 316 (OM 441.997)	Diesel		10964	230	313	12.88-	■	■
N 316 (OM 441.980)	Diesel		10964	250	340	12.88-	■	■
N 314, N 316 (DSC 11.21)	Diesel		11020	235	320	09.93-	■	■
N 321/3 (DSC 11.21)	Diesel		11020	235	320	09.93-	■	■
N 316 (DSC 11.18)	Diesel		11020	267	363	09.90-09.92	■	■
N 316 (DSC 11.22)	Diesel		11020	280	381	09.92-	■	■
N 316 (WS 268 G)	Diesel		11627	268	364	09.92-	■	■
N 316 (WS 295 G)	Diesel		11627	295	401	09.92-	■	■
N 316 (D 2866 UH)	Diesel		11967	185	252	09.90-09.93	■	■
N 316 (D 2866 TUH)	Diesel		11967	229	311	09.90-09.93	■	■
N 316 (D 2866 KOH/373)	Diesel		11967	272	370	09.92-	■	■
N 316 (D 2866 LOH 07)	Diesel		11967	272	370	09.92-	■	■
N 316 (D 2866 LOH 06)	Diesel		11967	309	420	09.92-	■	■
N 316 (D 2866 LOH 20)	Diesel		11967	309	420	09.92-	■	■
N 316 (BF 8 L 513-225)	Diesel		12763	225	306	09.90-09.92	■	■
N 321/3 (BF 8 L 513-225)	Diesel		12763	225	306	09.90-09.92	■	■
N 316 (BF 8 L 513-243)	Diesel		12763	243	330	09.90-09.92	■	■
N 321/3 (BF 8 L 513-243)	Diesel		12763	243	330	09.90-09.92	■	■
N 316 (OM 442.979)	Diesel		14618	250	340	12.88-	■	■
N 316 (OM 442.920)	Diesel		15078	195	265	12.88-	■	■
N 316 (OM 442.913)	Diesel		15078	213	290	12.88-	■	■
N 316 (OM 442.925)	Diesel		15078	213	290	12.88-	■	■
SCANIA								
4 Series 08.97-12.11				Bus				
K 94	Diesel		8867	228	310	08.97-08.07	■	
K 94	Diesel		8867	228	310	08.97-08.07	■	
F 94	Diesel		8974	161	219	08.97-08.07	■	
94 CL/230 Ethanol (DSI 9E.01)	Diesel		8974	169	230	01.05-09.10	■	
F 94	Diesel		8974	169	230	08.97-08.07	■	
K 94	Diesel		8974	169	230	08.97-08.07	■	

LISTA DE APLICACIONES - BUYERS GUIDE

L 94		Diesel		8974	169	230	08.97-08.07	■	
N 94		Diesel		8974	169	230	08.97-08.07	■	
94 CL		Diesel		8974	191	260	05.98-08.07	■	
94 CL		Diesel		8974	191	260	05.98-08.07	■	
K 94		Diesel		8974	191	260	08.97-08.07	■	
L 94		Diesel		8974	191	260	08.97-08.07	■	
L 94		Diesel		8974	191	260	08.97-08.07	■	
L 94		Diesel		8974	191	260	08.97-08.07	■	
N 94		Diesel		8974	191	260	08.97-08.07	■	
94 CL/300 (DC 9.03)		Diesel		8974	220	299	01.99-09.10	■	
94 CL		Diesel		8974	221	300	05.98-08.07	■	
F 94		Diesel		8974	221	300	08.97-08.07	■	
K 94		Diesel		8974	221	300	08.97-08.07	■	
L 94		Diesel		8974	221	300	08.97-08.07	■	
L 94		Diesel		8974	221	300	08.97-08.07	■	
L 94		Diesel		8974	221	300	08.97-08.07	■	
N 94		Diesel		8974	221	300	08.97-08.07	■	
94 CL/310		Diesel		8974	228	310	05.98-08.07	■	
F 94		Diesel		8974	228	310	08.97-08.07	■	
K 94		Diesel		8974	228	310	08.97-08.07	■	
L 94		Diesel		8974	228	310	08.97-08.07	■	
K 114		Diesel		10640	242	329	08.97-08.07	■	
K 114		Diesel		10640	250	340	08.97-08.07	■	
K 114		Diesel		10640	250	340	08.97-08.07	■	
K 114		Diesel		10640	250	340	08.97-08.07	■	
K 114		Diesel		10640	279	379	08.97-08.07	■	
K 114		Diesel		10640	279	379	08.97-08.07	■	
K 124		Diesel		10640	279	379	08.97-08.07	■	
K 124		Diesel		11705	265	360	08.97-08.07	■	
K 124		Diesel		11705	294	400	08.97-08.07	■	
K 114		Diesel		11705	309	420	08.97-08.07	■	
K 124		Diesel		11705	309	420	08.97-08.07	■	
K 124		Diesel		11705	309	420	08.97-08.07	■	
SOLARIS									
10.98-09.06						Bus			
Urbino 9 (D 0824 LOH 05)		Diesel		4580	114	155	10.98-09.06	■	■
Urbino 10 (ISBE4 225)		Diesel		6690	165	224	06.02-09.06	■	■
Urbino 12 (ISBE4 225)		Diesel		6690	165	224	06.02-09.06	■	■
Urbino 10 (ISBE4 250B)		Diesel		6690	187	250	06.02-09.06	■	■
Urbino 12 (ISBE4 250B)		Diesel		6690	187	250	06.02-09.06	■	■
Urbino 12 (D 0826 LOH 17)		Diesel		6871	162	220	10.98-09.06	■	■
Urbino 12 (D 0826 LOH 18)		Diesel		6871	191	260	10.98-09.06	■	■
Urbino 15 (D 0826 LOH 18)		Diesel		6871	191	260	10.98-09.06	■	■
Urbino 12 (PF 183 M)		Diesel		9186	183	249	10.98-09.06	■	■
Urbino 12 (PR 183 S)		Diesel		9186	183	249	10.98-09.06	■	■
Urbino 15 (PF 212 M)		Diesel		9186	191	260	10.98-09.06	■	■
Urbino 18 (PF 235 M)		Diesel		9186	235	320	10.98-09.06	■	■
Urbino 18 (D 2866 LOH 25)		Diesel		11967	228	310	06.99-09.06	■	■
Urbino 18 (D 2866 LOH 26)		Diesel		11967	257	350	06.99-09.06	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

URBINO 10.06-					Bus				
Urbino 18 HYBRID		Bicombu stible		6690	184	250	02.08-12.18	■	■
Urbino 18 HYBRID (ISLE4 340)		Bicombu stible		8849	250	340	10.06-12.18	■	■
URBINO 10.06-					Bus				
Urbino 12.9 (ISBE6 250B)		Diesel		6690	187	250	12.13-12.18	■	■
Urbino 10 (ISBE6 280B)		Diesel		6690	206	280	01.12-12.18	■	■
Urbino 12 (ISBE6 280B)		Diesel		6690	206	280	01.12-12.18	■	■
Urbino 12.9 (ISBE6 280B)		Diesel		6690	206	280	12.13-12.18	■	■
Urbino 15		Diesel		8849	250	340	10.06-12.18	■	■
Urbino 18 (ISLE4 340)		Diesel		8849	250	340	10.06-12.18	■	■
Urbino 12		Diesel		9186	183	249	10.06-12.18	■	■
Urbino 15		Diesel		9186	228	310	10.06-12.18	■	■
Urbino 18 (PR 228 S)		Diesel		9186	228	310	10.06-12.18	■	■
Urbino 12 (PR 265 S)		Diesel		9186	265	360	10.06-12.18	■	■
Urbino 15		Diesel		9186	265	360	10.06-12.18	■	■
Urbino 18 (PR 265 S)		Diesel		9186	265	360	10.06-12.18	■	■
Urbino 12 (MX-11 210)		Diesel		10837	210	286	01.12-12.18	■	■
Urbino 12.9 (MX-11 210)		Diesel		10837	210	286	12.13-12.18	■	■
Urbino 12 (MX-11 240)		Diesel		10837	240	326	01.12-12.18	■	■
Urbino 12.9 (MX-11 240)		Diesel		10837	240	326	12.13-12.18	■	■
Urbino 15 (MX-11 240)		Diesel		10837	240	326	01.12-12.18	■	■
Urbino 18 (MX-11 240)		Diesel		10837	240	326	01.12-12.18	■	■
Urbino 12 (MX-11 271)		Diesel		10837	271	368	01.12-12.18	■	■
Urbino 12.9 (MX-11 271)		Diesel		10837	271	368	12.13-12.18	■	■
Urbino 15 (MX-11 271)		Diesel		10837	271	368	01.12-12.18	■	■
Urbino 18 (MX-11 271)		Diesel		10837	271	368	01.12-12.18	■	■
URBINO 10.06-					Bus				
Urbino 12 CNG (F2B CNG)		Gasolina		7790	200	272	02.08-12.18	■	■
Urbino 15 CNG (F2B CNG)		Gasolina		7790	200	272	02.08-12.18	■	■
Urbino 12 CNG		Gasolina		7790	213	290	02.08-12.18	■	■
Urbino 15 CNG		Gasolina		7790	213	290	02.08-12.18	■	■
Urbino 18 CNG (F2B CNG)		Gasolina		7790	220	299	02.08-12.18	■	■
Urbino 12 (ISL G 320)		Gasolina		8849	239	320	01.12-12.18	■	■
Urbino 15 (ISL G 320)		Gasolina		8849	239	320	01.12-12.18	■	■
Urbino 18 (ISL G 320)		Gasolina		8849	239	320	01.12-12.18	■	■