

LISTA DE APLICACIONES - BUYERS GUIDE

78CV0058-1



Qty: 998

Weight: 23.000

O.E.M.	MAKE
1962314	DAF
9754210012	MERCEDES-BENZ
9754210112	MERCEDES-BENZ
9754210212	MERCEDES-BENZ
9754210512	MERCEDES-BENZ
MBR5077	MERITOR



78CV0058-1



Ø377x45x134

MAKE
MERCEDES-BENZ



Trac.	CC	Kw	CV	
				Front / Rear

MERCEDES-BENZ

ATEGO 01.98-10.04

Dump Truck

1014 K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
1214 K (OM 904.910)	Diesel	4249	100	136	01.98-10.04	■
1214 K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
914K (OM 904.916)	Diesel	4249	100	136	01.98-10.04	■
1215 K (OM 904.922)	Diesel	4249	112	152	01.98-10.04	■
1017K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■
1017K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■
1217K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■
1217K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■
1317K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■
1317K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■
1517 K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■
917K (OM 904.911)	Diesel	4249	125	170	01.98-10.04	■
917K (OM 904.917)	Diesel	4249	125	170	01.98-10.04	■
1018 K	Diesel	4249	130	177	04.98-09.04	■
1218 K	Diesel	4249	130	177	04.98-09.04	■
1318 K	Diesel	4249	130	177	04.98-09.04	■
1518 K	Diesel	4249	130	177	04.98-09.04	■
1023 K (OM 906.910)	Diesel	6374	170	231	01.98-10.04	■
1023 K (OM 906.915)	Diesel	6374	170	231	01.98-10.04	■
1223 K (OM 906.910)	Diesel	6374	170	231	01.98-09.04	■
1223 K (OM 906.915)	Diesel	6374	170	231	01.98-09.04	■
1323 K (OM 906.910)	Diesel	6374	170	231	01.98-09.04	■

LISTA DE APLICACIONES - BUYERS GUIDE

1323 K (OM 906.915)	Diesel		6374	170	231	01.98-09.04	■	
1523 K (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	
1523 K (OM 906.915)	Diesel		6374	170	231	01.98-10.04	■	
923 K (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	
923 K (OM 906.915)	Diesel		6374	170	231	01.98-10.04	■	
1528 K (OM 906.911)	Diesel		6374	205	279	01.98-09.04	■	
1528 K (OM 906.916)	Diesel		6374	205	279	01.98-09.04	■	
ATEGO 01.98-10.04				Municipal Vehicle				
1017 KO, 1018 KO (OM 900.913)	Diesel		4249	125	170	01.98-10.04	■	
1017 KO, 1018 KO (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	
1017 KO, 1018 KO (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	
1217KO (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 900.913)	Diesel		4249	125	170	01.98-10.04	■	■
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
1317 KO, 1317 LKO, 1318 KO, 1318 LKO (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
917KO (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	
1323 KO, 1323 LKO (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	■
1323 KO, 1323 LKO (OM 906.915)	Diesel		6374	170	231	01.98-10.04	■	■
1523 KO (OM 906.910)	Diesel		6374	170	231	01.98-10.04	■	■
1225 F (OM 906.919)	Diesel		6374	180	245	01.98-10.04	■	■
1225 F (OM 906.939)	Diesel		6374	180	245	01.98-10.04	■	■
1325 F (OM 906.919)	Diesel		6374	180	245	01.98-10.04	■	■
1325 F (OM 906.939)	Diesel		6374	180	245	01.98-10.04	■	■
1328 F (OM 906.911)	Diesel		6374	205	279	01.98-10.04	■	■
1328 F (OM 906.916)	Diesel		6374	205	279	01.98-10.04	■	■
1528 F (OM 906.911)	Diesel		6374	205	279	01.98-10.04	■	■
1528 F (OM 906.916)	Diesel		6374	205	279	01.98-10.04	■	■
ATEGO 01.98-10.04				Platform/Chassis				
1014, 1014 L (OM 904.916)	Diesel		4249	100	136	01.98-10.04	■	
1214, 1214 L (OM 904.910)	Diesel		4249	100	136	01.98-10.04	■	
1214, 1214 L (OM 904.916)	Diesel		4249	100	136	01.98-10.04	■	
914, 914 L (OM 904.916)	Diesel		4249	100	136	01.98-10.04	■	
1015	Diesel		4249	112	152	04.98-09.04	■	
1215, 1215 L (OM 904.922)	Diesel		4249	112	152	01.98-10.04	■	■
1216	Diesel		4249	115	156	04.98-09.04	■	■
1017, 1017 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	
1017, 1017 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	
1217, 1217 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	
1217, 1217 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	
1317, 1317 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
1317, 1317 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
1517, 1517 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	■
1517, 1517 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	■
917, 917 L (OM 904.911)	Diesel		4249	125	170	01.98-10.04	■	
917, 917 L (OM 904.917)	Diesel		4249	125	170	01.98-10.04	■	
1018	Diesel		4249	130	177	04.98-09.04	■	
1018 L	Diesel		4249	130	177	04.98-09.04	■	
1218	Diesel		4249	130	177	04.98-09.04	■	
1218 L	Diesel		4249	130	177	04.98-09.04	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1318 L		Diesel		4249	130	177	04.98-09.04	■	■
1518		Diesel		4249	130	177	04.98-09.04	■	■
1518 L		Diesel		4249	130	177	04.98-09.04	■	■
918		Diesel		4249	130	177	04.98-09.04	■	
918 L		Diesel		4249	130	177	04.98-09.04	■	
1023		Diesel		6374	170	231	04.98-09.04	■	
1023, 1023 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	
1223, 1223 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	
1223, 1223 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	
1323, 1323 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1323, 1323 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
1523, 1523 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1523, 1523 L (OM 906.915)		Diesel		6374	170	231	01.98-10.04	■	■
1923 L (OM 906.910)		Diesel		6374	170	231	04.98-10.04	■	■
1923 L (OM 906.915)		Diesel		6374	170	231	04.98-10.04	■	■
2223 L (OM 906.910)		Diesel		6374	170	231	04.98-10.04	■	■
2223 L (OM 906.915)		Diesel		6374	170	231	04.98-10.04	■	■
923, 923 L (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	
1223		Diesel		6374	172	234	04.98-09.04	■	
1523		Diesel		6374	172	234	04.98-09.04	■	■
1228, 1228 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■
1228, 1228 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■	■
1328, 1328 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■
1328, 1328 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■	■
1528, 1528 L (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■
1528, 1528 L (OM 906.916)		Diesel		6374	205	279	01.98-10.04	■	■
1928 L (OM 906.911)		Diesel		6374	205	279	04.98-10.04	■	■
1928 L (OM 906.916)		Diesel		6374	205	279	04.98-10.04	■	■
2228 L (OM 906.911)		Diesel		6374	205	279	04.98-10.04	■	■
2228 L (OM 906.916)		Diesel		6374	205	279	04.98-10.04	■	■
ATEGO 01.98-10.04					Truck Tractor				
1323 LS (OM 906.910)		Diesel		6374	170	231	01.98-10.04	■	■
1328 LS (OM 906.911)		Diesel		6374	205	279	01.98-10.04	■	■
ATEGO 2 01.04-					Dump Truck				
1015 K (OM 904.916)		Diesel		4249	100	136	10.04-	■	
1214 K		Diesel		4249	100	136	10.04-	■	
1015 K, 1016 K (OM 900.912)		Diesel		4249	112	152	10.04-	■	
1015 K, 1016 K (OM 900.918)		Diesel		4249	112	152	10.04-	■	
1015 K, 1016 K (OM 904.922)		Diesel		4249	112	152	10.04-	■	
1215 K		Diesel		4249	112	152	10.04-	■	
915 K (OM 904.922)		Diesel		4249	112	152	10.04-	■	
1216 K (OM 900.912)		Diesel		4249	115	156	10.04-	■	
916 K (OM 900.912)		Diesel		4249	115	156	10.04-	■	
916 K (OM 900.918)		Diesel		4249	115	156	10.04-	■	
1017 K, 1018 K (OM 900.913)		Diesel		4249	125	170	10.04-	■	
1017 K, 1018 K (OM 900.919)		Diesel		4249	125	170	10.04-	■	
1017 K, 1018 K (OM 904.911)		Diesel		4249	125	170	10.04-	■	
1217K		Diesel		4249	125	170	10.04-	■	
1317K		Diesel		4249	125	170	10.04-	■	
1517 K		Diesel		4249	125	170	10.04-	■	
1218 K (OM 900.913)		Diesel		4249	130	177	10.04-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1318 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	
1518 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	
1618 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	
918 K (OM 900.913)	Diesel		4249	130	177	10.04-	■	
918 K (OM 900.919)	Diesel		4249	130	177	10.04-	■	
1016 K	Diesel		4801	115	156	10.04-	■	
1216 K	Diesel		4801	115	156	10.04-	■	
1022 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1022 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1222 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1222 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1322 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1322 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1522 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
1522 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1622K	Diesel		4801	160	218	10.04-	■	
922 K (OM 924.920)	Diesel		4801	160	218	10.04-	■	
922 K (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1023 K	Diesel		6374	170	231	10.04-	■	
1223 K	Diesel		6374	170	231	10.04-	■	
1323 K	Diesel		6374	170	231	10.04-	■	
1324 K (OM 902.916)	Diesel		6374	170	231	10.04-	■	
1523 K	Diesel		6374	170	231	10.04-	■	
1024 K (OM 902.916)	Diesel		6374	175	238	10.04-	■	
1224 K (OM 902.916)	Diesel		6374	175	238	10.04-	■	
1523 K, 1524 K (OM 902.916)	Diesel		6374	175	238	10.04-	■	
1624 K	Diesel		6374	175	238	10.04-	■	
924 K (OM 902.916)	Diesel		6374	175	238	10.04-	■	
1526 K (OM 902.917)	Diesel		6374	188	256	10.04-	■	
1528 K	Diesel		6374	205	279	10.04-	■	
1529 K (OM 902.918)	Diesel		6374	210	286	10.04-	■	
1024 K	Diesel		7201	175	238	10.04-	■	
1026 K	Diesel		7201	188	256	10.04-	■	
1029 K	Diesel		7201	210	286	10.04-	■	
ATEGO 2 01.04-				Municipal Vehicle				
1017 KO	Diesel		4249	125	170	10.04-	■	
1317 LKO	Diesel		4249	125	170	10.04-	■	■
1018 KO	Diesel		4249	130	177	10.04-	■	
1318 LKO	Diesel		4249	130	177	10.04-	■	■
1022 KO (OM 924.922)	Diesel		4801	160	218	10.04-	■	
1222 F (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
1322 F (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
1322 LKO (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
1522 F (OM 924.922)	Diesel		4801	160	218	10.04-	■	■
1323 LKO	Diesel		6374	170	231	10.04-	■	■
1324 LKO (OM 902.916)	Diesel		6374	175	238	10.04-	■	■
1225 F	Diesel		6374	180	245	10.04-	■	■
1325 F	Diesel		6374	180	245	10.04-	■	■
1225 F	Diesel		6374	182	247	10.04-	■	■
1325 F	Diesel		6374	182	247	10.04-	■	■
1226 F (OM 902.917)	Diesel		6374	188	256	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1326 F (OM 902.917)	Diesel		6374	188	256	10.04-	■	■
1328 F	Diesel		6374	205	279	10.04-	■	■
1528 F	Diesel		6374	205	279	10.04-	■	■
1329 F (OM 902.918)	Diesel		6374	210	286	10.04-	■	■
1529 F (OM 902.918)	Diesel		6374	210	286	10.04-	■	■
1224 F	Diesel		7201	175	238	10.04-	■	■
1324 F	Diesel		7201	175	238	10.04-	■	■
1324 LKO	Diesel		7201	175	238	10.04-	■	■
1524 F	Diesel		7201	175	238	10.04-	■	■
1226 F	Diesel		7201	188	256	10.04-	■	■
1326 F	Diesel		7201	188	256	10.04-	■	■
1326 LKO	Diesel		7201	188	256	10.04-	■	■
1526 F	Diesel		7201	188	256	10.04-	■	■
1229 F	Diesel		7201	210	286	10.04-	■	■
1329 F	Diesel		7201	210	286	10.04-	■	■
1329 LKO	Diesel		7201	210	286	10.04-	■	■
1529 F	Diesel		7201	210	286	10.04-	■	■
ATEGO 2 01.04-				Platform/Chassis				
1222 L	Bicombu stible		4801	160	218	10.04-	■	
ATEGO 2 01.04-				Platform/Chassis				
1015	Diesel		4249	100	136	10.04-	■	
1015 L	Diesel		4249	100	136	10.04-	■	
1214 L	Diesel		4249	100	136	10.04-	■	
1215	Diesel		4249	100	136	10.04-	■	
1215 L	Diesel		4249	100	136	10.04-	■	
915	Diesel		4249	100	136	10.04-	■	
915 L	Diesel		4249	100	136	10.04-	■	
1015, 1015 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	
1215, 1215 L, 1216, 1216 L (OM 900.912)	Diesel		4249	112	152	10.04-	■	
1215, 1215 L, 1216, 1216 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	
915, 915 L, 916, 916 L (OM 900.912)	Diesel		4249	112	152	10.04-	■	
915, 915 L, 916, 916 L (OM 900.918)	Diesel		4249	112	152	10.04-	■	
915, 915 L, 916, 916 L (OM 904.922)	Diesel		4249	112	152	10.04-	■	
1016, 1016 L (OM 900.912)	Diesel		4249	115	156	10.04-	■	
1016, 1016 L (OM 900.918)	Diesel		4249	115	156	10.04-	■	
1017	Diesel		4249	125	170	10.04-	■	
1017 L	Diesel		4249	125	170	10.04-	■	
1217	Diesel		4249	125	170	10.04-	■	
1217 L	Diesel		4249	125	170	10.04-	■	
1317 L	Diesel		4249	125	170	10.04-	■	■
1517	Diesel		4249	125	170	10.04-	■	■
1517 L	Diesel		4249	125	170	10.04-	■	■
917	Diesel		4249	125	170	10.04-	■	
917 L	Diesel		4249	125	170	10.04-	■	
1018, 1018 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	
1018, 1018 L (OM 900.919)	Diesel		4249	130	177	10.04-	■	
1218, 1218 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	
1318, 1318 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
1518, 1518 L (OM 900.913)	Diesel		4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.962)	Diesel		4249	130	177	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1518, 1518 L (OM 904.967)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.968)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.972)	Diesel	4249	130	177	10.04-	■	■
1518, 1518 L (OM 904.976)	Diesel	4249	130	177	10.04-	■	■
1618 (OM 900.913)	Diesel	4249	130	177	10.04-	■	■
918, 918 L (OM 900.913)	Diesel	4249	130	177	10.04-	■	
918, 918 L (OM 900.919)	Diesel	4249	130	177	10.04-	■	
1016, 1016 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	
1016 L	Diesel	4801	115	156	10.04-	■	
1216, 1216 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	
1216 L	Diesel	4801	115	156	10.04-	■	
916, 916 L (OM 924.935)	Diesel	4801	115	156	10.04-	■	
916 L	Diesel	4801	115	156	10.04-	■	
1022, 1022 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	
1022, 1022 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	
1022, 1022 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	
1222, 1222 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	
1222, 1222 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	
1222, 1222 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	
1322, 1322 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1322, 1322 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1322, 1322 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
1522, 1522 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1522, 1522 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1522, 1522 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	■
1622	Diesel	4801	160	218	10.04-	■	■
922, 922 L (OM 924.920)	Diesel	4801	160	218	10.04-	■	
922, 922 L (OM 924.922)	Diesel	4801	160	218	10.04-	■	
922, 922 L (OM 924.930)	Diesel	4801	160	218	10.04-	■	
1023, 1023 L, 1024, 1024 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	
1023, 1023 L, 1024, 1024 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	
1023, 1023 L, 1024, 1024 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	
1223, 1223 L, 1224, 1224 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	
1223, 1223 L, 1224, 1224 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	
1223, 1223 L, 1224, 1224 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	
1323, 1323 L, 1324, 1324 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1323, 1323 L, 1324, 1324 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1323, 1323 L, 1324, 1324 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1523, 1523 L, 1524, 1524 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1523, 1523 L, 1524, 1524 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1523, 1523 L, 1524, 1524 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
923, 923 L, 924, 924 L (OM 902.916)	Diesel	6374	170	231	10.04-	■	
923, 923 L, 924, 924 L (OM 906.910)	Diesel	6374	170	231	10.04-	■	
923, 923 L, 924, 924 L (OM 906.915)	Diesel	6374	170	231	10.04-	■	
1624	Diesel	6374	175	238	10.04-	■	■
1924 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
1924 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
2224 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
2224 L (OM 902.916)	Diesel	6374	175	238	10.04-	■	■
1226, 1226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1326, 1326 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

1526, 1526 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1926 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1926 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
2226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
2226 L (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1228, 1228 L, 1229, 1229 L (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1228, 1228 L, 1229, 1229 L (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1228, 1228 L, 1229, 1229 L (OM 906.916)	Diesel	6374	205	279	10.04-	■	■
1328, 1328 L, 1329, 1329 L (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1328, 1328 L, 1329, 1329 L (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1328, 1328 L, 1329, 1329 L (OM 906.916)	Diesel	6374	205	279	10.04-	■	■
1528, 1528 L, 1529, 1529 L (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1528, 1528 L, 1529, 1529 L (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1528, 1528 L, 1529, 1529 L (OM 906.916)	Diesel	6374	205	279	10.04-	■	■
1629	Diesel	6374	210	286	10.04-	■	■
1929 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
1929 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
2229 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
2229 L (OM 902.918)	Diesel	6374	210	286	10.04-	■	■
1024, 1024 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	
1024 L	Diesel	7201	175	238	10.04-	■	
1224, 1224 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	
1224 L	Diesel	7201	175	238	10.04-	■	
1324, 1324 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
1324L	Diesel	7201	175	238	10.04-	■	■
1524, 1524 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	■
924, 924 L (OM 925.920)	Diesel	7201	175	238	10.04-	■	
1026, 1026 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	
1226, 1226 L (OM 925.920)	Diesel	7201	188	256	10.04-12.14	■	
1226 L	Diesel	7201	188	256	10.04-	■	
1326, 1326 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
1326 L	Diesel	7201	188	256	10.04-	■	■
1526, 1526 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	■
926, 926 L (OM 925.920)	Diesel	7201	188	256	10.04-	■	
1029, 1029 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	
1229, 1229 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	
1229 L	Diesel	7201	210	286	10.04-	■	
1329, 1329 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
1329 L	Diesel	7201	210	286	10.04-	■	■
1529, 1529 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	■
929, 929 L (OM 925.920)	Diesel	7201	210	286	10.04-	■	
ATEGO 2 01.04-				Truck Tractor			
1322 LS (OM 924.920)	Diesel	4801	160	218	10.04-	■	■
1322 LS (OM 924.922)	Diesel	4801	160	218	10.04-	■	■
1323 LS, 1324 LS (OM 902.916)	Diesel	6374	170	231	10.04-	■	■
1323 LS, 1324 LS (OM 906.910)	Diesel	6374	170	231	10.04-	■	■
1323 LS, 1324 LS (OM 906.915)	Diesel	6374	170	231	10.04-	■	■
1326 LS (OM 902.917)	Diesel	6374	188	256	10.04-	■	■
1328 LS, 1329 LS (OM 902.918)	Diesel	6374	205	279	10.04-	■	■
1328 LS, 1329 LS (OM 906.911)	Diesel	6374	205	279	10.04-	■	■
1328 LS, 1329 LS (OM 906.916)	Diesel	6374	205	279	10.04-	■	■

LISTA DE APLICACIONES - BUYERS GUIDE

ATEGO 3 04.13-					Dump Truck				
1216 K (OM 934.911)	Diesel		5132	115	156	04.13-	■	■	
1316 K	Diesel		5132	115	156	05.13-	■	■	
1516 K	Diesel		5132	115	156	05.13-	■	■	
1218 K (OM 934.911)	Diesel		5132	130	177	04.13-	■	■	
1318 K (OM 934.911)	Diesel		5132	130	177	04.13-	■	■	
1518 K (OM 934.911)	Diesel		5132	130	177	04.13-	■	■	
1221 K (OM 934.913)	Diesel		5132	155	211	04.13-	■	■	
1321 K (OM 934.913)	Diesel		5132	155	211	04.13-	■	■	
1521 K (OM 934.913)	Diesel		5132	155	211	04.13-	■	■	
1223 K (OM 934.913)	Diesel		5132	170	231	04.13-	■	■	
1323 K (OM 934.913)	Diesel		5132	170	231	04.13-	■	■	
1523 K (OM 934.913)	Diesel		5132	170	231	04.13-	■	■	
1224 K	Diesel		7698	175	238	04.13-	■	■	
1324 K	Diesel		7698	175	238	04.13-	■	■	
1524 K	Diesel		7698	175	238	04.13-	■	■	
1227 K	Diesel		7698	200	272	04.13-	■	■	
1327 K	Diesel		7698	200	272	04.13-	■	■	
1527 K	Diesel		7698	200	272	04.13-	■	■	
1230 K	Diesel		7698	220	299	04.13-	■	■	
1330 K	Diesel		7698	220	299	04.13-	■	■	
1530 K	Diesel		7698	220	299	04.13-	■	■	
ATEGO 3 04.13-					Municipal Vehicle				
1316 LKO	Diesel		5132	115	156	05.13-	■	■	
1318 LKO (OM 934.911)	Diesel		5132	130	177	04.13-	■	■	
1221 F	Diesel		5132	155	211	05.13-	■	■	
1321 F	Diesel		5132	155	211	05.13-	■	■	
1321 LKO (OM 934.913)	Diesel		5132	155	211	04.13-	■	■	
1521 F	Diesel		5132	155	211	05.13-	■	■	
1223 F (OM 934.913)	Diesel		5132	170	231	04.13-	■	■	
1323 F (OM 934.913)	Diesel		5132	170	231	04.13-	■	■	
1323 LKO (OM 934.913)	Diesel		5132	170	231	04.13-	■	■	
1523 F	Diesel		5132	170	231	05.13-	■	■	
1224 F,1224	Diesel		7698	175	238	05.13-	■	■	
1324 F	Diesel		7698	175	238	05.13-	■	■	
1324 LKO	Diesel		7698	175	238	04.13-	■	■	
1524 F	Diesel		7698	175	238	05.13-	■	■	
1227 F	Diesel		7698	200	272	04.13-	■	■	
1327 F	Diesel		7698	200	272	04.13-	■	■	
1327 LKO	Diesel		7698	200	272	05.13-	■	■	
1527 F	Diesel		7698	200	272	04.13-	■	■	
1230 F	Diesel		7698	220	299	04.13-	■	■	
1330 F	Diesel		7698	220	299	04.13-	■	■	
1330 LKO	Diesel		7698	220	299	05.13-	■	■	
1530 F	Diesel		7698	220	299	04.13-	■	■	
ATEGO 3 04.13-					Platform/Chassis				
1216, 1216 L (OM 934.911)	Diesel		5132	115	156	04.13-	■		
1216, 1216 L (OM 934.911)	Diesel		5132	115	156	04.13-	■		
1316	Diesel		5132	115	156	05.13-	■	■	
1316 L	Diesel		5132	115	156	05.13-	■	■	

LISTA DE APLICACIONES - BUYERS GUIDE

1515 L		Diesel		5132	115	156	05.13-	■	■
1516		Diesel		5132	115	156	05.13-	■	■
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	
1218, 1218 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	
1318, 1318 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1518, 1518 L (OM 934.911)		Diesel		5132	130	177	04.13-	■	■
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	
1221, 1221 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	
1321, 1321 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1521, 1521 L (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1621		Diesel		5132	155	211	01.22-	■	■
1223, 1223 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	
1223, 1223 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	
1323, 1323 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1523, 1523 L (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1224, 1224 L		Diesel		7698	175	238	04.13-	■	
1224, 1224 L		Diesel		7698	175	238	04.13-	■	
1324, 1324 L		Diesel		7698	175	238	04.13-	■	■
1524, 1524 L		Diesel		7698	175	238	04.13-	■	■
1227, 1227 L		Diesel		7698	200	238	04.13-	■	
1327, 1327 L		Diesel		7698	200	272	04.13-	■	■
1527, 1527 L		Diesel		7698	200	272	04.13-	■	■
1230, 1230 L		Diesel		7698	220	299	04.13-	■	
1230, 1230 L		Diesel		7698	220	299	04.13-	■	
1330, 1330 L		Diesel		7698	220	299	04.13-	■	■
1530, 1530 L		Diesel		7698	220	299	04.13-	■	■
ATEGO 3 04.13-					Truck Tractor				
1321 LS (OM 934.913)		Diesel		5132	155	211	04.13-	■	■
1323 LS (OM 934.913)		Diesel		5132	170	231	04.13-	■	■
1324 LS		Diesel		7698	175	238	04.13-	■	■
1327 LS		Diesel		7698	200	272	04.13-	■	■
1330 LS		Diesel		7698	220	299	04.13-	■	■
F					Tractor Axle				
F-5.3/C19.5							01.53-	■	
F-6,1/C19.5							01.53-	■	
O 510 TOURINO (O 510) 10.03-					Bus				
TOURINO (OM 906.962)		Diesel		6374	180	245	10.03-	■	■
TOURINO (OM 906.961)		Diesel		6374	205	279	10.03-	■	■
TOURINO (OM 926.939)		Diesel		7201	210	286	10.03-	■	■
TL					Tractor Axle				
TL4/1C6-9							01.53-	■	
TL4/8C6-9							01.53-	■	
TZ					Tractor Axle				
TZ4/8C6-9							01.53-	■	
TZ5/8C7-9							01.53-	■	
VL					Tractor Axle				
VL3/20DC-4,1							01.53-	■	
VL3/21DC-5,3							01.53-	■	
VL3/22DC-5,3							01.53-	■	

LISTA DE APLICACIONES - BUYERS GUIDE

VL3/23DC-5,3						01.53-	■
VL3/24DC-5,3						01.53-	■
VL3/25DC-6,1						01.53-	■
VL3/26DC-4,1 VOLVO						01.53-	■
VL3/27DC-4,1						01.53-	■
VL3/-5,3						01.53-	■
VO					Tractor Axle		
VO3/100CLE-4,1						01.53-	■